



Supplementary Materials for

Local convergence of behavior across species

Toman Barsbai*†, Dieter Lukas*†, Andreas Ponderfer*†

*Corresponding author. Email: toman.barsbai@bristol.ac.uk (T.B.); dieter_lukas@eva.mpg.de (D.L.); andreas.ponderfer@tum.de (A.P.)

†These authors contributed equally to this work.

Published 15 January 2021, *Science* **371**, 292 (2021)
DOI: 10.1126/science.abb7481

This PDF file includes:

Materials and Methods
Supplementary Text
Figs. S1 to S11
Tables S1 to S7
References

Contents

Data	3
Human data.....	3
Data on the range distribution of mammals.....	4
Data on the range distribution of birds	5
Overview of human and non-human variables	5
Methods.....	17
Matching of human and animal data	17
Computing average animal behavior	17
Statistical analysis.....	18
Robustness	20
Association between ecological factors and behaviors	22
Fig. S1. Global map of Binford's and Jorgensen's populations	24
Fig. S2. Results from alternative specifications (Binford populations).....	26
Fig. S3. Comparing OLS and Logit estimates (Binford populations).....	27
Fig. S4. Results based on Jorgensen's dataset.....	29
Fig. S5. Scatter plots for foraging behavior (Binford populations).....	30
Fig. S6. Scatter plots for reproductive behavior (Binford populations)	31
Fig. S7. Scatter plots for social behavior (Binford populations)	32
Fig. S8. Scatter plots for foraging behavior (Jorgensen populations).....	33
Fig. S9. Scatter plots for reproductive behavior (Jorgensen populations)	34
Fig. S10. Scatter plots for social behavior (Jorgensen populations).....	35
Fig. S11. Correlation between ecological factors and behaviors	37
Tab. S1. Overview of variables used for measuring foraging behavior.....	38
Tab. S2. Overview of variables used for measuring reproductive behavior	39
Tab. S3. Overview of variables used for measuring social behavior.....	40
Tab. S4. Descriptive statistics (Binford populations)	41
Tab. S5. Descriptive statistics (Jorgensen populations)	42
Tab. S6. List of mammal species used in the analysis	43
Tab. S7. List of bird species used in the analysis	55

Data

Human data

We use the ethnographic data provided by Binford (2001) (19) for the main analysis. Binford's dataset describes cultural practices of 339 hunter-gatherer populations located in Africa (n=20), Asia (n=28), Australia (n=56), North America (n=215), and South America (n=20). All populations are geo-located with information on the latitude and longitude of the centroids of their ranges. In the section below, we describe the variables that we use from Binford's dataset and any transformations of the data prior to analysis. Table S4 provides summary statistics for these variables. The map in Figure S1 shows the location of each population.

We use Binford's dataset because it has a few advantages over other potential datasets (e.g., Murdock's Ethnographic Atlas). First, it only covers so-called hunter-gatherer populations, small-scale subsistence foraging populations that acquire most of their own resources directly rather than relying on trade and, while potentially relying on horticulture and few domestic animals, do not practice large-scale agriculture or pastoralism. Resource acquisition is therefore localized, creating a more direct link to the local ecology. Second, for most populations the "focal year" (i.e., the time period to which the cultural data refers) is in the 19th century. More precisely, 2% of populations have a focal year before the 19th century, 63% of populations have a focal year in the 19th century, and 33% of populations have a focal year in the 20th century (for 2% of populations the focal year is missing) (25). Having a focal year before the 20th century for most populations somewhat limits the recent shift towards globalization and market integration and the associated cultural and technological exchange. Third, the dataset provides the best set of variables for directly comparing human and animal behavior.

For robustness, we repeat our analyses with data on 172 Western North American populations provided by Jorgensen (1980) (26). In the section below we describe the variables that we use from Jorgensen's dataset and any transformations of the data prior to analysis. Table S5 provides summary statistics for these variables. The map in Figure S1 shows the location of each population.

The data collection of Binford has been considered less stringent than that of Jorgensen (27), but the potential noise in the coding of the variables in the Binford dataset should, if anything, reduce our power to detect a signal rather than lead to an artificial result. In addition, compared to Binford's dataset, Jorgensen's dataset is more limited in the direct comparability of human and animal behavior and most of the variables provided by Jorgensen are ordinal or categorical thus offering relatively little variation.

Both datasets including a detailed description are available at the Database of Places, Language, Culture, and Environment (D-place): <https://d-place.org/contributions> (25). Tables S1-S3 provide a short description of the human variables. In the following, we explain how we construct the different measures of human behavior in both datasets.

Data on the range distribution of mammals

Our data on the spatial distribution of mammals comes from the International Union for Conservation of Nature (IUCN, 2015) (28). The data covers 5,396 species, i.e. almost all wild mammals. The data includes taxonomic variables (i.e., species, genus, family, and order) and categories specifying the level of threat (i.e., least concern, near threatened, vulnerable, endangered and critically endangered). The data aims to provide the current known distribution of each species within its native range. The limits of distribution can be determined by using

known occurrences of the species, along with the knowledge of habitat preferences, remaining suitable habitat, elevation limits, and other expert knowledge of the species and its range.

The data covers both extant (still existent) and extinct animals (going back until 1500). We thus have information about the historical ranges in which a given mammal no longer exists. It allows us to control for recent extinctions by using the distribution as of 1500. This particular feature minimizes potential biases that could arise from comparing historical human data that largely refer to the 19th or 20th century and modern-day animal data. For details see: <https://www.iucnredlist.org/resources/spatial-data-download>.

Data on the range distribution of birds

Our data on the spatial distribution of birds comes from BirdLife International and the Handbook of the Birds of the World (29). The data covers more than 11,000 species. The data includes scientific and common names used, the authority (for the original description of the taxon), the latest global IUCN Red List category (i.e., least concern, near threatened, vulnerable, endangered and critically endangered), taxonomic notes where relevant, and a record ID number unique to the taxonomic entity. Similar to the mammal data, the bird data has information on the level of certainty that a given bird exists in an area. For details see: <http://datazone.birdlife.org/species/taxonomy>.

Overview of human and non-human variables

In the following, we explain how we construct the different measures of human, mammal, and bird behavior. We also clarify why we selected these variables for each behavior. Tables S1-S3 provide a short description of all human, mammal, and bird variables used in the analysis.

Behavior	Species	Definition	Source
Meat diet	Humans	Binford: Dependence on terrestrial animals (in %). Based on the continuous variable ‘hunting’.	(19), (26)
		Jorgensen: Diet contributed by large game, small animals, and fowl (in %). Based on the ordinal variable ‘v204’.	
	Mammals	Binary variable that takes the value 1 if the diet of the species includes other mammals and birds and 0 otherwise.	(30)
	Birds	Binary variable that takes the value 1 if the diet of the species includes other mammals and birds and 0 otherwise.	(30)
<i>Notes – These variables reflect a similar reliance on meat in all three groups.</i>			
Fish diet	Humans	Binford: Dependence on aquatic organisms (in %). Based on the continuous variable ‘fishing’.	(19), (26)
		Jorgensen: Diet contributed by aquatic animals (in %). Based on the ordinal variable ‘v199’.	
	Mammals	Binary variable that takes the value 1 if the diet of the species includes fish and 0 otherwise.	(31)
	Birds	Binary variable that takes the value 1 if the diet of the species includes fish and 0 otherwise.	(30)
<i>Notes – These variables reflect a similar reliance on fish and aquatic organisms in all three groups.</i>			
Food storage	Humans	Binford: Quantity of food stored. Based on the ordinal variable ‘qtstor’.	(19), (26)
		Jorgensen: Multiple storage sites (binary). Based on the categorical variable ‘v215’.	
	Mammals	Binary variable that takes the value 1 if the species is food-hoarding and 0 otherwise.	(32)
	Birds	Binary variable that takes the value 1 if the species is food-hoarding and 0 otherwise.	(32)
<i>Notes – These variables reflect a similar reliance on stored food resources in all three</i>			

groups.

Day range	Humans	Binford: Central place foraging (binary). Based on the categorical variable ‘mobpat’. The variable is defined as ‘central place collecting’ or ‘central place foraging’. Jorgensen: n/a	(19), (26)
	Mammals	Day range in km. The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of day range on body mass (in grams).	(33), (34)
	Birds	n/a <i>Notes – These variables represent a short-term measure of space use that at least in part reflects food resource needs of mammals (Garland 1983). Central place foragers quickly deplete resources nearby their home base and therefore often have longer day ranges than mobile foragers. For birds, we are not aware of a comparable variable that covers a sufficiently large number of species.</i>	(35)
Migratory distance	Humans	Binford: Distance moved per year by average household (in km). Based on the continuous variable ‘kmov’. Jorgensen: Non-sedentary settlement (binary). Based on the categorical variable ‘v284’. Non-sedentary settlement is defined as ‘degree of settlement of the community is that of migratory or nomadic bands occupying temporary camps for brief periods successively throughout the year’, ‘that of seminomadic communities temporary camps for much of the year but aggregated in a fixed settlement at some season or seasons, e.g., recurrently occupied winter quarters’, ‘rotating settlements, i.e., two or more permanent or semipermanent settlements occupied successively at different seasons’, or ‘semisedentary settlements occupied throughout the year by at least a nucleus of the community's population, but from which a substantial proportion of the population departs seasonally to occupy shifting camps,	(19), (26)

		e.g., on extended hunting or fishing trips or during pastoral transhumanance’.	
	Mammals	n/a	
	Birds	Migratory distance (in km). The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of migratory distance on body mass (in grams).	(36), (37)
		<i>Notes – These variables reflect the need for individuals to shift between seasonally depleting environments and the diversity of environments they are likely to encounter. For mammals, we are not aware of a comparable variable that covers a sufficiently large number of species.</i>	
Distribution range	Humans	Binford: Area occupied (in 100 square kilometers). Based on the continuous variable ‘area’. The variable was transformed using natural logarithm.	(19), (26)
		Jorgensen: n/a	
	Mammals	Area of breeding distribution (in 100 square kilometers). The variable was transformed using the natural logarithm.	(38)
	Birds	Area of breeding distribution (in 100 square kilometers). The variable was transformed using the natural logarithm.	(38)
		<i>Notes – These variables measure the total area occupied by a given population/species and reflect the extent to which individuals might be able to exploit diverse environments.</i>	
Age at first reproduction	Humans	Binford: Male age at first marriage. Based on the continuous variable ‘agem’.	(19), (26)
		Jorgensen: n/a	
	Mammals	Age (measured in days) when individuals are first physically capable of reproducing, defined as either physically sexually mature, age at first mating or unspecified (males and females), age at first estrus or age at first pregnancy (females only), age at spermatogenesis or age at testes descent (males only). The variable was normalized by	(34)

		body weight. It is based on the residuals from an ordinary least square regression of age at first reproduction on body mass (in grams).	
	Birds	Minimum age at first breeding (measured in years). The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of age at first reproduction on body mass (in grams). <i>Notes – These variables reflect the best estimate for the age at which individuals are likely to have their first offspring.</i> <i>For humans, age at first marriage was selected because data on age at first birth is only available for very small samples (e.g., 6 societies in Kramer et al. (2017) and 10 societies in Fenner (2005)).</i> <i>Male age at first marriage was selected because it is a more precise measure of actual age at first reproduction than female age at first marriage. In the Binford data, average age at first marriage for women is 14, while for men it is 21 (85% of women are 16 or younger at first marriage). The limited data on hunter-gatherer maternal age at first birth (Fenner 2005) gives an average age of 19 (with a range from 17-23). This pattern fits accounts that women, in particular in polygynous populations, are married well before they start to regularly give birth (Fenner et al. 2005, Szoltysek et al. 2017). Male age at first marriage in contrast appears to provide a more accurate measure of age at first reproduction.</i> <i>For mammals and birds, average age at first reproduction for males does not exist for many species because it requires genetic approaches to establish paternity for individuals who have been known since birth.</i>	(39), (37) (40), (41), (42)
Polygyny	Humans	Binford: Fraction of males married polygynously (in %). Based on the continuous variable ‘polygreco’. Jorgensen: Extent of polygyny (ordinal). Based on the ordinal variable ‘v294’.	(19), (26)

Mammals	Unstable groups: Binary variable that takes the value 1 if the species lives in unstable groups and 0 otherwise. (43), (44) Harems: Binary variable that takes the value 1 if the species lives in harems and 0 otherwise.
Birds	Male plumage score, reflecting the extent to which the plumage colouration of a male of a given species differs from that of females of his own and other related species. (45) <i>Notes – These variables reflect the extent to which at times individual males mate with multiple females while other males mate with none. (21), (46), (47), (48), (49), (45), (50), (51)</i> <i>For humans, the Binford data includes only information on the fraction of males that are married polygynously. The variable taken from Jorgensen describes all forms of plural marriage.</i> <i>For mammals and birds, information on actual mating behavior does not exist for most species. We selected variables that reflect male mating behavior and the likely extent to which males differ in their mating success.</i> <i>In mammals, individual males are expected to be able to monopolize matings and exclude other males when females aggregate in groups (Clutton-Brock 1989) and comparative studies show that polygyny appears to increase in species in which females form loose associations (Perez-Barbeira et al. 2002, Krüger et al. 2014). This is in contrast to solitary species in which males are less able to monopolize females, monogamous species in which males generally mate with a single partner, and stable groups where generally all males mate with the females in the group. As a robustness check, we also compared species in which individuals associate in harems, a social structure with groups containing a single male and multiple females, to species with other social structures. We did not use</i>

harems as our main measure because it reflects a social structure, whereas polygynous mating could also be present in species in which males form leks or other social structures.

In birds, the social system does not necessarily reflect the mating system. We decided on a measure that is available for a large number of species and likely reflects the extent to which males mate with multiple females. Plumage data are available for 6,000 bird species. Both lekking behavior (Bleiweiss 1997) and extra-pair paternity (Moller and Birkhead 1994) do correlate with male plumage scores, and strong sexual selection on males is associated with an increase of male coloration (Dale et al. 2015). Data on lekking behaviour is available only for a smaller set of species, restricted to certain taxonomic families (150 lekking species versus 250 non-lekking species), and several researchers have argued that in birds breeding in large colonies a 'hidden lek' phenomena might occur where some males mate with multiple females (Wagner1998, Cockburn et al. 2009). Data on extrapair paternity is also available for less than 400 species because it requires genetic data.

Patrilocality	Humans	Binford: Patrilocal as established family (binary). Based on the categorical variable 'fres2'. Patrilocal is defined as 'ambilocal, but with virilocal bias' or 'virilocal'. Jorgensen: Patrilocal after marriage (binary). Based on the categorical variable 'v308'. Patrilocal is defined as 'virilocal household, where husband and wife live with (or near) his kinsmen, but not necessarily his father' or 'patrilocal household, where husband and wife live with (or near) his father'.	(19), (26)
	Mammals	Binary variable that takes the value 1 if the female mammal leaves and the male stays in the area in which they were born and 0 otherwise.	(52–54)

	Birds	Binary variable that takes the value 1 if natal dispersal is biased towards males and 0 if natal dispersal is biased towards females. <i>Notes – These variables reflect the extent to which females at maturity leave the social group in which they were born to reproduce elsewhere across all three groups.</i>	(52)
Exogamy	Humans	Binford: Exogamous (binary). Based on the ordinal variable ‘commun’. Exogamous is defined as ‘exogamous’ (not including ‘exogamous clan’). Jorgensen: Exogamous (binary). Based on the categorical variable ‘v301’. Exogamous is defined as ‘community marriage pattern are those of exogamous communities, where there is a marked tendency or rule for marriage partners to come from different communities’.	(19), (26)
	Mammals	Dispersal distance (in km). The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of dispersal distance on body mass (in grams).	(55), (34)
	Birds	Dispersal distance (in km). The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of dispersal distance on body mass (in grams). <i>Notes – These variables reflect the extent to which dispersing individuals move to an area unfamiliar to them and/or without individuals to whom they are related or with whom they have previously interacted.</i> <i>For humans, we used the variable exogamy to create a binary scoring to contrast populations in which individuals are leaving their social group from populations in which individuals might remain in their social group but marry into a different lineage or within the same lineage.</i> <i>For mammals and birds, we used the scaled (to body size) distance that individuals move prior to their first breeding, with longer</i>	(55), (37)

distances making it less likely that individuals end up close to kin or in familiar environments.

Divorce	Humans	Binford: Ease of divorce (ordinal). Based on the ordinal variable ‘divorce’. It measures the difficulty of obtaining a sanctioned divorce within the society. It includes the following categories: ‘Not permitted or very difficult’, ‘publically adjudicated’ and ‘easy to obtain’. Jorgensen: n/a	(19)
	Mammals	n/a	
	Birds	Yearly divorce rate (in %). It is defined as the number of divorced pairs divided by the total number of pairs where both partners survived from one year to the next.	(56)
<i>Notes – These variables reflect the likelihood that a given pair will split. For humans, we assume that a higher social acceptability of divorce reflects a higher rate of divorce as it would be associated with lower social costs. For mammals, we are not aware of a comparable variable that covers a sufficiently large number of species.</i>			
Paternal care	Humans	Binford: Diet derived from male labor (in %). Based on the continuous variable ‘mdivlab’. Jorgensen: n/a	(19), (26)
	Mammals	Binary variable that takes the value 1 if the male mammal regularly takes care of offspring (feeding or carrying them) and 0 otherwise.	(57)
	Birds	Binary variable that takes the value 1 if only male birds take care of feeding offspring and 0 otherwise.	(58)
<i>Notes – These variables reflect the extent to which offspring rely on energetic contributions by males (their fathers) relative to those contributed by their mothers.</i> <i>For humans, the Binford data is limited to information on diet derived from male labor (in %). There is no measure of direct investment of males in offspring. While direct care of men for children is important, in</i>			

many populations it occurs at relatively low rates, much less than the direct care provided by mothers and usually also less than the direct care provided by some non-parents. In contrast, food contributions appear to be an important part when considering the relative role of fathers versus mothers in offspring investment (e.g., Winking et al. (2009), Gettler et al. (2020)). In particular, food contributed by men appears to help when women have very young offspring (e.g., Marlowe (2003)).

In mammals, we defined paternal care to occur when males contributed food or carried offspring, energetically costly behaviors that directly (and only) benefit the offspring.

In birds, we focused on species in which only males contributed to the building of nests, guarding or warming of eggs, and guarding or feeding of offspring.

Population density	Humans	Binford: Population density. Based on the continuous variable ‘density’. The variable was transformed using the natural logarithm. Jorgensen: Population density (ordinal). Based on the ordinal variable ‘v288’.	(19), (26)
	Mammals	Number of individuals per square kilometer. The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of population density on body mass (in grams).	(34)
	Birds	Number of individuals per square kilometer. The variable was normalized by body weight. It is based on the residuals from an ordinary least square regression of dispersal distance on body mass (in grams).	(37)

Notes – These variables define the number of interacting individuals within a given area similar across the three groups. We controlled for body size for the species’ average because small species generally have higher density, so uncontrolled values might simply reflect a higher number of

smaller species in a given area.

Group size	Humans	Binford: Consumer group size. Based on the continuous variable 'group2'. It is defined as the mean size of the consumer group that regularly camps together during the most aggregated phase of the yearly economic cycles. Jorgensen: Group size (ordinal). Based on the ordinal variable 'v286'.	(19), (26)
	Mammals	Social group size. Number of individuals, adults or definition unspecified in a group that spends the majority of their time in a 24 hour cycle together where there is some indication that these individuals form a social cohesive unit, measured over any duration of time, using non-captive populations. The variable was normalized by body weight. It is based on the predicted residuals from an ordinary least square regression of social group size on body mass (in grams).	(34)
	Birds	Binary variable that takes the value 1 if birds forage in large groups (> 30 individuals) and 0 otherwise. <i>Notes – These variables compare the size of groups of individuals that forage together and therefore might be in direct competition over resources.</i> <i>For humans, we used consumer group size as it most likely captures the group of individuals that exploits the same limited area during active foraging.</i> <i>For mammals, we used social group size as this reflects the number of individuals that are in regular contact during foraging. We scaled this for body size to account for the likely higher extent of resource competition among larger-sized species.</i> <i>For birds, we are not aware of a comparable variable that captures the actual numbers of individuals that regularly forage together for a sufficiently large number of species. We therefore relied on a binary classification splitting species in which individuals</i>	

normally forage together in groups from those in which individuals tend to forage on their own.

Social classes	Humans	Binford: Existence of social classes (binary). Based on the ordinal variable 'systage3'. Existence of social classes is defined as 'mounted hunters', 'generic hunter-gatherers with instituted leadership', 'wealth-differentiated hunter-gatherers', or 'stratified or characterized by elite and privileged leaders'. Jorgensen: n/a	(19), (26)
	Mammals	Binary variable that takes the value 1 if mammals are cooperative breeders and 0 otherwise.	(62)
	Birds	Binary variable that takes the value 1 if birds are cooperative non-kin breeders and 0 otherwise.	(63)
		<i>Notes – These variables reflect the extent to which individuals within a society might have different roles and reproductive success.</i> <i>For humans, institutionalized leadership in hunter-gatherer populations represents a form of social class distinction. Individuals who are leaders generally tend to have higher reproductive success (Smith et al. 2016).</i> <i>For mammals, cooperative breeders are societies in which there is a dominant breeding pair who produce most of the offspring and adult subordinate non-reproducing helpers who care for the offspring of the dominant pair. Individuals accordingly differ both in their role and in their reproductive success.</i> <i>For birds, non-kin cooperative breeders are societies in which there is generally a single dominant breeding pair and adults who have joined the group but do not reproduce. Again, there is a distinction between individuals in roles and reproductive success. We did not include kin cooperative breeders in birds because these generally reflect</i>	(64)

species in which non-dispersed individuals provide care to the offspring of a dominant pair. These non-dispersed individuals might not yet be adults, so the stratification is reflected by age and not by role.

Methods

Matching of human and animal data

To associate each human population with mammals and birds, we used geo-packages provided by the statistical software Stata. First, we applied the shp2dta command to convert the GIS shapefiles of mammal and bird distribution data into Stata datasets. Next, we used the module geocircles to generate a 25 km radius around the centroid (longitude and latitude) of each human population. To check robustness of our results, we also generated a 100 km radius around the centroid of populations. We chose a 25 km radius because it is close to the average distance per move of a human population in Binford's dataset. Next, we used the Stata module geoinpoly to identify all mammals and birds that live within a 25 km (100 km) radius around the centroid of each human population.

Computing average animal behavior

To compute average animal behavior at the location of each human population, we first determined which mammal and bird species lived at each location. Tables S6 and S7 provide a full list of mammal and bird species included in the analysis. We then used the data on animal behavior listed above and assigned the typically observed behavior to each species. This allowed us to compute average animal behavior at the different locations. Averages based on binary-coded animal behavior represent the fraction of species with that behavior. Averages based on

continuous variables are computed via the sum of animal behavior divided by the number of animals. All averages are unweighted, i.e. all species carry equal weight.

Due to data constraints, we need to assume that the behavior of a species is the same across its distribution range. By doing so, we minimize potential local human impact on animal behavior and ignore variation within animal species. However, we generally do not have matching data for each location. Previous studies have shown that animal behavior of the kind included in our analyses appears to change relatively rarely and to show more variation between than within species (65, 66). Such signals of species-specificity of behavior (67) also occur because populations that differ in the behavioral traits included in our analyses have been classified as separate species (68). Our approach potentially reduces our power to detect associations, as any signal of similarity of behavior of humans, mammals, and birds might mainly arise from the subset of mammalian and avian species in the sample who have adapted to local environmental conditions.

Statistical analysis

To analyze the statistical association between human and animal behavior, we estimate simple regressions of the following form:

$$y_p = \alpha + \beta \text{ animalbehavior}_p + \varepsilon_p$$

where y_p is the human outcome of population p. animalbehavior_p is our measure of average mammal or bird behavior around population p. All variables are standardized with mean zero and standard deviation of one. We use ordinary least squares (OLS) with robust standard errors for all outcomes. For continuous outcomes, the marginal effect shows by how many standard deviations human behavior changes for a one standard deviation increase in mammal or bird

behavior. For binary outcomes, the marginal effect shows by how many percentage points the likelihood of a positive outcome changes for a one standard deviation increase in mammal or bird behavior.

In addition to the parsimonious main specification above, our main results in Figure 2 also include two additional specifications that examine the role of the local environment in explaining behavioral similarity across species. In the first specification, we used average behavior of non-human species in different, but ecologically similar locations. If behavioral similarity is indeed the result from selection pressures of the local ecological environment, ecological factors should operate consistently around the world. To test this hypothesis, we relied on global grid-cell data provided by Henderson et al. (2018) (69). The data cut the entire land area of the globe into 242,164 grid cells. We first determined the grid in which the centroid of each Binford (Jorgensen) population is located. As a next step, we exploited information on the biome, latitude, altitude and coastal proximity to identify ecologically similar grid cells in other parts of the globe. Ecologically similar grid cells were defined as having the same biome, a similar latitude (± 2.5 degrees), a similar altitude (± 250 meters), and the same proximity to the coast (coastal or non-coastal) as the original grid. On average, we identified 1502 similar grid cells for each grid in which a Binford population is located (the median is 683). We then computed average mammal and bird behavior for these ecologically similar grid cells and correlated it with human behavior in the original grid cells.

In the second specification, we used the main specification and additionally included the ecological variables mentioned above (biome, latitude, altitude, and coastal proximity). If similarities in the behavior of humans, mammals, and birds is the result from selection pressures

of the local ecological environment, the correlation should become weaker or even disappear once we control for ecology.

We also present adjusted p-values to address concerns related to multiple testing. To do so, we followed the flexible procedure described in Barsbai et al. (2020) (70). It is based on the procedure introduced by List et al. (2019) (71), which considers information about the dependence structure between hypotheses and thus yields greater statistical power to reject truly false null hypotheses compared to Bonferroni or Holm procedures. Adjusted p-values are calculated using a bootstrap with 10,000 replications. Our statistical inference does not change. Most correlations remain statistically significant at conventional levels of significance. This result reflects the already low unadjusted p-values.

Robustness

Our main specification relies on average behavior of all non-human species found within a 25 km radius of the center of the range of human populations. In Figure S2, we present results from alternative specifications.

First, we clustered standard errors at the level of language phylogenetic classifications (based on Binford's variable 'phyl'). We do so to control for the possibility that the human populations covered by Binford and Jorgensen might not be independent observations.

Second, we increased the radius to 100 km. The covered area is close to the average area occupied by a human population in Binford's dataset.

Third, we used the 25 km radius and averages of animal behavior based on genera, not species. To do so, we first determined the local average behavior of all species within genera. We then built averages across local genera averages of mammals and of birds. All genera hence

contribute equally to the final average. The use of genera averages reduces potential issues from sampling species that had recent radiations within an area where descendant species still share the same behavior, which could create phylogenetic biases.

Fourth, we used the main specification and additionally included a dummy indicating whether a Binford population is located above 55 degrees latitude (i.e., in an arctic or subarctic area) and a dummy indicating whether a Binford population is located on the coast. We can thus assess whether the almost inevitable reliance on meat diets in (sub)arctic areas and the availability of aquatic resources in coastal areas alone explain some of the observed associations, in particular those for diet types.

Fifth, we used the main specification and additionally included a dummy indicating whether gathering (as opposed to hunting or aquatics) provides the majority of nutritional intake of a Binford population. This is another way to assess whether the reliance on animal diet potentially confounds the observed associations.

Our results are remarkably robust to using these different specifications and confirm the results presented in the main analysis. There are only few exceptions: when additionally controlling for coastal and (sub)arctic areas, we no longer find a significant association for meat diet between humans and birds, for age at first reproduction, and for paternal care between humans and birds and birds and mammals; when using averages over genera averages, we no longer find a significant association for the migratory distance between humans and birds and for social classes between humans and birds; when additionally controlling for gathering providing the majority of nutritional intake, we no longer find a significant association for social classes between humans and mammals. The vast majority of our estimates, however, remains unchanged.

In Figure S3, we also show that our estimates are fully robust to using Logit models, not OLS, for binary human outcomes. There are no differences in the size and statistical significance of the estimated marginal effects.

In Figure S4, we replicate our analysis using Jorgensen's dataset. While the associations in behavior across species are strongest when tested with Binford's global dataset, many associations remain present in Jorgensen's dataset focusing on North American populations. We no longer find a positive and statistically significant association for meat diet between humans and mammals and humans and birds, for polygyny between humans and birds, and for exogamy between humans and mammals. Otherwise, the results are very similar to our main analysis based on Binford's dataset. A number of factors including considerably less variation in local ecological conditions, the smaller sample size, and the categorical/ordinal coding of the variables provided by Jorgensen potentially explain why the estimates for the Jorgensen dataset are similar, but less precise.

In Figures S5-S10, we present scatter plots of all described correlations. They document that the observed relationships are not driven by outliers or unusual non-linearities.

Association between ecological factors and behaviors

If selection pressures of the local environment indeed explain behavioral similarities across species, ecological factors should be similarly correlated with behaviors across humans, mammals, and birds. We test this conjecture in Figure S11, which shows the correlation coefficients of different behaviors and different ecological factors (main biomes, in which Binford populations are located, latitude, altitude and coastal proximity) in a heatmap. Indeed, most correlations have the same sign and often similar levels of magnitude. Figure 3 visualizes

the high similarity in the correlation between behaviors and ecological factors across humans, mammals, and birds.




Fig. S1. Global map of Binford's and Jorgensen's populations
Map showing the centroids of Binford and Jorgensen hunter-gatherer populations.




Fig. S2. Results from alternative specifications (Binford populations)

Correlation in behavior between humans (Binford populations) and other mammals, humans and birds, and mammals and birds living at the same location. Dots show the estimated marginal effect of an OLS regression and lines the 90 percent confidence interval. All variables are standardized with mean zero and standard deviation of one. The marginal effect hence shows by how many standard deviations human behavior changes for a one standard deviation increase in mammal behavior (column 1), by how many standard deviations human behavior changes for a one standard deviation increase in bird behavior (column 2), and by how many standard deviations mammal behavior changes for a one standard deviation increase in bird behavior (column 3). For binary outcomes, the marginal effect reflects the change in the likelihood of a positive outcome for a one standard deviation increase in mammal or bird behavior. We present estimates from five different specifications: (i) average behavior of all non-human species found within a 25 km radius of the center of the range of human populations (main specification), (ii) same as (i) but with standard errors clustered at the level of language phylogenetic classifications, (iii) same as (i) but with a radius of 100 km, (iv) same as (i) but average over genera averages, not individual species, (v) same as (i) but additionally controlling for coastal and (sub)arctic areas, (vi) same as (i) but additionally controlling for gathering providing the majority of nutritional intake. For details see section ‘Robustness’ in ‘Methods’.




Fig. S3. Comparing OLS and Logit estimates (Binford populations)

Correlation in behavior between humans (Binford populations) and other mammals, humans and birds, and mammals and birds living at the same location. Dots show the estimated marginal effect of an OLS and Logit regression and lines the 90 percent confidence interval. All variables capturing mammal or bird behavior are standardized with mean zero and standard deviation of one. All human outcomes are binary. The marginal effect hence reflects the change in the likelihood of a positive outcome for a one standard deviation increase in mammal or bird behavior. We present estimates from our main specification that uses average behavior of all non-human species found within a 25 km radius of the center of the range of human populations.




Fig. S4. Results based on Jorgensen's dataset

Correlation in behavior between humans (Jorgensen populations) and other mammals, humans and birds, and mammals and birds living at the same location. Dots show the estimated marginal effect of an OLS regression and lines the 90 percent confidence interval. All variables are standardized with mean zero and standard deviation of one. The marginal effect hence shows by how many standard deviations human behavior changes for a one standard deviation increase in mammal behavior (column 1), by how many standard deviations human behavior changes for a one standard deviation increase in bird behavior (column 2), and by how many standard deviations mammal behavior changes for a one standard deviation increase in bird behavior (column 3). For binary outcomes, the marginal effect reflects the change in the likelihood of a positive outcome for a one standard deviation increase in mammal or bird behavior. We present estimates from our main specification that uses average behavior of all non-human species found within a 25 km radius of the center of the range of human populations. For details see section 'Robustness' in 'Methods'.




Fig. S5. Scatter plots for foraging behavior (Binford populations)

Scatter plots for foraging behavior of Binford populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For mammals and birds, we normalize day range and migratory distance by body weight of each species before computing average behavior across species. They can hence take negative values.




Fig. S6. Scatter plots for reproductive behavior (Binford populations)

Scatter plots for reproductive behavior of Binford populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For mammals and birds, we normalize age at first reproduction and dispersal distance by body weight of each species before computing average behavior across species. They can hence take negative values.




Fig. S7. Scatter plots for social behavior (Binford populations)

Scatter plots for social behavior of Binford populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For mammals and birds, we normalize population density and social group size by body weight of each species before computing average behavior across species. They can hence take negative values.




Fig. S8. Scatter plots for foraging behavior (Jorgensen populations)

Scatter plots for foraging behavior of Jorgensen populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For birds, we normalize migratory distance by body weight of each species before computing average behavior across species. It can hence take negative values.




Fig. S9. Scatter plots for reproductive behavior (Jorgensen populations)

Scatter plots for reproductive behavior of Jorgensen populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For mammals and birds, we normalize dispersal distance by body weight of each species before computing average behavior across species. They can hence take negative values.




Fig. S10. Scatter plots for social behavior (Jorgensen populations)

Scatter plots for social behavior of Jorgensen populations and surrounding mammal and bird species. The solid (dashed) line shows the prediction of a linear regression of human behavior on mammal (bird) behavior. Scatter plots include some random noise to improve readability for categorical variables. For mammals and birds, we normalize population density and social group size by body weight of each species before computing average behavior across species. They can hence take negative values.




Fig. S11. Correlation between ecological factors and behaviors

Heatmap showing the correlation coefficients between ecological factors and behaviors for humans (Binford populations) and surrounding mammal and bird species. Ecological factors include the main biomes, in which Binford populations are located, latitude, altitude and coastal proximity.

Foraging behavior	Humans (Binford populations)	Mammals	Birds	Humans (Jorgensen populations)
Meat diet	Dependence on terrestrial animals (in %)	Fraction eating mammals/birds (in %)	Fraction eating mammals/birds (in %)	Diet contributed by large game, small animals, and fowl (in %)
Fish diet	Dependence on aquatic organisms (in %)	Fraction eating fish (in %)	Fraction eating fish (in %)	Diet contributed by aquatic animals (in %)
Food storage	Quantity of food stored (ordinal)	Fraction hoarding food (in %)	Fraction hoarding food (in %)	Multiple storage sites (binary)
Day range	Central place forager (binary)	Day range (normalized by body weight)		
Migration	Total distance moved per year by average household		Migratory distance (normalized by body weight)	Non-sedentary settlement (binary)
Distribution range	Log area occupied	Log area breeding distribution	Log area breeding distribution	

Tab. S1. Overview of variables used for measuring foraging behavior

Reproductive behavior	Humans (Binford populations)	Mammals	Birds	Humans (Jorgensen populations)
Age at first reproduction	Male age at first marriage	Age at first reproduction (normalized by body weight)	Age at first reproduction (normalized by body weight)	
Polygyny	Males married polygynously (in %)	Fraction living in unstable groups (in %) / fraction living in harems (in %)	Male plumage score	Extent of polygyny (ordinal)
Patrilocality	Patrilocal as established family (binary)	Fraction of female natal dispersal (in %)	Fraction of female natal dispersal (in %)	Patrilocal after marriage (binary)
Exogamy	Exogamous (binary)	Dispersal distance (normalized by body weight)	Dispersal distance (normalized by body weight)	Exogamous (binary)
Divorce	Ease of divorce (ordinal)		Divorce rate (in %)	

Tab. S2. Overview of variables used for measuring reproductive behavior

Social behavior	Humans (Binford populations)		Mammals		Birds		Humans (Jorgensen populations)	
Paternal care	Diet derived from male labor (in %)	Fraction having paternal care (in %)	Fraction having paternal care only (in %)					
Population density	Log population density	Population density (normalized by body weight)	Population density (normalized by body weight)					
Group size	Residential group size	Social group size (normalized by body weight)	Fraction foraging in large groups (in %)					Group size (ordinal)
Social classes	Existence of social classes (binary)	Fraction of cooperative breeders (in %)	Fraction cooperative non-kin breeders (in %)					

Tab. S3. Overview of variables used for measuring social behavior

	Mean	Std. dev.	Minimum	Maximum	Observations
Humans (Binford populations)					
Dependence on terrestrial animals (in %)	33.12	20.03	0.00	90.00	339
Dependence on aquatic organisms (in %)	32.39	27.32	0.00	95.00	339
Quantity of food stored (ordinal)	2.35	1.06	1.00	4.00	337
Central place forager (binary)	0.16	0.36	0.00	1.00	339
Yearly distance moved	250.37	234.41	0.02	917.13	261
Log area occupied	4.60	1.74	0.59	8.79	339
Male age at first marriage	20.82	4.66	12.00	35.00	179
Males married polygynously (in %)	13.23	12.41	0.00	57.00	221
Patrilocal as established family (binary)	0.59	0.49	0.00	1.00	310
Exogamous (binary)	0.23	0.42	0.00	1.00	335
Ease of divorce (ordinal)	2.28	0.84	1.00	3.00	339
Diet derived from male labor (in %)	60.99	17.25	21.25	99.99	333
Log population density	6.78	1.60	3.26	10.34	339
Residential group size	74.91	85.42	19.50	650.00	297
Existence of social classes (binary)	0.47	0.50	0.00	1.00	338
Mammals (25km radius around centroids of human populations)					
Fraction eating mammals/birds (in %)	23.25	10.93	0.00	100.00	333
Fraction eating fish (in %)	6.06	5.38	0.00	66.67	333
Fraction hoarding food (in %)	22.14	15.00	0.00	58.33	339
Day range (normalized by body weight)	0.94	1.70	-2.20	11.13	327
Log area breeding distribution	11.09	0.65	9.36	12.93	334
Age at first reproduction (normalized by body weight)	-214.98	382.15	-846.12	1493.87	339
Fraction living in unstable groups (in %)	19.33	9.34	0.00	66.67	339
Fraction living in harems (in %)	5.27	5.25	0.00	37.50	339
Fraction of female natal dispersal (in %)	17.19	9.76	0.00	50.00	339
Dispersal distance (normalized by body weight)	4.10	21.06	-27.68	53.59	286
Fraction having paternal care (in %)	7.90	4.60	0.00	22.22	339
Population density (normalized by body weight)	367.08	553.56	-436.61	3385.96	338
Social group size (normalized by body weight)	-4.32	3.63	-7.63	10.75	335
Fraction of cooperative breeders (in %)	4.07	4.02	0.00	20.00	339
Birds (25km radius around centroids of human populations)					
Fraction eating mammals/birds (in %)	7.85	2.26	0.00	16.32	339
Fraction eating fish (in %)	11.36	8.17	0.63	80.00	339
Fraction hoarding food (in %)	5.41	3.26	0.00	12.31	339
Migratory distance (normalized by body weight)	322.27	1103.61	-1171.71	5316.09	327
Log area breeding distribution	11.58	0.24	10.95	12.20	335
Age at first reproduction (normalized by body weight)	0.10	0.61	-0.79	3.54	316
Male plumage score	50.64	1.30	43.54	56.02	334
Fraction of female natal dispersal (in %)	81.91	13.48	0.00	100.00	333
Dispersal distance (normalized by body weight)	157.60	73.05	2.00	385.67	330
Divorce rate (in %)	35.24	12.27	4.80	70.35	337
Fraction having paternal care only (in %)	1.20	1.04	0.00	5.88	339
Population density (normalized by body weight)	23.85	42.20	-34.08	197.02	333
Fraction foraging in large groups (in %)	58.95	8.83	31.25	100.00	336
Fraction of cooperative non-kin breeders (in %)	1.86	1.60	0.00	6.90	337

Tab. S4. Descriptive statistics (Binford populations)

Descriptive statistics for Binford populations and surrounding mammals and birds.

	Mean	Std. dev.	Minimum	Maximum	Observations
Humans (Jorgensen populations)					
Diet contributed by large game, small animals, and fowl (ordinal)	3.43	0.71	2.00	5.00	172
Diet contributed by aquatic animals (ordinal)	3.24	1.46	1.00	5.00	172
Multiple storage sites (binary)	0.23	0.42	0.00	1.00	169
Non-sedentary settlement (binary)	0.87	0.34	0.00	1.00	171
Extent of polygyny (ordinal)	2.19	0.74	1.00	4.00	172
Patrilocal after marriage (binary)	0.55	0.50	0.00	1.00	172
Exogamous (binary)	0.41	0.49	0.00	1.00	168
Population density (ordinal)	2.94	1.05	1.00	5.00	171
Group size (ordinal)	2.04	1.28	1.00	7.00	169
Mammals (25km radius around centroids of human populations)					
Fraction eating mammals/birds (in %)	23.28	4.06	15.25	42.86	171
Fraction eating fish (in %)	6.09	2.81	0.00	28.57	171
Fraction hoarding food (in %)	26.79	6.14	0.00	44.90	172
Fraction living in unstable groups (in %)	18.00	2.40	12.50	27.78	172
Fraction of female natal dispersal (in %)	15.78	3.95	5.56	25.00	172
Dispersal distance (normalized by body weight)	9.01	9.24	-11.37	53.59	170
Population density (normalized by body weight)	592.60	475.66	-42.75	1764.46	172
Social group size (normalized by body weight)	-5.21	2.71	-7.59	4.88	172
Birds (25km radius around centroids of human populations)					
Fraction eating mammals/birds (in %)	7.66	1.32	1.85	11.55	172
Fraction eating fish (in %)	11.42	5.17	5.33	53.70	172
Fraction hoarding food (in %)	7.48	1.62	0.00	11.86	172
Migratory distance (normalized by body weight)	-546.89	294.14	-1279.13	627.95	172
Male plumage score	50.07	0.67	48.45	51.66	171
Fraction of female natal dispersal (in %)	82.77	6.52	66.67	100.00	172
Dispersal distance (normalized by body weight)	129.41	34.85	61.81	400.00	172
Population density (normalized by body weight)	53.24	15.46	-30.75	87.09	172
Fraction foraging in large groups (in %)	61.93	4.96	52.94	100.00	172

Tab. S5. Descriptive statistics (Jorgensen populations)

Descriptive statistics for Jorgensen populations and surrounding mammals and birds.

Tab. S6. List of mammal species used in the analysis

<i>Abrawayaomys ruschii</i>	<i>Ammospermophilus</i>	<i>Arctictis binturong</i>	<i>Bdeogale crassicauda</i>
<i>Abrothrix lanosus</i>	<i>interpres</i>	<i>Arctocebus aureus</i>	<i>Bdeogale jacksoni</i>
<i>Abrothrix longipilis</i>	<i>Ammospermophilus</i>	<i>Arctocephalus australis</i>	<i>Bdeogale nigripes</i>
<i>Abrothrix olivaceus</i>	<i>leucurus</i>	<i>Arctocephalus forsteri</i>	<i>Belomys pearsonii</i>
<i>Acerodon jubatus</i>	<i>Ammospermophilus</i>	<i>Arctocephalus pusillus</i>	<i>Berardius arnuxii</i>
<i>Acerodon leucotis</i>	<i>nelsoni</i>	<i>Arctocephalus</i>	<i>Berardius bairdii</i>
<i>Acinonyx jubatus</i>	<i>Anathana ellioti</i>	<i>townsendi</i>	<i>Berylmys berdmorei</i>
<i>Acomys kemp</i>	<i>Anomalurus beecrofti</i>	<i>Arctogalidia trivirgata</i>	<i>Berylmys bowersi</i>
<i>Acomys percivali</i>	<i>Anomalurus derbianus</i>	<i>Arctonyx collaris</i>	<i>Bettongia gaimardi</i>
<i>Acomys spinosissimus</i>	<i>Anomalurus pusillus</i>	<i>Arctonyx hoevenii</i>	<i>Bettongia tropica</i>
<i>Acomys subspinosus</i>	<i>Anoura caudifer</i>	<i>Arielulus cuprosus</i>	<i>Bibimys chacoensis</i>
<i>Acomys wilsoni</i>	<i>Anoura geoffroyi</i>	<i>Arielulus societatis</i>	<i>Bibimys labiosus</i>
<i>Acrobates pygmaeus</i>	<i>Anoura latidens</i>	<i>Artibeus amplus</i>	<i>Bison bison</i>
<i>Aepyceros melampus</i>	<i>Anourosorex</i>	<i>Artibeus concolor</i>	<i>Blarina brevicauda</i>
<i>Aepyprymnus</i>	<i>squamipes</i>	<i>Artibeus fimbriatus</i>	<i>Blarina carolinensis</i>
<i>rufescens</i>	<i>Antechinomys laniger</i>	<i>Artibeus jamaicensis</i>	<i>Blarina hylophaga</i>
<i>Aeromys tephromelas</i>	<i>Antechinus adustus</i>	<i>Artibeus lituratus</i>	<i>Blarinomys breviceps</i>
<i>Aeromys thomasi</i>	<i>Antechinus agilis</i>	<i>Artibeus obscurus</i>	<i>Blastocerus</i>
<i>Aethalops aequalis</i>	<i>Antechinus bellus</i>	<i>Artibeus planirostris</i>	<i>dichotomus</i>
<i>Aethalops alecto</i>	<i>Antechinus flavipes</i>	<i>Arvicanthis nairobae</i>	<i>Bos gaurus</i>
<i>Aethomys chrysophilus</i>	<i>Antechinus godmani</i>	<i>Arvicanthis neumanni</i>	<i>Boselaphus</i>
<i>Aethomys hindei</i>	<i>Antechinus leo</i>	<i>Arvicanthis niloticus</i>	<i>tragocamelus</i>
<i>Aethomys ineptus</i>	<i>Antechinus minimus</i>	<i>Arvicola amphibius</i>	<i>Brachylagus idahoensis</i>
<i>Aethomys kaiseri</i>	<i>Antechinus stuartii</i>	<i>Aselliscus stoliczkanus</i>	<i>Brachyteles</i>
<i>Akodon aerosus</i>	<i>Antechinus subropicus</i>	<i>Atelerix albiventris</i>	<i>hypoxanthus</i>
<i>Akodon cursor</i>	<i>Antechinus swainsonii</i>	<i>Atelerix frontalis</i>	<i>Bradypus tridactylus</i>
<i>Akodon dayi</i>	<i>Antidorcas marsupialis</i>	<i>Ateles belzebuth</i>	<i>Bradypus variegatus</i>
<i>Akodon fumeus</i>	<i>Antilocapra americana</i>	<i>Ateles chamek</i>	<i>Brucepattersonius</i>
<i>Akodon iniscatus</i>	<i>Antilope cervicapra</i>	<i>Ateles geoffroyi</i>	<i>iheringi</i>
<i>Akodon kofordi</i>	<i>Antrozous pallidus</i>	<i>Ateles hybridus</i>	<i>Bullimus luzonicus</i>
<i>Akodon montensis</i>	<i>Aonyx capensis</i>	<i>Ateles paniscus</i>	<i>Bunolagus</i>
<i>Akodon paranaensis</i>	<i>Aonyx cinereus</i>	<i>Atherurus africanus</i>	<i>monticularis</i>
<i>Akodon serrensis</i>	<i>Aonyx congicus</i>	<i>Atherurus macrourus</i>	<i>Burramys parvus</i>
<i>Akodon siberiae</i>	<i>Aotus azarae</i>	<i>Atilax paludinosus</i>	<i>Cabassous centralis</i>
<i>Akodon varius</i>	<i>Aotus brumbacki</i>	<i>Austronomus australis</i>	<i>Cabassous tatouay</i>
<i>Alcelaphus buselaphus</i>	<i>Aotus griseimembra</i>	<i>Axis axis</i>	<i>Cabassous unicinctus</i>
<i>Alces alces</i>	<i>Aotus nigriceps</i>	<i>Baiomys taylori</i>	<i>Cacajao hosomi</i>
<i>Allenopithecus</i>	<i>Aotus trivirgatus</i>	<i>Balaena mysticetus</i>	<i>Callicebus bernhardi</i>
<i>nigroviridis</i>	<i>Aotus vociferans</i>	<i>Balaenoptera</i>	<i>Callicebus cinerascens</i>
<i>Allochrocebus lhoesti</i>	<i>Aplodontia rufa</i>	<i>acutorostrata</i>	<i>Callicebus</i>
<i>Alouatta arctoidea</i>	<i>Apodemus agrarius</i>	<i>Balaenoptera</i>	<i>donacophilus</i>
<i>Alouatta caraya</i>	<i>Apodemus argenteus</i>	<i>bonaerensis</i>	<i>Callicebus lugens</i>
<i>Alouatta guariba</i>	<i>Apodemus peninsulae</i>	<i>Balaenoptera borealis</i>	<i>Callicebus pallescens</i>
<i>Alouatta juara</i>	<i>Apodemus speciosus</i>	<i>Balaenoptera edeni</i>	<i>Callicebus personatus</i>
<i>Alouatta macconnelli</i>	<i>Apomys abrae</i>	<i>Balaenoptera musculus</i>	<i>Callithrix flaviceps</i>
<i>Alouatta puruensis</i>	<i>Apomys aurorae</i>	<i>Balaenoptera omurai</i>	<i>Callithrix geoffroyi</i>
<i>Alouatta sara</i>	<i>Apomys datae</i>	<i>Balaenoptera physalus</i>	<i>Callithrix penicillata</i>
<i>Alticola lemminus</i>	<i>Apomys microdon</i>	<i>Balionycteris maculata</i>	<i>Callorhinus ursinus</i>
<i>Amblysomus</i>	<i>Apomys manganensis</i>	<i>Bandicota bengalensis</i>	<i>Callosciurus adamsi</i>
<i>hottentotus</i>	<i>Apomys musculus</i>	<i>Bandicota indica</i>	<i>Callosciurus baluensis</i>
<i>Amblysomus robustus</i>	<i>Apomys sacobianus</i>	<i>Bandicota savilei</i>	<i>Callosciurus caniceps</i>
<i>Amblysomus</i>	<i>Apomys sierrae</i>	<i>Barbastella leucomelas</i>	<i>Callosciurus erythraeus</i>
<i>septentrionalis</i>	<i>Apomys zambalensis</i>	<i>Bassaricyon alleni</i>	<i>Callosciurus</i>
<i>Ametrida centurio</i>	<i>Arborimus albipes</i>	<i>Bassariscus astutus</i>	<i>finlaysonii</i>
<i>Ammospermophilus</i>	<i>Arborimus longicaudus</i>	<i>Bathyergus suillus</i>	<i>Callosciurus</i>
<i>harrisii</i>	<i>Arborimus pomo</i>	<i>Batomys granti</i>	<i>nigrovittatus</i>

Callosciurus notatus	Cephalophus weynsi	Chaetophractus villosus	Coendou insidiosus
Callosciurus orestes	Cephalorhynchus commersonii	Chalinolobus dwyeri	Coendou melanurus
Callosciurus prevostii	Cephalorhynchus eutropia	Chalinolobus gouldii	Coendou mexicanus
Callospermophilus lateralis	Ceratotherium simum	Chalinolobus morio	Coendou prehensilis
Callospermophilus saturatus	Cercartetus caudatus	Chalinolobus nigrogriseus	Coendou pruinus
Calomys boliviae	Cercartetus concinnus	Chalinolobus picatus	Coendou rufescens
Calomys callosus	Cercartetus lepidus	Cheirogaleus medius	Coendou spinosus
Calomys hummelincki	Cercartetus nanus	Cheiromeles parvidens	Coleura afra
Calomys laucha	Cercocebus agilis	Cheiromeles torquatus	Colobus angolensis
Calomys musculinus	Cercopithecus ascanius	Chimarrogale hantu	Colobus guereza
Calomys tener	Cercopithecus cephus	Chiroderma doriae	Colobus satanas
Caluromys lanatus	Cercopithecus denti	Chiroderma salvini	Colomys goslingi
Caluromys philander	Cercopithecus hamlyni	Chiroderma trinitatum	Condylura cristata
Canis adustus	Cercopithecus mitis	Chiroderma villosum	Conepatus chinga
Canis aureus	Cercopithecus neglectus	Chiomyscus chiropus	Conepatus humboldtii
Canis latrans	Cercopithecus nictitans	Chironax melanocephalus	Conepatus leuconotus
Canis lupus	Cerdocyon thous	Chironectes minimus	Conepatus semistriatus
Canis mesomelas	Cerradomys maracajuensis	Chiropodomys calamianensis	Congosorex verheyeni
Cannomys badius	Cerradomys scotti	Chiropodomys gliroides	Conilurus penicillatus
Caperea marginata	Cerradomys subflavus	Chiropodomys major	Connochaetes gnou
Capreolus pygargus	Cervus canadensis	Chiropodomys muroides	Connochaetes taurinus
Capricornis milneedwardsii	Cervus nippon	Chiropodomys pusillus	Cormura brevirostris
Capricornis sumatraensis	Chaerephon aloysiisabaudiae	Chiropotes albinasus	Corynorhinus mexicanus
Caracal aurata	Chaerephon ansorgei	Chiropotes chiropotes	Corynorhinus rafinesquii
Caracal caracal	Chaerephon bemmeleni	Chlorocebus cynosuros	Corynorhinus townsendii
Cardioderma cor	Chaerephon bivittatus	Chlorocebus pygerythrus	Crateromys schadenbergi
Carollia brevicauda	Chaerephon chapini	Chlorocebus tantalus	Cratogeomys castanops
Carollia castanea	Chaerephon jobensis	Chlorotalpa sclateri	Cratogeomys fumosus
Carollia perspicillata	Chaerephon jobimena	Choeroniscus godmani	Cratogeomys goldmani
Carpomys melanurus	Chaerephon johorensis	Choeroniscus minor	Cremnomys cutchicus
Carpomys phaeurus	Chaerephon major	Choeronycteris mexicana	Cricetomys emini
Casinycotis argyrenis	Chaerephon nigeriae	Choloepus didactylus	Cricetomys gambianus
Castor canadensis	Chaerephon plicatus	Choloepus hoffmanni	Crocidura allex
Catopuma badia	Chaerephon pumilus	Chrotomys	Crocidura attenuata
Catopuma temminckii	Chaerephon russatus	Chrotomys mindorensis	Crocidura attila
Cavia apera	Chaetodipus arenarius	Chrotomys silaceus	Crocidura batesi
Cavia fulgida	Chaetodipus baileyi	Chrotomys whiteheadi	Crocidura beccarii
Cavia magna	Chaetodipus californicus	Chrotopterus auritus	Crocidura caliginea
Cebus albifrons	Chaetodipus eremicus	Chrysochloris asiatica	Crocidura
Centronycteris centralis	Chaetodipus fallax	Chrysochloris stuhlmanni	congolbelgica
Centronycteris maximiliani	Chaetodipus formosus	Chrysocyon brachyurus	Crocidura crenata
Centurio senex	Chaetodipus hispidus	Chrysospalax villosus	Crocidura cyanea
Cephalophus callipygus	Chaetodipus intermedius	Cistugo lesueuri	Crocidura denti
Cephalophus dorsalis	Chaetodipus lineatus	Cistugo seabrae	Crocidura dolichura
Cephalophus harveyi	Chaetodipus nelsoni	Civetictis civetta	Crocidura elgonius
Cephalophus leucogaster	Chaetodipus penicillatus	Cloetis percivali	Crocidura flavescens
Cephalophus natalensis	Chaetodipus rudinoris	Clyomys laticeps	Crocidura foetida
Cephalophus nigrifrons	Chaetodipus spinatus	Coelops frithii	Crocidura fuliginosa
Cephalophus rufilatus	Chaetophractus vellerosus	Coendou bicolor	Crocidura fumosa
Cephalophus silvicultor			Crocidura fuscomurina
			Crocidura goliath
			Crocidura grasiei
			Crocidura grayi
			Crocidura hildegardeae
			Crocidura hirta

<i>Crocidura horsfieldii</i>	<i>Cynomops greenhalli</i>	<i>Dermanura anderseni</i>	<i>Dyacopterus brooksi</i>
<i>Crocidura</i>	<i>Cynomops milleri</i>	<i>Dermanura azteca</i>	<i>Dyacopterus spadiceus</i>
<i>indochinensis</i>	<i>Cynomops parvus</i>	<i>Dermanura cinerea</i>	<i>Echimys chrysurus</i>
<i>Crocidura jacksoni</i>	<i>Cynomops planirostris</i>	<i>Dermanura glauca</i>	<i>Echinops telfairi</i>
<i>Crocidura latona</i>	<i>Cynomys gunnisoni</i>	<i>Dermanura gnoma</i>	<i>Echinosorex gymmura</i>
<i>Crocidura lepidura</i>	<i>Cynomys leucurus</i>	<i>Dermanura phaeotis</i>	<i>Echymipera rufescens</i>
<i>Crocidura littoralis</i>	<i>Cynomys ludovicianus</i>	<i>Dermanura tolteca</i>	<i>Eidolon dupreanum</i>
<i>Crocidura ludia</i>	<i>Cynomys parvidens</i>	<i>Desmodillus</i>	<i>Eidolon helvum</i>
<i>Crocidura luna</i>	<i>Cynopterus brachyotis</i>	<i>auricularis</i>	<i>Eira barbara</i>
<i>Crocidura malayana</i>	<i>Cynopterus horsfieldii</i>	<i>Desmodus rotundus</i>	<i>Elephantulus</i>
<i>Crocidura</i>	<i>Cynopterus luzoniensis</i>	<i>Daemus youngi</i>	<i>brachyrhynchus</i>
<i>maquassiensis</i>	<i>Cynopterus minutus</i>	<i>Diceros bicornis</i>	<i>Elephantulus edwardii</i>
<i>Crocidura mariquensis</i>	<i>Cynopterus sphinx</i>	<i>Diclidurus albus</i>	<i>Elephantulus fuscipes</i>
<i>Crocidura maurisca</i>	<i>Cynopterus</i>	<i>Diclidurus ingens</i>	<i>Elephantulus intufi</i>
<i>Crocidura monax</i>	<i>titthaecheilus</i>	<i>Diclidurus isabella</i>	<i>Elephantulus myurus</i>
<i>Crocidura monticola</i>	<i>Cystophora cristata</i>	<i>Diclidurus scutatus</i>	<i>Elephantulus</i>
<i>Crocidura montis</i>	<i>Cyttarops alecto</i>	<i>Dicrostonyx</i>	<i>pilicaudus</i>
<i>Crocidura mutesae</i>	<i>Dactylomys boliviensis</i>	<i>groenlandicus</i>	<i>Elephantulus rufescens</i>
<i>Crocidura nanilla</i>	<i>Dactylomys dactylinus</i>	<i>Dicrostonyx hudsonius</i>	<i>Elephantulus rupestris</i>
<i>Crocidura negligens</i>	<i>Dactylopsila trivirgata</i>	<i>Dicrostonyx nelsoni</i>	<i>Elephas maximus</i>
<i>Crocidura nigrofusca</i>	<i>Damaliscus lunatus</i>	<i>Dicrostonyx</i>	<i>Eligmodontia morgani</i>
<i>Crocidura olivieri</i>	<i>Damaliscus pygargus</i>	<i>nunatakensis</i>	<i>Eligmodontia typus</i>
<i>Crocidura</i>	<i>Dasycercus blythi</i>	<i>Dicrostonyx</i>	<i>Eliurus myoxinus</i>
<i>palawanensis</i>	<i>Dasycercus cristicauda</i>	<i>richardsoni</i>	<i>Emballonura alecto</i>
<i>Crocidura paradoxura</i>	<i>Dasykaluta</i>	<i>Dicrostonyx torquatus</i>	<i>Emballonura monticola</i>
<i>Crocidura parvipes</i>	<i>rosamondae</i>	<i>Didelphis albiventris</i>	<i>Enchisthenes hartii</i>
<i>Crocidura roosevelti</i>	<i>Dasyms incomtus</i>	<i>Didelphis aurita</i>	<i>Enhydra lutris</i>
<i>Crocidura silacea</i>	<i>Dasyprocta azarae</i>	<i>Didelphis imperfecta</i>	<i>Eonycteris major</i>
<i>Crocidura turba</i>	<i>Dasyprocta fuliginosa</i>	<i>Didelphis marsupialis</i>	<i>Eonycteris robusta</i>
<i>Crocidura ultima</i>	<i>Dasyprocta leporina</i>	<i>Didelphis pernigra</i>	<i>Eonycteris spelaea</i>
<i>Crocidura viaria</i>	<i>Dasyprocta</i>	<i>Didelphis virginiana</i>	<i>Epixerus ebii</i>
<i>Crocidura voi</i>	<i>prymnolopha</i>	<i>Dinomys branickii</i>	<i>Epomophorus</i>
<i>Crocidura vorax</i>	<i>Dasyprocta punctata</i>	<i>Diphylla ecaudata</i>	<i>crypturus</i>
<i>Crocota crocuta</i>	<i>Dasyus hybridus</i>	<i>Diplogale hosei</i>	<i>Epomophorus labiatus</i>
<i>Crossarchus alexandri</i>	<i>Dasyus kappleri</i>	<i>Dipodomys agilis</i>	<i>Epomophorus minimus</i>
<i>Crossarchus</i>	<i>Dasyus novemcinctus</i>	<i>Dipodomys</i>	<i>Epomophorus minor</i>
<i>platycephalus</i>	<i>Dasyus sabanicola</i>	<i>californicus</i>	<i>Epomophorus</i>
<i>Crunomys fallax</i>	<i>Dasyus septemcinctus</i>	<i>Dipodomys compactus</i>	<i>wahlbergi</i>
<i>Cryptomys hottentotus</i>	<i>Dasyuroides byrnei</i>	<i>Dipodomys deserti</i>	<i>Epomops dobsonii</i>
<i>Cryptonanus agricolai</i>	<i>Dasyurus geoffroii</i>	<i>Dipodomys gravipes</i>	<i>Epomops franqueti</i>
<i>Cryptonanus</i>	<i>Dasyurus hallucatus</i>	<i>Dipodomys heermanni</i>	<i>Eptesicus andinus</i>
<i>chacoensis</i>	<i>Dasyurus maculatus</i>	<i>Dipodomys ingens</i>	<i>Eptesicus brasiliensis</i>
<i>Cryptonanus</i>	<i>Dasyurus viverrinus</i>	<i>Dipodomys merriami</i>	<i>Eptesicus chiriquinus</i>
<i>unduvensis</i>	<i>Delomys dorsalis</i>	<i>Dipodomys microps</i>	<i>Eptesicus diminutus</i>
<i>Cryptoprocta ferox</i>	<i>Delphinapterus leucas</i>	<i>Dipodomys nelsoni</i>	<i>Eptesicus furinalis</i>
<i>Cryptotis obscura</i>	<i>Delphinus capensis</i>	<i>Dipodomys nitratoides</i>	<i>Eptesicus fuscus</i>
<i>Cryptotis parva</i>	<i>Delphinus delphis</i>	<i>Dipodomys ordii</i>	<i>Eptesicus hottentotus</i>
<i>Ctenomys boliviensis</i>	<i>Dendrogale melanura</i>	<i>Dipodomys</i>	<i>Eptesicus nilssonii</i>
<i>Ctenomys brasiliensis</i>	<i>Dendrohyrax arboreus</i>	<i>panamintinus</i>	<i>Eptesicus pachyotis</i>
<i>Ctenomys</i>	<i>Dendrohyrax dorsalis</i>	<i>Dipodomys simulans</i>	<i>Eptesicus serotinus</i>
<i>magellanicus</i>	<i>Dendrolagus</i>	<i>Dipodomys spectabilis</i>	<i>Equus grevyi</i>
<i>Ctenomys minutus</i>	<i>bennettianus</i>	<i>Dipodomys stephensi</i>	<i>Equus quagga</i>
<i>Ctenomys steinbachi</i>	<i>Dendrolagus lumholtzi</i>	<i>Dipodomys venustus</i>	<i>Equus zebra</i>
<i>Cuniculus paca</i>	<i>Dendromus insignis</i>	<i>Dolichotis patagonum</i>	<i>Erethizon dorsatum</i>
<i>Cuon alpinus</i>	<i>Dendromus melanotis</i>	<i>Dologale dybowskii</i>	<i>Erignathus barbatus</i>
<i>Cyclopes didactylus</i>	<i>Dendromus mesomelas</i>	<i>Dremomys everetti</i>	<i>Erinaceus amurensis</i>
<i>Cynictis penicillata</i>	<i>Dendromus mystacalis</i>	<i>Dremomys rufigenis</i>	<i>Erythrocebus patas</i>
<i>Cynogale bennettii</i>	<i>Dendromus nyikae</i>	<i>Dugong dugon</i>	<i>Eschrichtius robustus</i>
<i>Cynomops abrasus</i>	<i>Deomys ferrugineus</i>	<i>Dusicyon avus</i>	<i>Eubalaena australis</i>

Eubalaena glacialis	Galago moholi	Glironia venusta	Herpailurus
Eubalaena japonica	Galago senegalensis	Glischropus tylopus	yagouaroundi
Euderma maculatum	Galagoides demidoff	Globicephala	Herpestes
Eudorcas thomsonii	Galagoides thomasi	macrorhynchus	auropunctatus
Eulemur rufifrons	Galea leucoblephara	Globicephala melas	Herpestes brachyurus
Eumetopias jubatus	Galea musteloides	Glossophaga	Herpestes edwardsii
Eumops auripendulus	Galeopterus variegatus	commissarisi	Herpestes flavescens
Eumops bonariensis	Galictis cuja	Glossophaga	Herpestes fuscus
Eumops dabbenei	Galictis vittata	longirostris	Herpestes ichneumon
Eumops glaucinus	Gazella bennettii	Glossophaga soricina	Herpestes javanicus
Eumops hansae	Genetta angolensis	Glyphonycteris behnii	Herpestes naso
Eumops maurus	Genetta genetta	Glyphonycteris daviesi	Herpestes
Eumops patagonicus	Genetta maculata	Glyphonycteris	pulverulentus
Eumops perotis	Genetta piscivora	sylvestris	Herpestes sanguineus
Eumops trumbulli	Genetta servalina	Golunda ellioti	Herpestes
Eumops underwoodi	Genetta tigrina	Gorilla gorilla	semitorquatus
Euneomys	Genetta victoriae	Gracilinanus agilis	Herpestes smithii
chinchilloides	Geogale aurita	Gracilinanus marica	Herpestes urva
Euneomys petersoni	Geomys arenarius	Gracilinanus	Herpestes vitticollis
Euoticus elegantulus	Geomys attwateri	microtarsus	Hesperoptenus
Euphractus sexcinctus	Geomys breviceps	Grammomys cometes	blanfordi
Euroscaptor klossi	Geomys bursarius	Grammomys	Hesperoptenus doriae
Euroscaptor micrura	Geomys knoxjonesi	dolichurus	Hesperoptenus tickelli
Euryoryzomys	Geomys personatus	Grammomys ibeanus	Heterohyrax brucei
macconnelli	Geomys pinetis	Grammomys kuru	Heteromys anomalus
Euryoryzomys nitidus	Geomys texensis	Grampus griseus	Heteromys irroratus
Euryoryzomys russatus	Georchus capensis	Graomys griseoflavus	Heteromys pictus
Euryzygomatomys	Geoxus valdivianus	Graphiurus christyi	Hippocamelus bisulcus
spinosus	Gerbilliscus afra	Graphiurus kelleni	Hippopotamus
Eutamias sibiricus	Gerbilliscus boehmi	Graphiurus lorraineus	amphibius
Exilisciurus exilis	Gerbilliscus brantsii	Graphiurus microtis	Hipposideros armiger
Exilisciurus whiteheadi	Gerbilliscus kempfi	Graphiurus murinus	Hipposideros ater
Falsistrellus affinis	Gerbilliscus	Graphiurus nagtglasii	Hipposideros beatus
Falsistrellus	leucogaster	Graphiurus ocularis	Hipposideros bicolor
mackenziei	Gerbilliscus	Graphiurus platyops	Hipposideros caffer
Falsistrellus	nigricaudus	Gulo gulo	Hipposideros
tasmaniensis	Gerbilliscus robustus	Haeromys pusillus	camerunensis
Felis chaus	Gerbilliscus validus	Halichoerus grypus	Hipposideros cervinus
Felis nigripes	Gerbillurus paeba	Handleyomys alfaroi	Hipposideros
Felis silvestris	Gerbillurus vallinus	Handleyomys	cineraceus
Feresa attenuata	Gerbillus cosensis	chapmani	Hipposideros
Fukomys bocagei	Gerbillus harwoodi	Handleyomys rostratus	commersoni
Fukomys damarensis	Gerbillus pusillus	Hapalomys	Hipposideros coronatus
Fukomys	Giraffa camelopardalis	longicaudatus	Hipposideros cyclops
ochraceocinereus	Glaucomys sabrinus	Haplonycteris fischeri	Hipposideros diadema
Funambulus layardi	Glaucomys volans	Harpiocephalus harpia	Hipposideros doriae
Funambulus palmarum	Glauconycteris	Heimyscus fumosus	Hipposideros
Funambulus pennantii	alboguttata	Helarctos malayanus	dyacorum
Funambulus	Glauconycteris	Heliophobius	Hipposideros
sublineatus	argentata	argenteocinereus	fuliginosus
Funambulus tristriatus	Glauconycteris beatrix	Heliosciurus	Hipposideros fulvus
Funisciurus anerythrus	Glauconycteris curryae	gambianus	Hipposideros galeritus
Funisciurus congicus	Glauconycteris egeria	Heliosciurus	Hipposideros gigas
Funisciurus isabella	Glauconycteris	rufobrachium	Hipposideros
Funisciurus	humeralis	Helogale parvula	hypophyllus
lemniscatus	Glauconycteris poensis	Hemibelideus	Hipposideros inornatus
Funisciurus leucogenys	Glauconycteris superba	lemuroides	Hipposideros lankadiva
Funisciurus pyrropus	Glauconycteris	Hemigalus derbyanus	Hipposideros larvatus
Furipterus horrens	variegata		Hipposideros lekaguli

Hipposideros lylei	Hypsignathus	Lagenorhynchus	Leopoldamys sabanus
Hipposideros megalotis	monstrosus	albirostris	Lepilemur
Hipposideros obscurus	Hypsiprymmodon	Lagenorhynchus	hubbardorum
Hipposideros pomona	moschatus	australis	Lepilemur ruficaudatus
Hipposideros ridleyi	Hypsugo macrotis	Lagenorhynchus	Leporillus apicalis
Hipposideros ruber	Hystrix africaeaustralis	cruciger	Leptailurus serval
Hipposideros semoni	Hystrix brachyura	Lagenorhynchus	Leptonycteris curasoae
Hipposideros speoris	Hystrix crassispinis	obliquidentis	Leptonycteris nivalis
Hipposideros stenotis	Hystrix cristata	Lagenorhynchus	Leptonycteris
Hipposideros vittatus	Hystrix indica	obscurus	verbabuenae
Hippotragus equinus	Hystrix pumila	Lagidium viscacia	Lepus alleni
Hippotragus niger	Hystrix sumatrae	Lagidium wolffsohni	Lepus americanus
Histiotes alienus	Ia io	Lagorchestes	Lepus arcticus
Histiotes magellanicus	Ichneumia albicauda	conspicillatus	Lepus californicus
Histiotes montanus	Ictidomys mexicanus	Lagotrix cana	Lepus callotis
Histiotes velatus	Ictidomys	Lagotrix lagotricha	Lepus capensis
Histiophoca fasciata	tridecemlineatus	Lama guanicoe	Lepus europaeus
Holochilus brasiliensis	Ictonyx striatus	Lamproncycteris	Lepus nigricollis
Holochilus sciureus	Idioncycteris phyllotis	brachyotis	Lepus othus
Huetia leucorhina	Idiurus macrotis	Lariscus hosei	Lepus peguensis
Hyaena hyaena	Idiurus zenkeri	Lariscus insignis	Lepus saxatilis
Hybomys univittatus	Indopacetus pacificus	Lariscus niobe	Lepus timidus
Hydricitis maculicollis	Inia geoffrensis	Lasioncycteris	Lepus tolai
Hydrochoerus	Iomys horsfieldii	noctivagans	Lepus townsendii
hydrochaeris	Irenomys tarsalis	Lasiorninus latifrons	Lepus victoriae
Hydrochoerus isthmus	Isodon auratus	Lasiurus atratus	Lestodelphys halli
Hydromys	Isodon macrourus	Lasiurus blossevillii	Lichonycteris obscura
chrysogaster	Isodon obesulus	Lasiurus borealis	Lioncycteris spurrelli
Hyemoschus aquaticus	Isothrix bistriata	Lasiurus cinereus	Lissodelphis borealis
Hyladelphys	Isothrix orinoci	Lasiurus ega	Lissodelphis peronii
kalinowskii	Juliomys pictipes	Lasiurus egregius	Lissoncycteris
Hylaeamys acritus	Kannabateomys	Lasiurus intermedius	angolensis
Hylaeamys laticeps	amblyonyx	Lasiurus seminolus	Litocranius walleri
Hylaeamys	Kerivoula argentata	Lasiurus varius	Lonchophylla robusta
megacephalus	Kerivoula cuprosa	Lasiurus xanthinus	Lonchophylla thomasi
Hylaeamys perenensis	Kerivoula hardwickii	Latidens salimalii	Lonchorhina aurita
Hylaeamys yunganus	Kerivoula intermedia	Lavia frons	Lonchorhina
Hylobates agilis	Kerivoula kachinensis	Leggadina forresti	fernandezii
Hylobates lar	Kerivoula lanosa	Leggadina	Lonchorhina inusitata
Hylobates muelleri	Kerivoula lenis	lakedownensis	Lonchorhina
Hylochoerus	Kerivoula minuta	Lemmiscus curtatus	orinocensis
meinertzhageni	Kerivoula papillosa	Lemmus sibiricus	Lontra canadensis
Hylomys parvus	Kerivoula pellucida	Lemmus trimucronatus	Lontra felina
Hylomys suillus	Kerivoula phalaena	Lemniscomys	Lontra longicaudis
Hylomyscus aeta	Kerivoula picta	macculus	Lontra provocax
Hylomyscus alleni	Kerivoula smithii	Lemniscomys rosalia	Lophiomys imhausi
Hylomyscus denniae	Kerivoula titania	Lemniscomys striatus	Lophocebus albigena
Hylomyscus parvus	Kerivoula whiteheadi	Lemniscomys zebra	Lophostoma
Hylomyscus stella	Kobus ellipsiprymnus	Lemur catta	brasiliense
Hylomyscus	Kobus kob	Lenothrix canus	Lophostoma carrikeri
walterverheyeni	Kobus leche	Leopardus colocolo	Lophostoma schulzi
Hylopetes alboniger	Kogia breviceps	Leopardus geoffroyi	Lophostoma silvicolium
Hylopetes nigripes	Kogia sima	Leopardus guigna	Lophuromys
Hylopetes phayrei	Kunsia tomentosus	Leopardus guttulus	flavopunctatus
Hylopetes platyurus	Laephotis botswanae	Leopardus pardalis	Lophuromys
Hylopetes spadiceus	Laephotis wintoni	Leopardus tigrinus	luteogaster
Hyperoodon	Lagenodelphis hosei	Leopardus wiedii	Lophuromys
ampullatus	Lagenorhynchus acutus	Leopoldamys ciliatus	nudicaudus
Hyperoodon planifrons		Leopoldamys neilli	Lophuromys sikapusi

Loris lydekkerianus	Manis culionensis	Megaderma spasma	Micronycteris hirsuta
Loxodonta africana	Manis javanica	Megaerops ecaudatus	Micronycteris
Loxodontomys	Manis pentadactyla	Megaerops niphaeae	megalotis
micropus	Marmosa constantiae	Megaerops wetmorei	Micronycteris microtis
Lutra lutra	Marmosa demerarae	Megaloglossus	Micronycteris minuta
Lutra sumatrana	Marmosa lepida	woermanni	Micronycteris
Lutreolina	Marmosa mexicana	Megaptera	schmidtorum
crassicaudata	Marmosa murina	novaeangliae	Micropteropus pusillus
Lutrogale perspicillata	Marmosa	Melanomys caliginosus	Microrhynchomys minutus
Lycalopex culpaeus	paraguayanus	Meles leucurus	Microsciurus
Lycalopex griseus	Marmosa robinsoni	Mellivora capensis	santanderensis
Lycalopex	Marmosa tyleriana	Melogale personata	Microtus agrestis
gymnocercus	Marmosops bishopi	Melomys burtoni	Microtus californicus
Lycalopex vetulus	Marmosops cauae	Melomys capensis	Microtus canicaudus
Lycan pictus	Marmosops incanus	Melomys cervinipes	Microtus chrotorrhinus
Lyncodon patagonicus	Marmosops noctivagus	Melursus ursinus	Microtus fortis
Lynx canadensis	Marmosops ocellatus	Menetes berdmorei	Microtus gregalis
Lynx lynx	Marmosops parvidens	Mephitis macroura	Microtus hyperboreus
Lynx rufus	Marmosops pinheiroi	Mephitis mephitis	Microtus longicaudus
Macaca arctoides	Marmota broweri	Mesechinus dauuricus	Microtus
Macaca assamensis	Marmota caligata	Mesembriomys gouldii	maximowiczii
Macaca fascicularis	Marmota camtschatica	Mesembriomys	Microtus mexicanus
Macaca leonina	Marmota flaviventris	macrurus	Microtus middendorffii
Macaca mulatta	Marmota monax	Mesomys hispidus	Microtus miurus
Macaca nemestrina	Marmota olympus	Mesophylla	Microtus montanus
Macaca radiata	Marmota sibirica	macconnelli	Microtus ochrogaster
Macaca silenus	Marmota	Mesoplodon bidens	Microtus oeconomus
Macaca sinica	vancouverensis	Mesoplodon bowdoini	Microtus oregoni
Macroderma gigas	Martes americana	Mesoplodon carlhubbsi	Microtus
Macroglossus minimus	Martes flavigula	Mesoplodon	pennsylvanicus
Macroglossus sobrinus	Martes gwatkinsii	densirostris	Microtus pinetorum
Macrophyllum	Martes pennanti	Mesoplodon europaeus	Microtus richardsoni
macrophyllum	Martes zibellina	Mesoplodon	Microtus townsendii
Macropus agilis	Mastacomys fuscus	ginkgodens	Microtus
Macropus antilopinus	Mastomys coucha	Mesoplodon grayi	xanthognathus
Macropus bernardus	Mastomys	Mesoplodon hectori	Millardia meltada
Macropus dorsalis	erythroleucus	Mesoplodon layardii	Mimetillus moloneyi
Macropus fuliginosus	Mastomys natalensis	Mesoplodon mirus	Mimon bennettii
Macropus giganteus	Mastomys pernanus	Mesoplodon perrini	Mimon crenulatum
Macropus irma	Mastomys shortridgei	Mesoplodon	Miniopterus australis
Macropus parma	Maxomys baedon	peruvianus	Miniopterus fraterculus
Macropus parryi	Maxomys inas	Mesoplodon stejnegeri	Miniopterus gleni
Macropus robustus	Maxomys inflatus	Mesoplodon traversii	Miniopterus inflatus
Macropus rufogriseus	Maxomys	Metachirus	Miniopterus magnater
Macropus rufus	ochraceiventer	nudicaudatus	Miniopterus
Macroscelides	Maxomys panglima	Micaelamys granti	mahafaliensis
proboscideus	Maxomys rajah	Micaelamys	Miniopterus majori
Macrotarsomys	Maxomys surifer	namaquensis	Miniopterus manavi
bastardi	Maxomys tajuddinii	Mico intermedius	Miniopterus medius
Macrotis lagotis	Maxomys whiteheadi	Mico melanurus	Miniopterus natalensis
Macrotus californicus	Mazama americana	Microcavia australis	Miniopterus pusillus
Madoqua guentheri	Mazama bororo	Microcebus griseorufus	Miniopterus tristis
Madoqua kirkii	Mazama bricenii	Microcebus murinus	Miopithecus ogouensis
Madromys blanfordi	Mazama chunyi	Microdipodops	Mirounga
Makalata didelphoides	Mazama gouazoubira	megacephalus	angustirostris
Malacomys longipes	Mazama nana	Microdipodops	Mirounga leonina
Malacothrix typica	Mazama nemorivaga	pallidus	Mirza coquereli
Mandrillus sphinx	Mazama temama	Microgale nasoloi	Molossops
Manis crassicaudata	Megaderma lyra	Micromys minutus	mattogrossensis

Molossops neglectus	Muntiacus montanus	Myosorex tenuis	Myotis welwitschii
Molossops temminckii	Muntiacus muntjak	Myosorex varius	Myotis yumanensis
Molossus bondae	Muntiacus vaginalis	Myospalax psilurus	Myrmecophaga
Molossus coibensis	Murina aenea	Myotis adversus	tridactyla
Molossus currentium	Murina cyclotis	Myotis albescens	Mystromys
Molossus molossus	Murina florum	Myotis altarium	albicaudatus
Molossus pretiosus	Murina hilgendorfi	Myotis annectans	Naemorhedus griseus
Molossus rufus	Murina suilla	Myotis auriculus	Nandinia binotata
Molossus sinaloae	Murina tubinaris	Myotis australis	Nanger granti
Monodelphis adusta	Murina ussuriensis	Myotis austroriparius	Nannosciurus
Monodelphis americana	Mus booduga	Myotis bocagii	melanotis
Monodelphis	Mus caroli	Myotis bombinus	Nanonycteris
brevicaudata	Mus cookii	Myotis brandtii	veldkampii
Monodelphis dimidiata	Mus famulus	Myotis californicus	Napaeozapus insignis
Monodelphis	Mus indutus	Myotis chiloensis	Nasalis larvatus
domestica	Mus minutoides	Myotis chinensis	Nasua narica
Monodelphis iheringi	Mus musculoides	Myotis ciliolabrum	Nasua nasua
Monodelphis kuni	Mus musculus	Myotis dasycneme	Natalus
Monodelphis osgoodi	Mus oubanguii	Myotis daubentonii	espiritosantensis
Monodelphis palliolata	Mus pahari	Myotis dinellii	Natalus mexicanus
Monodelphis peruviana	Mus phillipsi	Myotis elegans	Natalus tumidirostris
Monodelphis scalops	Mus platythrix	Myotis evotis	Neacomys dubosti
Monodon monoceros	Mus saxicola	Myotis federatus	Neacomys paracou
Mops brachypterus	Mus setulosus	Myotis formosus	Neacomys spinosus
Mops condylurus	Mus setzeri	Myotis fortidens	Necomys lactens
Mops conicus	Mus sorella	Myotis frater	Necomys lasiurus
Mops leucostigma	Mus terricolor	Myotis	Necomys lenguarum
Mops midas	Mus triton	gomantongensis	Necomys urichi
Mops mops	Mustela africana	Myotis goudoti	Nectomys rattus
Mops nanulus	Mustela altaica	Myotis hasseltii	Nectomys squamipes
Mops niangarae	Mustela erminea	Myotis horsfieldii	Neofelis diardi
Mops niveiventer	Mustela eversmanni	Myotis ikonnikovi	Neofelis nebulosa
Mops sarasinorum	Mustela frenata	Myotis keaysi	Neofiber alleni
Mops spurrelli	Mustela itatsi	Myotis keenii	Neomys fodiens
Mops thersites	Mustela kathiah	Myotis levis	Neophoca cinerea
Mormoops	Mustela lutreolina	Myotis lucifugus	Neophocaena
megalophylla	Mustela nigripes	Myotis macrodactylus	phocaenoides
Mormopterus beccarii	Mustela nivalis	Myotis macropus	Neoromicia brunnea
Mormopterus	Mustela nudipes	Myotis macrotarsus	Neoromicia capensis
cobourgianus	Mustela sibirica	Myotis melanorhinus	Neoromicia guineensis
Mormopterus eleryi	Mustela strigidorsa	Myotis montivagus	Neoromicia helios
Mormopterus halli	Mydaus marchei	Myotis muricola	Neoromicia
Mormopterus jugularis	Mylomys dybowskii	Myotis nesopolus	malagasyensis
Mormopterus loriae	Myocastor coypus	Myotis nigricans	Neoromicia nana
Mormopterus	Myodes californicus	Myotis occultus	Neoromicia rendalli
lumsdenae	Myodes gapperi	Myotis oxyotus	Neoromicia somalica
Mormopterus	Myodes glareolus	Myotis peytoni	Neoromicia tenuipinnis
norfolkensis	Myodes rex	Myotis ridleyi	Neoromicia zuluensis
Mormopterus petersi	Myodes rufocanus	Myotis riparius	Neotamias alpinus
Mormopterus planiceps	Myodes rutilus	Myotis ruber	Neotamias amoenus
Mormopterus ridei	Myomyscus brockmani	Myotis rufopictus	Neotamias canipes
Moschiola indica	Myomyscus verreauxii	Myotis septentrionalis	Neotamias cinereicollis
Moschiola meminna	Myonycteris torquata	Myotis siligorensis	Neotamias dorsalis
Moschus moschiferus	Myoprocta acouchy	Myotis simus	Neotamias durangae
Mungos mungo	Myoprocta pratti	Myotis thysanodes	Neotamias merriami
Mungotictis	Myopterus daubentonii	Myotis tricolor	Neotamias minimus
decemlineata	Myopterus whitleyi	Myotis velifer	Neotamias obscurus
Muntiacus atherodes	Myopus schisticolor	Myotis vivesi	Neotamias ochrogenys
	Myosorex cafer	Myotis volans	Neotamias palmeri

Neotamias	Notoryctes caurinus	Oligoryzomys	Otospermophilus
panamintinus	Notoryctes typhlops	chacoensis	variegatus
Neotamias	Nyctalus aviator	Oligoryzomys	Ourebia ourebi
quadrimaculatus	Nyctereutes	destructor	Ovibos moschatus
Neotamias	procyonoides	Oligoryzomys eliurus	Ovis canadensis
quadrivittatus	Nycteris arge	Oligoryzomys	Ovis dalli
Neotamias ruficaudus	Nycteris aurita	flavescens	Ovis nivicola
Neotamias rufus	Nycteris grandis	Oligoryzomys fornesi	Oxymycterus
Neotamias senex	Nycteris hispida	Oligoryzomys	dasytrichus
Neotamias siskiyou	Nycteris intermedia	fulvescens	Oxymycterus delator
Neotamias sonomae	Nycteris macrotis	Oligoryzomys	Oxymycterus hiska
Neotamias speciosus	Nycteris major	longicaudatus	Oxymycterus hispidus
Neotamias townsendii	Nycteris nana	Oligoryzomys	Oxymycterus hucucha
Neotamias umbrinus	Nycteris thebaica	magellanicus	Oxymycterus inca
Neotoma albigula	Nycteris tragata	Oligoryzomys microtis	Oxymycterus nasutus
Neotoma angustapalata	Nycticebus bengalensis	Oligoryzomys nigripes	Oxymycterus
Neotoma cinerea	Nycticebus coucang	Ondatra zibethicus	paramensis
Neotoma devia	Nycticebus menagensis	Onychogalea unguifera	Oxymycterus quaestor
Neotoma floridana	Nycticeinops	Onychomys arenicola	Oxymycterus roberti
Neotoma fuscipes	schlieffeni	Onychomys	Ozotoceros bezoarticus
Neotoma goldmani	Nycticeius humeralis	leucogaster	Pagophilus
Neotoma lepida	Nyctimene robinsoni	Onychomys torridus	groenlandicus
Neotoma leucodon	Nyctinomops	Orcaella brevirostris	Paguma larvata
Neotoma macrotis	aurispinosus	Orcaella heinsolhni	Pan troglodytes
Neotoma mexicana	Nyctinomops	Orcinus orca	Panthera leo
Neotoma micropus	femorosaccus	Oreamnos americanus	Panthera onca
Neotoma stephensi	Nyctinomops	Oreotragus oreotragus	Panthera pardus
Neotragus batesi	laticaudatus	Ornithorhynchus	Panthera tigris
Neovison vison	Nyctinomops macrotis	anatinus	Papio anubis
Nephelomys	Nyctophilus	Orthogeomys hispidus	Papio cynocephalus
albigularis	arnhemensis	Orycteropus afer	Papio kindae
Nephelomys keaysi	Nyctophilus bifax	Oryctolagus cuniculus	Papio ursinus
Nephelomys levipes	Nyctophilus geoffroyi	Oryx beisa	Paracrociodura
Nesolagus netscheri	Nyctophilus gouldi	Oryx gazella	schoutedeni
Nesotragus moschatus	Nyctophilus sherrini	Oryzomys couesi	Paracynictis selousi
Neurotrichus gibbsii	Nyctophilus walkeri	Oryzomys palustris	Paradoxurus
Neusticomys	Ochotona collaris	Otaria byronia	hermaphroditus
venezuelae	Ochotona hyperborea	Otocyon megalotis	Paradoxurus jerdoni
Nilgiritragus hylocrius	Ochotona mantchurica	Otolemur	Paraechinus
Ningaudi ridei	Ochotona princeps	crassicaudatus	nudiventris
Ningaudi timealeyi	Ochotona	Otolemur garnettii	Parahyaena brunnea
Ningaudi yvonneae	turuchanensis	Otomops harrisoni	Paratraiaenops furculus
Niviventer cameroni	Ochrotomys nuttalli	Otomops martiensseni	Paraxerus alexandri
Niviventer	Odobenus rosmarus	Otomys angoniensis	Paraxerus boehmi
cremoriventer	Odocoileus hemionus	Otomys auratus	Paraxerus cepapi
Niviventer fraternus	Odocoileus virginianus	Otomys irroratus	Paraxerus ochraceus
Niviventer fulvescens	Oecomys auyantepui	Otomys karoensis	Paraxerus palliatus
Niviventer langbianis	Oecomys bicolor	Otomys laminatus	Paraxerus poensis
Niviventer rapit	Oecomys catherinae	Otomys tropicalis	Pardofelis marmorata
Noctilio albiventris	Oecomys concolor	Otomys typus	Paremballonura tiavato
Noctilio leporinus	Oecomys flavicans	Otomys unisulcatus	Parotomys brantsii
Notiomys edwardsii	Oecomys mamorae	Otopteron	Parotomys littledalei
Notiosorex cockrumi	Oecomys rex	cartilagonodus	Pattonomys
Notiosorex crawfordi	Oecomys roberti	Otospermophilus	semivillosus
Notomys alexis	Oecomys rutilus	beecheyi	Pecari tajacu
Notomys aquilo	Oecomys speciosus	Otospermophilus	Pedetes capensis
Notomys cervinus	Oecomys trinitatis	beecheyi ssp.	Pedetes surdaster
Notomys fuscus	Oenomys hypoxanthus	atricapillus	Pelea capreolus
Notomys mitchellii	Okapia johnstoni		Pelomys fallax

<i>Pelomys hopkinsi</i>	<i>Petaurus breviceps</i>	<i>Phyllomys dasythrix</i>	<i>Platyrrhinus nigellus</i>
<i>Penthetor lucasi</i>	<i>Petaurus gracilis</i>	<i>Phyllomys lamarum</i>	<i>Platyrrhinus recifinus</i>
<i>Peponocephala electra</i>	<i>Petaurus norfolcensis</i>	<i>Phyllomys medius</i>	<i>Platyrrhinus umbratus</i>
<i>Perameles gunnii</i>	<i>Petinomys</i>	<i>Phyllomys pattoni</i>	<i>Platyrrhinus vittatus</i>
<i>Perameles nasuta</i>	<i>fuscocapillus</i>	<i>Phyllomys sulinus</i>	<i>Plecotus ognevi</i>
<i>Perodicticus edwardsi</i>	<i>Petinomys genibarbis</i>	<i>Phyllostomus discolor</i>	<i>Plecotus sacrimontis</i>
<i>Perodicticus ibeanus</i>	<i>Petinomys setosus</i>	<i>Phyllostomus</i>	<i>Podomys floridanus</i>
<i>Perognathus alticola</i>	<i>Petinomys</i>	<i>elongatus</i>	<i>Poecilogale albinucha</i>
<i>Perognathus amplus</i>	<i>vordermanni</i>	<i>Phyllostomus hastatus</i>	<i>Pogonomys macrourus</i>
<i>Perognathus fasciatus</i>	<i>Petrodromus</i>	<i>Phyllostomus latifolius</i>	<i>Poiana richardsonii</i>
<i>Perognathus flavescens</i>	<i>tetradactylus</i>	<i>Phyllotis wolffsohni</i>	<i>Poliocitellus franklinii</i>
<i>Perognathus flavus</i>	<i>Petrogale brachyotis</i>	<i>Phyllotis xanthopygus</i>	<i>Potamochoerus</i>
<i>Perognathus inornatus</i>	<i>Petrogale burbridgei</i>	<i>Physeter</i>	<i>larvatus</i>
<i>Perognathus</i>	<i>Petrogale coenensis</i>	<i>macrocephalus</i>	<i>Potamochoerus porcus</i>
<i>longimembris</i>	<i>Petrogale concinna</i>	<i>Piliocolobus oustaleti</i>	<i>Potamogale velox</i>
<i>Perognathus merriami</i>	<i>Petrogale godmani</i>	<i>Pipistrellus adamsi</i>	<i>Potorous longipes</i>
<i>Perognathus parvus</i>	<i>Petrogale herberti</i>	<i>Pipistrellus anchietae</i>	<i>Potorous tridactylus</i>
<i>Peromyscus attwateri</i>	<i>Petrogale lateralis</i>	<i>Pipistrellus cadornae</i>	<i>Potos flavus</i>
<i>Peromyscus aztecus</i>	<i>Petrogale mareeba</i>	<i>Pipistrellus ceylonicus</i>	<i>Praomys jacksoni</i>
<i>Peromyscus boylii</i>	<i>Petrogale penicillata</i>	<i>Pipistrellus</i>	<i>Praomys misonnei</i>
<i>Peromyscus</i>	<i>Petrogale rothschildi</i>	<i>coromandra</i>	<i>Praomys petteri</i>
<i>californicus</i>	<i>Petrogale sharmani</i>	<i>Pipistrellus crassulus</i>	<i>Praomys verschureni</i>
<i>Peromyscus crinitus</i>	<i>Petromus typicus</i>	<i>Pipistrellus hesperidus</i>	<i>Presbytis chrysomelas</i>
<i>Peromyscus difficilis</i>	<i>Petromyscus barbouri</i>	<i>Pipistrellus hesperus</i>	<i>Presbytis femoralis</i>
<i>Peromyscus eremicus</i>	<i>Petromyscus collinus</i>	<i>Pipistrellus javanicus</i>	<i>Presbytis frontata</i>
<i>Peromyscus eva</i>	<i>Petromyscus</i>	<i>Pipistrellus kuhlii</i>	<i>Presbytis hosei</i>
<i>Peromyscus fraterculus</i>	<i>monticularis</i>	<i>Pipistrellus musciculus</i>	<i>Presbytis melalophos</i>
<i>Peromyscus furvus</i>	<i>Petromyscus</i>	<i>Pipistrellus nanulus</i>	<i>Presbytis rubicunda</i>
<i>Peromyscus</i>	<i>shortridgei</i>	<i>Pipistrellus pipistrellus</i>	<i>Presbytis siamensis</i>
<i>gossypinus</i>	<i>Petropseudes dahl</i>	<i>Pipistrellus pulveratus</i>	<i>Prionodonte maximus</i>
<i>Peromyscus gratus</i>	<i>Phacochoerus africanus</i>	<i>Pipistrellus raceyi</i>	<i>Prionailurus</i>
<i>Peromyscus hooperi</i>	<i>Phalanger mimicus</i>	<i>Pipistrellus rueppellii</i>	<i>bengalensis</i>
<i>Peromyscus keeni</i>	<i>Phaner pallescens</i>	<i>Pipistrellus rusticus</i>	<i>Prionailurus planiceps</i>
<i>Peromyscus leucopus</i>	<i>Phascogale pirata</i>	<i>Pipistrellus stenopterus</i>	<i>Prionailurus</i>
<i>Peromyscus levipes</i>	<i>Phascogale tapoatafa</i>	<i>Pipistrellus subflavus</i>	<i>rubiginosus</i>
<i>Peromyscus</i>	<i>Phascolarctos cinereus</i>	<i>Pipistrellus tenuis</i>	<i>Prionailurus viverrinus</i>
<i>maniculatus</i>	<i>Phataginus tetradactyla</i>	<i>Pipistrellus westralis</i>	<i>Prionodon linsang</i>
<i>Peromyscus</i>	<i>Phataginus tricuspis</i>	<i>Pithecheir parvus</i>	<i>Prionodon pardicolor</i>
<i>melanophrys</i>	<i>Phenacomys</i>	<i>Pithecia pithecia</i>	<i>Prionomys batesi</i>
<i>Peromyscus melanotis</i>	<i>intermedius</i>	<i>Planigale gilesi</i>	<i>Procyon capensis</i>
<i>Peromyscus merriami</i>	<i>Phenacomys ungava</i>	<i>Planigale ingrami</i>	<i>Procyon cancrivorus</i>
<i>Peromyscus mexicanus</i>	<i>Philander andersoni</i>	<i>Planigale maculata</i>	<i>Procyon lotor</i>
<i>Peromyscus nasutus</i>	<i>Philander frenatus</i>	<i>Planigale tenuirostris</i>	<i>Proechimys breviceauda</i>
<i>Peromyscus</i>	<i>Philander mondolfii</i>	<i>Platacanthomys</i>	<i>Proechimys canicollis</i>
<i>ochraventer</i>	<i>Philander opossum</i>	<i>lasiurus</i>	<i>Proechimys</i>
<i>Peromyscus pectoralis</i>	<i>Philantomba monticola</i>	<i>Platymops setiger</i>	<i>chrysaecolus</i>
<i>Peromyscus polionotus</i>	<i>Philetor brachypterus</i>	<i>Platyrrhinus albericoi</i>	<i>Proechimys cuvieri</i>
<i>Peromyscus slevini</i>	<i>Phloeomys pallidus</i>	<i>Platyrrhinus</i>	<i>Proechimys guairae</i>
<i>Peromyscus truei</i>	<i>Phoca largha</i>	<i>angustirostris</i>	<i>Proechimys</i>
<i>Peropteryx kappleri</i>	<i>Phoca vitulina</i>	<i>Platyrrhinus aurarius</i>	<i>guyannensis</i>
<i>Peropteryx leucoptera</i>	<i>Phocoena dioptrica</i>	<i>Platyrrhinus</i>	<i>Proechimys</i>
<i>Peropteryx macrotis</i>	<i>Phocoena phocoena</i>	<i>brachycephalus</i>	<i>hoplomyoides</i>
<i>Peropteryx pallidoptera</i>	<i>Phocoena sinus</i>	<i>Platyrrhinus dorsalis</i>	<i>Proechimys</i>
<i>Petaurillus hosei</i>	<i>Phocoena spinipinnis</i>	<i>Platyrrhinus</i>	<i>longicaudatus</i>
<i>Petaurista elegans</i>	<i>Phocoenoides dalli</i>	<i>fusciventris</i>	<i>Proechimys</i>
<i>Petaurista petaurista</i>	<i>Phoniscus atrox</i>	<i>Platyrrhinus helleri</i>	<i>quadruplicatus</i>
<i>Petaurista philippensis</i>	<i>Phoniscus jagorii</i>	<i>Platyrrhinus incarum</i>	<i>Proechimys simonsi</i>
<i>Petauroides volans</i>	<i>Phoniscus papuensis</i>	<i>Platyrrhinus infuscus</i>	<i>Promops centralis</i>
<i>Petaurus australis</i>	<i>Phylloderma stenops</i>	<i>Platyrrhinus lineatus</i>	<i>Promops nasutus</i>

Pronolagus	Pteronotus personatus	Reithrodontomys	Rhinolophus simulator
crassicaudatus	Pteronotus rubiginosus	mexicanus	Rhinolophus steno
Pronolagus randensis	Pteronura brasiliensis	Reithrodontomys	Rhinolophus subrufus
Pronolagus rupestris	Pteropus alecto	montanus	Rhinolophus swinnyi
Pronolagus saundersiae	Pteropus conspicillatus	Reithrodontomys	Rhinolophus thomasi
Propithecus verreauxi	Pteropus giganteus	raviventris	Rhinolophus trifolius
Proteles cristata	Pteropus hypomelanus	Reithrodontomys	Rhinolophus virgo
Protoxerus stangeri	Pteropus leucopterus	sumichrasti	Rhinolophus
Pseudantechinus	Pteropus melanotus	Rhabdomys pumilio	yunanensis
bilarni	Pteropus neohibernicus	Rheithrosciurus	Rhinonictis aurantia
Pseudantechinus	Pteropus poliocephalus	macrotis	Rhinophylla fischeriae
macdonnellensis	Pteropus scapulatus	Rhinolophus	Rhinophylla pumilio
Pseudantechinus	Pteropus vampyrus	acuminatus	Rhinopoma hardwickii
ningbing	Ptilocercus lowii	Rhinolophus affinis	Rhinosciurus
Pseudantechinus roryi	Pudu puda	Rhinolophus alcione	laticaudatus
Pseudantechinus	Puma concolor	Rhinolophus arcuatus	Rhipidomys austrinus
woolleyae	Pusa hispida	Rhinolophus beddomei	Rhipidomys
Pseudocheirus	Pygoderma bilabiatum	Rhinolophus	leucodactylus
occidentalis	Rangifer tarandus	borneensis	Rhipidomys
Pseudocheirus	Raphicerus campestris	Rhinolophus capensis	macconnelli
peregrinus	Raphicerus melanotis	Rhinolophus clivosus	Rhipidomys macrurus
Pseudochirops archeri	Raphicerus sharpei	Rhinolophus	Rhipidomys mastacalis
Pseudochirulus	Rattus andamanensis	coelophyllus	Rhipidomys nitela
cinereus	Rattus annandalei	Rhinolophus cognatus	Rhipidomys
Pseudochirulus	Rattus argentiventer	Rhinolophus cohenae	venezuelae
herbertensis	Rattus burrus	Rhinolophus creaghi	Rhipidomys wetzeli
Pseudomys	Rattus colletti	Rhinolophus	Rhizomys pruinosus
albocinereus	Rattus everetti	damarensis	Rhizomys sumatrensis
Pseudomys	Rattus exulans	Rhinolophus darlingi	Rhogeessa io
apodemoides	Rattus fuscipes	Rhinolophus denti	Rhogeessa minutilla
Pseudomys australis	Rattus leucopus	Rhinolophus eloquens	Rhogeessa parvula
Pseudomys bolami	Rattus losea	Rhinolophus	Rhynchocyon cirnei
Pseudomys calabyi	Rattus lutreolus	ferrumequinum	Rhynchogale melleri
Pseudomys chapmani	Rattus nitidus	Rhinolophus fumigatus	Rhynchomys
Pseudomys delicatulus	Rattus norvegicus	Rhinolophus	soricoides
Pseudomys desertor	Rattus palmarum	hildebrandtii	Rhynchomys tapulao
Pseudomys fumeus	Rattus rattus	Rhinolophus inops	Rhynchonycteris naso
Pseudomys	Rattus satarae	Rhinolophus landeri	Rousettus aegyptiacus
gracilicaudatus	Rattus sordidus	Rhinolophus lepidus	Rousettus
Pseudomys	Rattus stoicus	Rhinolophus luctus	amplexicaudatus
hermannsburgensis	Rattus tanezumi	Rhinolophus macrotis	Rousettus lanosus
Pseudomys higginsi	Rattus tiomanicus	Rhinolophus	Rousettus leschenaultii
Pseudomys johnsoni	Rattus tunneyi	malayanus	Rousettus spinalatus
Pseudomys nanus	Rattus villosissimus	Rhinolophus marshalli	Rusa marianna
Pseudomys	Ratufa affinis	Rhinolophus	Rusa unicolor
novaeollandiae	Ratufa bicolor	megaphyllus	Saccolaimus
Pseudomys	Ratufa indica	Rhinolophus	flaviventris
occidentalis	Ratufa macroura	microglobosus	Saccolaimus mixtus
Pseudomys oralis	Redunca arundinum	Rhinolophus	Saccolaimus peli
Pseudomys patrius	Redunca fulvorufula	paradoxolophus	Saccolaimus
Pseudorca crassidens	Redunca redunca	Rhinolophus pearsonii	saccolaimus
Pseudoryzomys	Reithrodon auritus	Rhinolophus	Saccopteryx bilineata
simplex	Reithrodontomys burti	philippinensis	Saccopteryx canescens
Ptenochirus jagori	Reithrodontomys	Rhinolophus pusillus	Saccopteryx gymnura
Pteromys volans	fulvescens	Rhinolophus robinsoni	Saccopteryx leptura
Pteromyscus	Reithrodontomys	Rhinolophus rouxii	Saccostomus
pulverulentus	humilis	Rhinolophus sedulus	campestris
Pteronotus davyi	Reithrodontomys	Rhinolophus shameli	Saccostomus mearnsi
Pteronotus gymnotus	megalotis	Rhinolophus siamensis	Saguinus inustus

Saguinus midas	Scotorepens sanborni	Sorex hoyi	Suncus infinitesimus
Saimiri boliviensis	Scotozous dormeri	Sorex isodon	Suncus lixus
Saimiri sciureus	Scutisorex somereni	Sorex jacksoni	Suncus
Saimiri ustus	Semnopithecus	Sorex longirostris	madagascariensis
Sapajus apella	dussumieri	Sorex lyelli	Suncus malayanus
Sapajus cay	Semnopithecus entellus	Sorex maritimensis	Suncus megalura
Sapajus libidinosus	Semnopithecus priam	Sorex merriami	Suncus montanus
Sapajus macrocephalus	Setifer setosus	Sorex minutissimus	Suncus murinus
Sapajus nigritus	Setonix brachyurus	Sorex minutus	Suncus remyi
Sapajus robustus	Sicista betulina	Sorex monticolus	Suncus varilla
Sarcophilus harrisi	Sigmodon alstoni	Sorex nanus	Sundamys infraluteus
Sauromys petrophilus	Sigmodon arizonae	Sorex neomexicanus	Sundamys muelleri
Scalopus aquaticus	Sigmodon fulviventer	Sorex ornatus	Sundasciurus brookei
Scapanus latimanus	Sigmodon hirsutus	Sorex pacificus	Sundasciurus hippurus
Scapanus orarius	Sigmodon hispidus	Sorex palustris	Sundasciurus jentinki
Scapanus townsendii	Sigmodon leucotis	Sorex preblei	Sundasciurus juvencus
Scapteromys tumidus	Sigmodon	Sorex roboratus	Sundasciurus lowii
Sciurillus pusillus	ochrognathus	Sorex rohweri	Sundasciurus tenuis
Sciurocheirus	Sigmodon toltecus	Sorex sonomae	Surdisorex norae
gabonensis	Sigmodontomys alfari	Sorex tenellus	Suricata suricatta
Sciurus aberti	Sminthopsis archeri	Sorex trowbridgii	Sus ahoenobarbus
Sciurus aestuans	Sminthopsis bindi	Sorex tundrensis	Sus barbatus
Sciurus alleni	Sminthopsis butleri	Sorex ugunak	Sus philippensis
Sciurus arizonensis	Sminthopsis	Sorex unguiculatus	Sus scrofa
Sciurus aureogaster	crassicaudata	Sorex vagrans	Syconycteris australis
Sciurus carolinensis	Sminthopsis dolichura	Sorex veraecrucis	Sylvicapra grimmia
Sciurus deppei	Sminthopsis	Soricomys musseri	Sylvilagus aquaticus
Sciurus flammifer	fuliginosus	Sotalia fluviatilis	Sylvilagus audubonii
Sciurus gilvularis	Sminthopsis gilberti	Sotalia guianensis	Sylvilagus bachmani
Sciurus granatensis	Sminthopsis granulipes	Sousa chinensis	Sylvilagus brasiliensis
Sciurus griseus	Sminthopsis	Speothos venaticus	Sylvilagus cognatus
Sciurus ignitus	griseoventer	Sphaerias blanfordi	Sylvilagus floridanus
Sciurus igniventris	Sminthopsis hirtipes	Sphaeronycteris	Sylvilagus nuttallii
Sciurus nayaritensis	Sminthopsis leucopus	toxophyllum	Sylvilagus palustris
Sciurus niger	Sminthopsis	Spilococcus maculatus	Sylvilagus robustus
Sciurus oculus	longicaudata	Spilogale angustifrons	Sylvisorex granti
Sciurus spadiceus	Sminthopsis macroura	Spilogale gracilis	Sylvisorex johnstoni
Sciurus vulgaris	Sminthopsis murina	Spilogale putorius	Sylvisorex konganensis
Scleronycteris ega	Sminthopsis ooldea	Steatomys krebsii	Sylvisorex ollula
Scoteanax rueppellii	Sminthopsis	Steatomys opimus	Sylvisorex oriundus
Scotoecus albofuscus	psammophila	Steatomys parvus	Symphalangus
Scotoecus hirundo	Sminthopsis virginiae	Steatomys pratensis	syndactylus
Scotomanes ornatus	Sminthopsis youngsoni	Stenella attenuata	Synaptomys borealis
Scotonycteris zenkeri	Smutsia gigantea	Stenella clymene	Synaptomys cooperi
Scotophilus	Smutsia temminckii	Stenella coerulescens	Syncerus caffer
andrewreborii	Sooretamys angouya	Stenella frontalis	Tachyglossus aculeatus
Scotophilus dinganii	Sorex alaskanus	Stenella longirostris	Tachyoryctes
Scotophilus heathii	Sorex araneus	Steno bredanensis	splendens
Scotophilus kuhlii	Sorex arcticus	Stochomys	Tadarida aegyptiaca
Scotophilus leucogaster	Sorex arizonae	longicaudatus	Tadarida brasiliensis
Scotophilus nigrita	Sorex bairdi	Sturnira erythromis	Tadarida fulminans
Scotophilus nux	Sorex bendirii	Sturnira lilium	Tadarida latouchi
Scotophilus robustus	Sorex caecutiens	Sturnira ludovici	Tadarida lobata
Scotophilus tandrefana	Sorex cinereus	Sturnira magna	Tadarida ventralis
Scotophilus viridis	Sorex daphaenodon	Sturnira oporaphilum	Talpa altaica
Scotorepens balstoni	Sorex dispar	Sturnira tildae	Tamandua mexicana
Scotorepens greyii	Sorex fumeus	Suncus dayi	Tamandua tetradactyla
Scotorepens orion	Sorex gracillimus	Suncus etruscus	Tamias striatus
	Sorex haydeni	Suncus hosei	Tamiasciurus douglasii

Tamiasciurus	Thylamys karimii	Tupaia longipes	Vespadelus
hudsonicus	Thylamys venustus	Tupaia minor	douglasorum
Tamiodipus maculatus	Thylogale billardieri	Tupaia montana	Vespadelus finlaysoni
Taphozous australis	Thylogale stigmatica	Tupaia nicobarica	Vespadelus pumilus
Taphozous georgianus	Thylogale thetis	Tupaia palawanensis	Vespadelus regulus
Taphozous hilli	Thyroptera discifera	Tupaia picta	Vespadelus troughtoni
Taphozous kapalgensis	Thyroptera tricolor	Tupaia tana	Vespadelus vulturinus
Taphozous longimanus	Thyroptera wynneae	Tursiops aduncus	Vespertilio murinus
Taphozous mauritanus	Tolypeutes matacus	Tursiops truncatus	Vespertilio sinensis
Taphozous	Tonatia bidens	Tylonycteris pachypus	Viverra civettina
melanopogon	Tonatia saurophila	Tylonycteris robustula	Viverra megaspila
Taphozous nudiventris	Trachops cirrhosus	Uranomys ruddi	Viverra tangalunga
Taphozous perforatus	Trachypithecus	Urocyon armatus	Viverra zibetha
Taphozous theobaldi	cristatus	Urocyon beldingi	Viverricula indica
Taphozous troughtoni	Trachypithecus johnii	Urocyon canus	Vombatus ursinus
Tapirus indicus	Trachypithecus	Urocyon	Vulpes bengalensis
Tapirus terrestris	obscurus	columbianus	Vulpes chama
Tarsipes rostratus	Trachypithecus phayrei	Urocyon elegans	Vulpes corsac
Tarsius bancanus	Trachypithecus vetulus	Urocyon mollis	Vulpes lagopus
Tasmacetus shepherdii	Tragelaphus eurycerus	Urocyon parryi	Vulpes macrotis
Tatera indica	Tragelaphus imberbis	Urocyon richardsonii	Vulpes velox
Taterillus concolor	Tragelaphus oryx	Urocyon townsendii	Vulpes vulpes
Taterillus emini	Tragelaphus scriptus	Urocyon	Wallabia bicolor
Taxidea taxus	Tragelaphus spekii	washingtoni	Wyulda squamicaudata
Tayassu pecari	Tragelaphus	Urocyon	Xeromys myoides
Tenrec ecaudatus	strepsiceros	cinereoargenteus	Xerospermophilus
Tetracerus quadricornis	Tragulus kanchil	Urocyon littoralis	mohavensis
Thallomys loringi	Tragulus napu	Uroderma bilobatum	Xerospermophilus
Thallomys nigricauda	Transandinomys	Uroderma	spilosoma
Thallomys paedulus	talamancae	magnirostrum	Xerospermophilus
Thalpomys cerradensis	Tremarctos ornatus	Uromys	tereticaudus
Thalpomys lasiotis	Triaenops afer	caudimaculatus	Xerus erythropus
Thamnomys	Triaenops persicus	Uromys hadrourus	Xerus inauris
schoutedeni	Triaenops rufus	Ursus americanus	Xerus rutilus
Thaptomys nigrita	Trichechus manatus	Ursus arctos	Zaedyus pichii
Thomasomys aureus	Trichosurus caninus	Ursus maritimus	Zalophus californianus
Thomasomys daphne	Trichosurus	Ursus thibetanus	Zapus hudsonius
Thomomys bottae	cunninghami	Vampyressa melissa	Zapus princeps
Thomomys bulbivorus	Trichosurus vulpecula	Vampyressa pusilla	Zapus trinotatus
Thomomys idahoensis	Trichys fasciculata	Vampyressa thione	Zelotomys
Thomomys mazama	Trinomys iheringi	Vampyriscus bidens	hildegardeae
Thomomys monticola	Trinomys setosus	Vampyriscus brocki	Zelotomys woosnami
Thomomys talpoides	Trinycteris nicefori	Vampyroides caraccioli	Zenkerella insignis
Thomomys townsendii	Tryphomys adustus	Vampyrum spectrum	Ziphius cavirostris
Thomomys umbrinus	Tscherskia triton	Vandeleuria nilagirica	Zygodontomys
Thrichomys pachyurus	Tupaia belangeri	Vandeleuria oleracea	brevicauda
Thryonomys	Tupaia dorsalis	Vespadelus baverstocki	Zyzomys argurus
gregorianus	Tupaia glis	Vespadelus caurinus	Zyzomys maini
Thryonomys	Tupaia gracilis	Vespadelus darlingtoni	Zyzomys pedunculatus
swinderianus	Tupaia javanica		Zyzomys woodwardia

Tab. S7. List of bird species used in the analysis

<i>Abroscopus albogularis</i>	<i>Acrocephalus griseldis</i>	<i>Alaudala rufescens</i>	<i>Amytornis housei</i>
<i>Abroscopus superciliaris</i>	<i>Acrocephalus newtoni</i>	<i>Alaudala somalica</i>	<i>Amytornis modestus</i>
<i>Acanthagenys rufogularis</i>	<i>Acrocephalus orientalis</i>	<i>Alca torda</i>	<i>Amytornis purnelli</i>
<i>Acanthis flammea</i>	<i>Acrocephalus palustris</i>	<i>Alcippe brunneicauda</i>	<i>Amytornis striatus</i>
<i>Acanthiza apicalis</i>	<i>Acrocephalus rufescens</i>	<i>Alcippe morrisonia</i>	<i>Amytornis woodwardi</i>
<i>Acanthiza chrysorrhoa</i>	<i>Acrocephalus schoenobaenus</i>	<i>Alcippe peracensis</i>	<i>Anabacerthia amaurotis</i>
<i>Acanthiza ewingii</i>	<i>Acrocephalus scirpaceus</i>	<i>Alectrurus risora</i>	<i>Anabacerthia lichtensteini</i>
<i>Acanthiza inornata</i>	<i>Acrocephalus stentoreus</i>	<i>Alectrurus tricolor</i>	<i>Anabacerthia ruficaudata</i>
<i>Acanthiza iredalei</i>	<i>Acrocephalus tangorum</i>	<i>Alethe castanea</i>	<i>Anabacerthia striaticollis</i>
<i>Acanthiza katherina</i>	<i>Actinodura radcliffei</i>	<i>Alle alle</i>	<i>Anabathmis reichenbachii</i>
<i>Acanthiza lineata</i>	<i>Aechmophorus occidentalis</i>	<i>Alophoixus finschii</i>	<i>Anabazenops fuscus</i>
<i>Acanthiza pusilla</i>	<i>Aegithalos caudatus</i>	<i>Alophoixus frater</i>	<i>Anairetes flavirostris</i>
<i>Acanthiza reguloides</i>	<i>Aegithina lafresnayei</i>	<i>Alophoixus ochraceus</i>	<i>Anairetes parulus</i>
<i>Acanthiza robustirostris</i>	<i>Aegithina nigrolutea</i>	<i>Alophoixus pallidus</i>	<i>Anaplectes leuconotos</i>
<i>Acanthiza uropygialis</i>	<i>Aegithina tiphia</i>	<i>Alophoixus phaeocephalus</i>	<i>Anaplectes rubriceps</i>
<i>Acanthorhynchus tenuirostris</i>	<i>Aegithina viridissima</i>	<i>Alophoixus ruficrissus</i>	<i>Ancistrops strigilatus</i>
<i>Acanthornis magna</i>	<i>Aethia cristatella</i>	<i>Alophoixus tephrogenys</i>	<i>Andropadus importunus</i>
<i>Accipiter badius</i>	<i>Aethia psittacula</i>	<i>Alopochelidon fucata</i>	<i>Anhinga rufa</i>
<i>Accipiter bicolor</i>	<i>Aethia pusilla</i>	<i>Amadina erythrocephala</i>	<i>Anisognathus flavinucha</i>
<i>Accipiter castanilius</i>	<i>Aethia pygmaea</i>	<i>Amandava amandava</i>	<i>Anisognathus igniventris</i>
<i>Accipiter cirrocephalus</i>	<i>Aethopyga bella</i>	<i>Amandava subflava</i>	<i>Anisognathus lacrymosus</i>
<i>Accipiter poliopterus</i>	<i>Aethopyga flagrans</i>	<i>Amaurospiza moesta</i>	<i>Anomalospiza imberbis</i>
<i>Accipiter striatus</i>	<i>Aethopyga gouldiae</i>	<i>Amazona bodini</i>	<i>Anser fabalis</i>
<i>Accipiter tachiro</i>	<i>Aethopyga pulcherrima</i>	<i>Amazona dufresniana</i>	<i>Anthipes monileger</i>
<i>Accipiter toussenelii</i>	<i>Aethopyga saturata</i>	<i>Amazona farinosa</i>	<i>Anthipes solitarius</i>
<i>Accipiter trivirgatus</i>	<i>Aethopyga shelleyi</i>	<i>Amblycercus holosericeus</i>	<i>Anthobaphes violacea</i>
<i>Accipiter virgatus</i>	<i>Aethopyga siparaja</i>	<i>Amblyospiza albifrons</i>	<i>Anthochaera carunculata</i>
<i>Achaetops pycnopygius</i>	<i>Aethopyga temminckii</i>	<i>Amblyramphus holosericeus</i>	<i>Anthochaera chrysoptera</i>
<i>Acridotheres cristatellus</i>	<i>Afropavo congensis</i>	<i>Ammodramus aurifrons</i>	<i>Anthochaera lunulata</i>
<i>Acridotheres fuscus</i>	<i>Agelaioides badius</i>	<i>Ammodramus humeralis</i>	<i>Anthochaera paradoxa</i>
<i>Acridotheres ginginianus</i>	<i>Agelaius phoeniceus</i>	<i>Ammodramus savannarum</i>	<i>Anthochaera phrygia</i>
<i>Acridotheres grandis</i>	<i>Agelaius tricolor</i>	<i>Ammomanes phoenicura</i>	<i>Anthoscopus caroli</i>
<i>Acridotheres tristis</i>	<i>Agelastus cyanopus</i>	<i>Ammospiza caudacuta</i>	<i>Anthoscopus flavifrons</i>
<i>Acritillas indica</i>	<i>Agelastus thilius</i>	<i>Ammospiza leconteii</i>	<i>Anthoscopus minutus</i>
<i>Acrocephalus agricola</i>	<i>Agricola infuscatus</i>	<i>Ammospiza nelsoni</i>	<i>Anthoscopus musculus</i>
<i>Acrocephalus arundinaceus</i>	<i>Agricola pallidus</i>	<i>Ampeliceps coronatus</i>	<i>Anthoscopus sylviella</i>
<i>Acrocephalus australis</i>	<i>Agriornis lividus</i>	<i>Ampelioides tschudii</i>	<i>Anthreptes aurantius</i>
<i>Acrocephalus bistrigiceps</i>	<i>Agriornis micropterus</i>	<i>Ampelion rubrocristatus</i>	<i>Anthreptes griseigularis</i>
<i>Acrocephalus concinens</i>	<i>Agriornis montanus</i>	<i>Ampelion rufaxilla</i>	<i>Anthreptes longuemarei</i>
<i>Acrocephalus dumetorum</i>	<i>Agriornis murinus</i>	<i>Amphispiza bilineata</i>	<i>Anthreptes malacensis</i>
<i>Acrocephalus gracilirostris</i>	<i>Agropsar philippensis</i>	<i>Amphispiza quinquestriata</i>	<i>Anthreptes orientalis</i>
	<i>Agropsar sturninus</i>	<i>Amytornis barbatus</i>	
	<i>Ailuroedus crassirostris</i>	<i>Amytornis goyderi</i>	
	<i>Ailuroedus melanotis</i>		
	<i>Aimophila rufescens</i>		
	<i>Aimophila ruficeps</i>		
	<i>Akletos melanocephalus</i>		
	<i>Alauda arvensis</i>		
	<i>Alauda gulula</i>		
	<i>Alauda raytal</i>		

Anthreptes	Aphelocephala	Arremon brunneinucha	Automolus rufipileatus
rhodolaemus	pectoralis	Arremon flavirostris	Automolus subulatus
Anthreptes seimundi	Aphelocoma	Arremon perijanus	Aythya valisineria
Anthreptes simplex	californica	Arremon schlegeli	Baeolophus
Anthreptes	Aphelocoma	Arremon semitorquatus	atricristatus
tephrolaemus	coerulescens	Arremon taciturnus	Baeolophus bicolor
Anthropoides	Aphelocoma	Arremon torquatus	Baeolophus inornatus
paradiseus	wollweberi	Arremonops conirostris	Baeolophus ridgwayi
Anthropoides virgo	Aphrastura spinicauda	Arremonops	Baeolophus wollweberi
Anthus bogotensis	Aplonis metallica	rufivirgatus	Baeopogon clamans
Anthus brachyurus	Aplonis panayensis	Arremonops tocuyensis	Baeopogon indicator
Anthus caffer	Aprositornis disjuncta	Arses kaupi	Balaeniceps rex
Anthus campestris	Aptenodytes	Arses lorealis	Balearica regulorum
Anthus cervinus	patagonicus	Artamella viridis	Basileuterus auricapilla
Anthus chacoensis	Apus nipalensis	Artamus cinereus	Basileuterus belli
Anthus cinnamomeus	Aquila heliaca	Artamus cyanopterus	Basileuterus cabanisi
Anthus correndera	Aquila nipalensis	Artamus fuscus	Basileuterus
Anthus crenatus	Aquila rapax	Artamus leucoryn	culicivorus
Anthus godlewskii	Aquila spilogaster	Artamus minor	Basileuterus
Anthus gustavi	Aquila verreauxii	Artamus personatus	hypoleucus
Anthus hellmayri	Arachnothera affinis	Artamus superciliosus	Basileuterus
Anthus hodgsoni	Arachnothera	Artemisiospiza belli	lachrymosus
Anthus hoeschi	chrysogenys	Artemisiospiza	Basileuterus rufifrons
Anthus leucophrys	Arachnothera clarae	nevadensis	Basileuterus tristriatus
Anthus lutescens	Arachnothera	Arundinax aedon	Batara cinerea
Anthus nattereri	crassirostris	Arundinicola	Bathmocercus rufus
Anthus nilghiriensis	Arachnothera dilutior	leucocephala	Batis capensis
Anthus	Arachnothera	Asemospiza fuliginosa	Batis erlangeri
novaeeseelandiae	flavigaster	Asemospiza obscura	Batis ituriensis
Anthus nyassae	Arachnothera	Ashbyia lovensis	Batis mixta
Anthus pratensis	hypogrammica	Asthenes anthoides	Batis molitor
Anthus richardi	Arachnothera juliae	Asthenes harterti	Batis occulta
Anthus rubescens	Arachnothera	Asthenes modesta	Batis perkeo
Anthus rufulus	longirostra	Asthenes pyrrholeuca	Batis pririt
Anthus similis	Arachnothera magna	Asthenes urubambensis	Berlepschia rikeri
Anthus spragueii	Arachnothera modesta	Asthenes wyatti	Bernieria
Anthus trivialis	Arachnothera robusta	Atimastillas flavigula	madagascariensis
Anthus vaalensis	Aramides axillaris	Atlapetes fulviceps	Bias musicus
Antigone rubicunda	Aramides cajaneus	Atlapetes nigrifrons	Biatas nigropectus
Antilophia galeata	Aramides saracura	Atlapetes personatus	Bleda notatus
Antrostomus vociferus	Aramides ypecaha	Atlapetes pileatus	Bleda syndactylus
Anumbius anumbi	Ardea intermedia	Atlapetes rufinucha	Bleda ugandae
Apalis alticola	Ardea plumifera	Atlapetes schistaceus	Blythipicus
Apalis cinerea	Ardena carneipes	Atrichornis rufescens	rubiginosus
Apalis flavida	Ardena creatopus	Atticora fasciata	Bocagia minuta
Apalis goslingi	Ardena gravis	Atticora tibialis	Bolemoreus frenatus
Apalis jacksoni	Ardena grisea	Attila bolivianus	Bombycilla cedrorum
Apalis karamojae	Ardena pacifica	Attila cinnamomeus	Bombycilla garrulus
Apalis melanocephala	Ardena tenuirostris	Attila citriniventris	Bombycilla japonica
Apalis nigriceps	Argya aylmeri	Attila phoenicurus	Bonasa bonasia
Apalis porphyrolaema	Argya caudata	Attila rufus	Brachycope anomala
Apalis rufogularis	Argya malcolmi	Attila spadiceus	Brachypodius atriceps
Apalis thoracica	Argya rubiginosa	Auriparus flaviceps	Brachypodius
Aphanotriccus audax	Argya subrufa	Automolus infuscatus	priocephalus
Aphelocephala	Arizelocichla	Automolus	Brachypteryx cruralis
leucopsis	masukuensis	leucophthalmus	Brachypteryx
Aphelocephala	Arizelocichla nigriceps	Automolus	erythrogyna
nigricincta	Arizelocichla	ochrolaemus	Brachypteryx
	striifacies	Automolus paraensis	leucophris

Brachypteryx	Calendulauda	Campylorhynchus	Ceratopipra
poliogyne	albescens	zonatus	erythrocephala
Brachypteryx saturata	Calendulauda alopex	Cantorchilus	Ceratopipra
Bradornis boehmi	Calendulauda	guarayanus	rubrocapilla
Bradornis comitatus	poecilosterna	Cantorchilus leucotis	Cercococcyx montanus
Bradornis fuliginosus	Calendulauda sabota	Cantorchilus	Cercococcyx olivinus
Bradornis mariquensis	Calicalicus	longirostris	Cercomacra brasiliensis
Bradornis	madagascariensis	Capsiempis flaveola	Cercomacra
microrhynchus	Calicalicus rufocarpalis	Cardellina canadensis	cinerascens
Bradypterus baboecala	Calidris ferruginea	Cardellina pusilla	Cercomacra melanaria
Bradypterus barratti	Calidris pygmaea	Cardellina rubrifrons	Cercomacroides
Bradypterus centralis	Caligavis chrysops	Cardinalis cardinalis	fuscicauda
Bradypterus	Calliope calliope	Cardinalis phoeniceus	Cercomacroides
cinnamomeus	Calliope obscura	Cardinalis sinuatus	nigrescens
Bradypterus grandis	Calonectris borealis	Carduelis carduelis	Cercomacroides
Bradypterus lopezi	Calonectris leucomelas	Carpodacus erythrinus	tyrannina
Bubalornis albirostris	Calyptocichla serinus	Carpodacus roseus	Cercotrichas galactotes
Bubalornis niger	Calyptomena hosii	Carpodacus sibiricus	Cercotrichas hartlaubi
Bulweria bulwerii	Calyptomena viridis	Carpornis cucullata	Cercotrichas
Buphagus africanus	Calyptomena	Carterornis leucotis	leucophrys
Buphagus	whiteheadi	Caryothraustes	Cercotrichas paena
erythrorynchus	Camaroptera brachyura	canadensis	Cereopsis
Buthraupis montana	Camaroptera	Caryothraustes celaeno	novae-hollandiae
Cacatua	chloronota	Caryothraustes	Cerorhinca monocerata
haematuropterygia	Camaroptera	erythromelas	Certhia americana
Cacicus cela	superciliaris	Casiornis rufus	Certhia familiaris
Cacicus chrysionotus	Camaroptera toroensis	Castanozoster	Certhia manipurensis
Cacicus chrysopterus	Campephaga flava	thoracicus	Certhiasomus
Cacicus haemorrhous	Campephaga petiti	Catamblyrhynchus	stictolaemus
Cacicus solitarius	Campephaga	diadema	Certhiaxis
Cacicus uropygialis	phoenicea	Catamenia analis	cinnamomeus
Cacicus vitellinus	Campephaga	Catamenia homochroa	Certhilauda
Calamanthus	quiscalina	Catamenia inornata	semitorquata
campestris	Campicoloides	Catharacta antarctica	Certhilauda
Calamanthus cautus	bifasciatus	Catharacta skua	subcoronata
Calamanthus	Camplostoma imberbe	Catharus aurantiirostris	Certhionyx variegatus
fuliginosus	Camplostoma	Catharus bicknelli	Ceryle rudis
Calamanthus	obsoletum	Catharus dryas	Cettia
montanellus	Campylorhamphus	Catharus frantzii	castaneocoronata
Calamanthus	falcularius	Catharus fuscater	Ceuthmochares aereus
pyrrhopygius	Campylorhamphus	Catharus fuscescens	Ceyx azureus
Calamonastes	probatas	Catharus guttatus	Chaetops frenatus
fasciolatus	Campylorhamphus	Catharus mexicanus	Chaetornis striata
Calamonastes simplex	procurvatus	Catharus minimus	Chaetura meridionalis
Calamonastes stierlingi	Campylorhamphus	Catharus occidentalis	Chaetura pelagica
Calamonastes undosus	pusillus	Catharus swainsoni	Chalcites lucidus
Calamonastides	Campylorhamphus	Catharus ustulatus	Chalcites minutillus
gracilirostris	trochilirostris	Catherpes mexicanus	Chalcites osculans
Calamospiza	Campylorhynchus	Ceblepyris caesus	Chalcomitra
melanocorys	brunneicapillus	Ceblepyris cinereus	amethystina
Calandrella acutirostris	Campylorhynchus	Ceblepyris pectoralis	Chalcomitra hunteri
Calandrella cinerea	griseus	Cecropis abyssinica	Chalcomitra rubescens
Calandrella	Campylorhynchus	Cecropis cucullata	Chalcomitra
dukhunensis	gularis	Cecropis daurica	senegalensis
Calcarius lapponicus	Campylorhynchus	Cecropis hyperythra	Chalcoparia singalensis
Calcarius ornatus	nuchalis	Cephalopterus ornatus	Chalcophaps indica
Calcarius pictus	Campylorhynchus	Ceratopipra	Chalcophaps
Calendulauda	turdinus	chloromeros	longirostris
africanoides		Ceratopipra cornuta	Chalcostigma ruficeps

Chalybura buffonii	Chlamydera	Chlorostilbon russatus	Cincloramphus
Chamaea fasciata	cerviniventris	Chondestes grammacus	timoriensis
Chamaepetes goudotii	Chlamydera guttata	Chondrohierax	Cinclosoma alisteri
Chamaetylas	Chlamydera maculata	uncinatus	Cinclosoma
poliocephala	Chlamydera nuchalis	Chordeiles acutipennis	castaneothorax
Chamaeza	Chlamydochaera	Chordeiles minor	Cinclosoma
campanisona	jefferyi	Chordeiles nacunda	castanotum
Chamaeza mollissima	Chlidonias hybrida	Chordeiles pusillus	Cinclosoma
Chamaeza nobilis	Chlidonias niger	Chordeiles rupestris	cinnamomeum
Chamaeza ruficauda	Chloebia gouldiae	Chrysococcyx caprius	Cinclosoma
Charadrius	Chloephaga hybrida	Chrysococcyx cupreus	marginatum
alexandrinus	Chloephaga picta	Chrysococcyx klaas	Cinclosoma punctatum
Charadrius alticola	Chloephaga	Chrysococcyx	Cinclus leucocephalus
Charadrius asiaticus	poliocephala	maculatus	Cinclus mexicanus
Charadrius bicinctus	Chloephaga rubidiceps	Chrysocolaptes	Cinclus pallasii
Charadrius bifrontatus	Chloris ambigua	haematribon	Cinnycerthia fulva
Charadrius collaris	Chloris chloris	Chrysocolaptes	Cinnycerthia unirufa
Charadrius dealbatus	Chloris sinica	stricklandi	Cinnyricinclus
Charadrius dubius	Chloroceryle inda	Chrysocolaptes validus	leucogaster
Charadrius	Chlorocharis emiliae	Chrysolampis	Cinnyris afer
falklandicus	Chlorochrysa	mosquitos	Cinnyris asiaticus
Charadrius forbesi	fulgentissima	Chrysomitris strigula	Cinnyris batesi
Charadrius hiaticula	Chlorocichla	Chrysomitris sinense	Cinnyris bifasciatus
Charadrius	falkensteini	Chrysomus	Cinnyris bouvieri
leschenaultii	Chlorocichla	icterocephalus	Cinnyris chalybeus
Charadrius marginatus	flaviventris	Chrysomus ruficapillus	Cinnyris chloropygius
Charadrius melodus	Chlorocichla laetissima	Chrysophlegma	Cinnyris coccinigastrus
Charadrius modestus	Chlorocichla simplex	flavinucha	Cinnyris congensis
Charadrius montanus	Chlorophanes spiza	Chrysophlegma humii	Cinnyris cupreus
Charadrius nivosus	Chlorophoneus bocagei	Chrysophlegma	Cinnyris erythrocerus
Charadrius pallidus	Chlorophoneus	miniaceum	Cinnyris fuscus
Charadrius pecuarius	multicolor	Chrysornis oenone	Cinnyris gertrudis
Charadrius peronii	Chlorophoneus	Ciccaba albitarsis	Cinnyris habessinicus
Charadrius placidus	nigrifrons	Ciccaba huhula	Cinnyris johannae
Charadrius ruficapillus	Chlorophoneus	Ciccaba nigrolineata	Cinnyris lotenius
Charadrius	olivaceus	Ciccaba virgata	Cinnyris mariquensis
semipalmatus	Chlorophoneus	Cichladusa arquata	Cinnyris mediocris
Charadrius thoracicus	sulfureopectus	Cichladusa guttata	Cinnyris melanogastrus
Charadrius tricolor	Chlorophonia cyanea	Cichladusa ruficauda	Cinnyris minullus
Charadrius veredus	Chloropsis aurifrons	Cichlocolaptes	Cinnyris nectarinioides
Charadrius vociferus	Chloropsis cyanopogon	leucophrus	Cinnyris notatus
Charadrius wilsonia	Chloropsis hardwickii	Cichlopsis gularis	Cinnyris osea
Charitospiza eucosma	Chloropsis jerdoni	Cichlopsis leucogenys	Cinnyris pulchellus
Chelidoptera tenebrosa	Chloropsis	Ciconia abdimii	Cinnyris reichenowi
Chelidorhynchus	kinabaluensis	Ciconia boyciana	Cinnyris shelleyi
hypoxanthus	Chloropsis media	Ciconia ciconia	Cinnyris sovimanga
Chenonetta jubata	Chloropsis	Ciconia episcopus	Cinnyris superbus
Cheramoeca	moluccensis	Ciconia maguari	Cinnyris talatala
leucosterna	Chloropsis	Ciconia microscelis	Cinnyris venustus
Chersomanes	palawanensis	Ciconia nigra	Circaetus cinereus
albofasciata	Chloropsis sonnerati	Ciconia stormi	Circaetus cinereus
Chionis albus	Chloropsis venusta	Cinclodes albiventris	Circaetus gallicus
Chionodactylus	Chlorospingus	Cinclodes fuscus	Circaetus pectoralis
speculiferus	flavopectus	Cinclodes oustaleti	Circus aeruginosus
Chiroxiphia boliviana	Chlorostilbon gibsoni	Cinclodes pabsti	Circus approximans
Chiroxiphia caudata	Chlorostilbon lucidus	Cinclodes patagonicus	Circus assimilis
Chiroxiphia lanceolata	Chlorostilbon	Cincloramphus cruralis	Circus buffoni
Chiroxiphia pareola	mellisugus	Cincloramphus	Circus cinereus
	Chlorostilbon notatus	mathewsi	Circus cyaneus

<i>Circus hudsonius</i>	<i>Clangula hyemalis</i>	<i>Colius colius</i>	<i>Contopus pertinax</i>
<i>Circus macroscelus</i>	<i>Claravis geoffroyi</i>	<i>Colius striatus</i>	<i>Contopus sordidulus</i>
<i>Circus macrourus</i>	<i>Claravis mondetoura</i>	<i>Collocalia esculenta</i>	<i>Contopus virens</i>
<i>Circus maurus</i>	<i>Claravis pretiosa</i>	<i>Collocalia linchi</i>	<i>Coruropsis</i>
<i>Circus melanoleucos</i>	<i>Clibanornis</i>	<i>Collocalia troglodytes</i>	<i>carolinensis</i>
<i>Circus pygargus</i>	<i>dendrocolaptoides</i>	<i>Colluricincla boweri</i>	<i>Copsychus</i>
<i>Circus ranivorus</i>	<i>Clibanornis rectirostris</i>	<i>Colluricincla</i>	<i>mindanensis</i>
<i>Circus spilonotus</i>	<i>Clibanornis</i>	<i>harmonica</i>	<i>Copsychus pica</i>
<i>Cissa chinensis</i>	<i>rubiginosus</i>	<i>Colluricincla</i>	<i>Copsychus saularis</i>
<i>Cissa jefferyi</i>	<i>Climacteris affinis</i>	<i>megarhyncha</i>	<i>Coracias abyssinicus</i>
<i>Cissomela pectoralis</i>	<i>Climacteris erythrops</i>	<i>Colluricincla</i>	<i>Coracias affinis</i>
<i>Cissopis leverianus</i>	<i>Climacteris melanurus</i>	<i>woodwardi</i>	<i>Coracias benghalensis</i>
<i>Cisticola aberrans</i>	<i>Climacteris picumnus</i>	<i>Colonia colonus</i>	<i>Coracias caudatus</i>
<i>Cisticola angusticauda</i>	<i>Climacteris rufus</i>	<i>Colorhamphus</i>	<i>Coracias garrulus</i>
<i>Cisticola anonymus</i>	<i>Clytactantes alixii</i>	<i>parvirostris</i>	<i>Coracias naevius</i>
<i>Cisticola aridulus</i>	<i>Clytolaema rubricauda</i>	<i>Columba arquatrix</i>	<i>Coracias spatulatus</i>
<i>Cisticola ayresii</i>	<i>Clytospiza monteiri</i>	<i>Columba delegorguei</i>	<i>Coracias dobsoni</i>
<i>Cisticola bodessa</i>	<i>Cnemarchus</i>	<i>Columba elphinstonii</i>	<i>Coracina javensis</i>
<i>Cisticola brachypterus</i>	<i>erythropygius</i>	<i>Columba guinea</i>	<i>Coracina larvata</i>
<i>Cisticola brunnescens</i>	<i>Cnemotriccus fuscatus</i>	<i>Columba iriditorques</i>	<i>Coracina lineata</i>
<i>Cisticola cantans</i>	<i>Coccopygia melanotis</i>	<i>Columba leucomela</i>	<i>Coracina macei</i>
<i>Cisticola carruthersi</i>	<i>Coccopygia quartinia</i>	<i>Columba livia</i>	<i>Coracina maxima</i>
<i>Cisticola cherina</i>	<i>Coccothraustes</i>	<i>Columba palumboides</i>	<i>Coracina</i>
<i>Cisticola chiniana</i>	<i>coccothraustes</i>	<i>Columba punicea</i>	<i>novae hollandiae</i>
<i>Cisticola chubbi</i>	<i>Coccyua cinerea</i>	<i>Columba rupestris</i>	<i>Coracina papuensis</i>
<i>Cisticola cinereolus</i>	<i>Coccyua minuta</i>	<i>Columba vitiensis</i>	<i>Coracina striata</i>
<i>Cisticola cinnamomeus</i>	<i>Coccyua pumila</i>	<i>Columbina cyanopsis</i>	<i>Coracopsis nigra</i>
<i>Cisticola dambo</i>	<i>Coccyzus americanus</i>	<i>Columbina inca</i>	<i>Coracopsis vasa</i>
<i>Cisticola erythrops</i>	<i>Coccyzus</i>	<i>Columbina minuta</i>	<i>Coragyps atratus</i>
<i>Cisticola exilis</i>	<i>erythrophthalmus</i>	<i>Columbina passerina</i>	<i>Corapipo gutturalis</i>
<i>Cisticola fulvicapilla</i>	<i>Coccyzus eulieri</i>	<i>Columbina picui</i>	<i>Corapipo leucorrhoa</i>
<i>Cisticola hunteri</i>	<i>Coccyzus lansbergi</i>	<i>Columbina squammata</i>	<i>Corcorax</i>
<i>Cisticola juncidis</i>	<i>Cochoa beccarii</i>	<i>Columbina talpacoti</i>	<i>melanoramphos</i>
<i>Cisticola lais</i>	<i>Cochoa viridis</i>	<i>Conirostrum albifrons</i>	<i>Cormobates</i>
<i>Cisticola lateralis</i>	<i>Coeligena consita</i>	<i>Conirostrum bicolor</i>	<i>leucophaea</i>
<i>Cisticola luapula</i>	<i>Coeligena helianthea</i>	<i>Conirostrum</i>	<i>Corvinella corvina</i>
<i>Cisticola marginatus</i>	<i>Coeligena inca</i>	<i>ferrugineiventris</i>	<i>Corvus albicollis</i>
<i>Cisticola nana</i>	<i>Coereba flaveola</i>	<i>Conirostrum</i>	<i>Corvus albus</i>
<i>Cisticola natalensis</i>	<i>Colaptes aeruginosus</i>	<i>leucogenys</i>	<i>Corvus bennetti</i>
<i>Cisticola pipiens</i>	<i>Colaptes atriceps</i>	<i>Conirostrum sitticolor</i>	<i>Corvus</i>
<i>Cisticola robustus</i>	<i>Colaptes auratus</i>	<i>Conirostrum</i>	<i>brachyrhynchos</i>
<i>Cisticola rufilatus</i>	<i>Colaptes cafer</i>	<i>speciosum</i>	<i>Corvus capensis</i>
<i>Cisticola subruficapilla</i>	<i>Colaptes campestris</i>	<i>Conopophaga</i>	<i>Corvus caurinus</i>
<i>Cisticola textrix</i>	<i>Colaptes campestris</i>	<i>ardesiaca</i>	<i>Corvus corax</i>
<i>Cisticola tinniens</i>	<i>Colaptes chrysoides</i>	<i>Conopophaga lineata</i>	<i>Corvus corone</i>
<i>Cisticola troglodytes</i>	<i>Colaptes</i>	<i>Conopophaga</i>	<i>Corvus coronoides</i>
<i>Cisticola woosnami</i>	<i>melanochloros</i>	<i>melanops</i>	<i>Corvus cryptoleucus</i>
<i>Cistothorus palustris</i>	<i>Colaptes melanolaemus</i>	<i>Conopophila</i>	<i>Corvus dauuricus</i>
<i>Cistothorus platensis</i>	<i>Colaptes pitius</i>	<i>albogularis</i>	<i>Corvus enca</i>
<i>Cistothorus stellaris</i>	<i>Colaptes punctigula</i>	<i>Conopophila</i>	<i>Corvus frugilegus</i>
<i>Cladorhynchus</i>	<i>Colaptes rivolii</i>	<i>rufogularis</i>	<i>Corvus imparatus</i>
<i>leucocephalus</i>	<i>Colaptes rubiginosus</i>	<i>Conopophila whitei</i>	<i>Corvus macrorhynchos</i>
<i>Clamator coromandus</i>	<i>Colaptes rupicola</i>	<i>Conothraupis</i>	<i>Corvus mellori</i>
<i>Clamator glandarius</i>	<i>Colibri coruscans</i>	<i>mesoleuca</i>	<i>Corvus orru</i>
<i>Clamator jacobinus</i>	<i>Colibri delphinae</i>	<i>Contopus albogularis</i>	<i>Corvus ossifragus</i>
<i>Clamator levaillantii</i>	<i>Colibri serrirostris</i>	<i>Contopus bogotensis</i>	<i>Corvus rhipidurus</i>
<i>Clanga clanga</i>	<i>Colibri thalassinus</i>	<i>Contopus cinereus</i>	<i>Corvus splendens</i>
<i>Clanga hastata</i>	<i>Colinus cristatus</i>	<i>Contopus cooperi</i>	<i>Corvus tasmanicus</i>
<i>Clanga pomarina</i>	<i>Colinus virginianus</i>	<i>Contopus fumigatus</i>	<i>Corydon sumatranus</i>

Corydospiza alaudina	Crax blumenbachii	Crypturellus variegatus	Cyanolyca viridicyanus
Coryphasiza	Crax daubentoni	Cuculus canorus	Cyanomitra alinae
melanotis	Crax fasciolata	Cuculus clamosus	Cyanomitra
Coryphospingus	Crax rubra	Cuculus gularis	cyanolaema
cucullatus	Creatophora cinerea	Cuculus lepidus	Cyanomitra olivacea
Coryphospingus	Creurgops dentatus	Cuculus micropterus	Cyanomitra verticalis
pileatus	Crex crex	Cuculus poliocephalus	Cyanopica cyanus
Corythaeola cristata	Crex egregia	Cuculus rochii	Cyanoptila cumatilis
Corythaixoides	Crinifer zonurus	Cuculus saturatus	Cyanoptila
concolor	Criniferoides	Cuculus solitarius	cyanomelana
Corythaixoides	leucogaster	Culicicapa ceylonensis	Cyclarhis gujanensis
leopoldi	Criniger calurus	Culicicapa helianthea	Cyclopsitta coxeni
Corythopsis delalandi	Criniger chloronotus	Culicivora caudacuta	Cyclopsitta
Corythopsis torquatus	Criniger ndussumensis	Curaeus curaeus	diophtalma
Corythornis cristatus	Crithagra albogularis	Cursorius	Cygnus columbianus
Corythornis	Crithagra atrogularis	coromandelicus	Cygnus cygnus
leucogaster	Crithagra buchanani	Cursorius rufus	Cygnus melancoryphus
Corythornis	Crithagra burtoni	Cursorius temminckii	Cygnus olor
madagascariensis	Crithagra capistrata	Cutia nipalensis	Cymbilaimus lineatus
Corythornis vintsioides	Crithagra citrinelloides	Cyanecula svecica	Cymbirhynchus
Coscoroba coscoroba	Crithagra citrinipectus	Cyanerpes caeruleus	macrorhynchus
Cossypha	Crithagra donaldsoni	Cyanerpes cyaneus	Cynanthus latirostris
cyanocampter	Crithagra dorsostriata	Cyanerpes nitidus	Cyornis banyumas
Cossypha dichroa	Crithagra flaviventris	Cyanicterus	Cyornis caeruleus
Cossypha heuglini	Crithagra frontalis	cyanicterus	Cyornis concretus
Cossypha natalensis	Crithagra gularis	Cyanistes cyanus	Cyornis glaucicomans
Cossypha niveicapilla	Crithagra hyposticta	Cyanocitta cristata	Cyornis hainanus
Cossypha semirufa	Crithagra leucoptera	Cyanocitta stelleri	Cyornis herioti
Cotinga cayana	Crithagra mennelli	Cyanocompsa parellina	Cyornis lemprieri
Cotinga cotinga	Crithagra mozambica	Cyanocorax affinis	Cyornis magnirostris
Cotinga maculata	Crithagra reichardi	Cyanocorax cayanus	Cyornis nicobaricus
Cotinga maynana	Crithagra reichenowi	Cyanocorax chrysops	Cyornis olivaceus
Coturnicops exquisitus	Crithagra scotops	Cyanocorax coeruleus	Cyornis pallidipes
Coturnicops notatus	Crithagra striatipectus	Cyanocorax cristatellus	Cyornis rubeculoides
Coturnicops	Crithagra striolata	Cyanocorax	Cyornis rufigastra
noveboracensis	Crithagra sulphurata	cyanomelas	Cyornis sumatrensis
Coturnix	Crithagra totta	Cyanocorax	Cyornis superbus
coromandelica	Crotophaga ani	cyanopogon	Cyornis tickelliae
Coturnix coturnix	Crotophaga major	Cyanocorax heilprini	Cyornis turcosus
Coturnix delegorguei	Crotophaga sulcirostris	Cyanocorax morio	Cyornis umbratilis
Coturnix japonica	Crypsirina temia	Cyanocorax violaceus	Cyornis unicolor
Coturnix pectoralis	Cryptospiza	Cyanocorax yncas	Cyphorhinus arada
Coua coquereli	reichenovii	Cyanoderma bicolor	Cyphos macrodactylus
Coua cursor	Cryptospiza salvadorii	Cyanoderma	Cypseloides fumigatus
Coua gigas	Crypturellus	chrysaeum	Cypseloides niger
Coua olivaceiceps	atrocapillus	Cyanoderma	Cypseloides senex
Coua pyropyga	Crypturellus bartletti	erythropterus	Cypsiurus balasiensis
Coua verreauxi	Crypturellus cinereus	Cyanoderma ruficeps	Cypsiurus parvus
Cracticus argenteus	Crypturellus	Cyanoderma rufifrons	Cypsosnagra
Cracticus mentalis	cinnamomeus	Cyanograucalus	hirundinacea
Cracticus nigrogularis	Crypturellus duidae	azureus	Cyrtonyx montezumae
Cranioleuca albiceps	Crypturellus	Cyanolanius	Dacelo leachii
Cranioleuca curtata	erythropus	madagascarinus	Dacelo novaeguineae
Cranioleuca demissa	Crypturellus	Cyanoliseus patagonus	Dacnis albiventris
Cranioleuca obsoleta	noctivagus	Cyanoloxia brissonii	Dacnis cayana
Cranioleuca pallida	Crypturellus obsoletus	Cyanoloxia cyanoides	Dacnis flaviventer
Cranioleuca pyrrhophia	Crypturellus	Cyanoloxia	Dacnis lineata
Cranioleuca subcristata	parvirostris	glaucocaeulea	Dactylortyx thoracicus
Crax alector	Crypturellus undulatus	Cyanoloxia rothschildii	

Daphoenositta	Dendropicos elliotii	Diglossa albilatera	Dryoscopus pringlii
chrysoptera	Dendropicos	Diglossa caerulescens	Dryoscopus sabini
Daption capense	fuscescens	Diglossa carbonaria	Dryoscopus
Daptrius ater	Dendropicos	Diglossa cyanea	senegalensis
Dasylophus	gabonensis	Diglossa duidae	Dryotriorchis
superciliosus	Dendropicos goertae	Diglossa glauca	spectabilis
Dasyornis brachypterus	Dendropicos	Diglossa humeralis	Dubusia
Dasyornis broadbenti	griseocephalus	Diglossa mystacalis	castaneoventris
Deconychura	Dendropicos namaquus	Diglossa sittoides	Dubusia taeniata
longicauda	Dendropicos obsoletus	Dinemellia dinemelli	Ducula aenea
Deconychura pallida	Dendropicos	Dinopium benghalense	Ducula badia
Deleornis axillaris	poecilolaemus	Dinopium everetti	Ducula bicolor
Deleornis fraseri	Dendropicos	Dinopium javanense	Ducula carola
Delichon dasypus	spodocephalus	Dinopium psarodes	Ducula cuprea
Delichon lagopodum	Dendropicos	Dinopium rafflesii	Ducula poliocephala
Delichon urbicum	xantholophus	Diomedea antipodensis	Ducula spilorrhoa
Dendragapus	Dendroplex picus	Diomedea dabbenena	Dumetella carolinensis
fuliginosus	Dendrortyx barbatus	Diomedea epomophora	Dumetia hyperythra
Dendragapus obscurus	Deropterus accipitrinus	Diomedea exulans	Dyaphorophya
Dendrexetastes	Dessonornis caffer	Diomedea sanfordi	ansorgei
rufigula	Dessonornis	Diopsittaca cumanensis	Dyaphorophya
Dendrocincla	mbuluensis	Discosura langsdorffi	castanea
fuliginosa	Dicaeum agile	Discosura letitiae	Dyaphorophya
Dendrocincla	Dicaeum anthonyi	Discosura longicauda	chalybea
homochroa	Dicaeum australe	Diuca diuca	Dyaphorophya
Dendrocincla merula	Dicaeum bicolor	Dives dives	jamesoni
Dendrocincla turdina	Dicaeum chrysorrheum	Dolichonyx oryzivorus	Dyaphorophya tonsa
Dendrocitta bayleii	Dicaeum concolor	Donacobius atricapilla	Dysithamnus mentalis
Dendrocitta	Dicaeum cruentatum	Donacospiza albifrons	Dysithamnus plumbeus
cinerascens	Dicaeum	Doryfera johannae	Dysithamnus
Dendrocitta formosae	erythrorhynchos	Doryfera ludovicae	stictothorax
Dendrocitta	Dicaeum everetti	Drepanorhynchus	Dysithamnus
leucogastra	Dicaeum	reichenowi	xanthopterus
Dendrocitta occipitalis	hirundinaceum	Dromaius	Ecliptus roratus
Dendrocitta vagabunda	Dicaeum hypoleucum	novaeollandiae	Ectopistes migratorius
Dendrocolaptes certhia	Dicaeum ignipectus	Dromas ardeola	Edolisoma
Dendrocolaptes	Dicaeum luzoniense	Dromococcyx	coerulescens
hoffmannsi	Dicaeum	pavoninus	Edolisoma tenuirostre
Dendrocolaptes	melanozanthum	Dromococcyx	Egretta ardesiaca
picumnus	Dicaeum minullum	phasianellus	Egretta caerulea
Dendrocolaptes	Dicaeum monticolum	Drymocichla incana	Egretta eulophotes
platyrostris	Dicaeum pygmaeum	Drymodes	Egretta garzetta
Dendrocolaptes	Dicaeum trigonostigma	brunneopygia	Egretta gularis
punctipectus	Dichrozona cincta	Drymodes superciliaris	Egretta
Dendrocopos analis	Dicrurus adsimilis	Dryomphila devillei	novaeollandiae
Dendrocopos atratus	Dicrurus aeneus	Dryomphila ferruginea	Egretta picata
Dendrocopos leucotos	Dicrurus andamanensis	Dryomphila malura	Egretta rufescens
Dendrocopos macei	Dicrurus annectens	Dryomphila rubicollis	Egretta sacra
Dendrocopos major	Dicrurus atripennis	Dryobates minor	Egretta thula
Dendrocycyna arcuata	Dicrurus balicassius	Dryobates nuttallii	Egretta tricolor
Dendrocycyna	Dicrurus bracteatus	Dryobates pubescens	Egretta vinaceigula
autumnalis	Dicrurus caerulescens	Dryobates scalaris	Elaenia albiceps
Dendrocycyna bicolor	Dicrurus forficatus	Dryocopus hodgei	Elaenia chiriquensis
Dendrocycyna cytoni	Dicrurus hottentottus	Dryocopus javensis	Elaenia cristata
Dendrocycyna guttata	Dicrurus leucophaeus	Dryocopus martius	Elaenia dayi
Dendrocycyna javanica	Dicrurus macrocerus	Dryolimnas cuvieri	Elaenia flavogaster
Dendrocycyna viduata	Dicrurus modestus	Dryoscopus angolensis	Elaenia frantzii
Dendronanthus indicus	Dicrurus paradiseus	Dryoscopus cubla	Elaenia gigas
Dendroperdix sephaena	Dicrurus sumatranus	Dryoscopus gambensis	Elaenia mesoleuca

Elaenia obscura	Embernagra	Eremomela	Eudytes
Elaenia olivina	longicauda	icteropygialis	pachyrhynchus
Elaenia pallatangae	Embernagra platensis	Eremomela scotops	Eudytes robustus
Elaenia parvirostris	Emblema pictum	Eremomela usticollis	Eudyptula minor
Elaenia ruficeps	Eminia lepida	Eremophila alpestris	Eugenius fulgens
Elaenia sordida	Empidonax affinis	Eremopterix australis	Eugralla paradoxa
Elaenia spectabilis	Empidonax albigularis	Eremopterix griseus	Eulabeornis
Elaenia strepera	Empidonax alnorum	Eremopterix hova	castaneoventris
Elanoides forficatus	Empidonax difficilis	Eremopterix	Eumyias albicaudatus
Elanus axillaris	Empidonax flaviventris	leucopareia	Eumyias panayensis
Elanus caeruleus	Empidonax fulvifrons	Eremopterix leucotis	Eumyias ruficrissa
Elanus leucurus	Empidonax hammondi	Eremopterix signatus	Eumyias thalassinus
Elanus scriptus	Empidonax minimus	Eremopterix verticalis	Euodice cantans
Electron	Empidonax oberholseri	Eriocnemis	Euodice malabarica
platyrhynchum	Empidonax	glaucopoides	Eupetes macrocerus
Eleoscytalopus	occidentalis	Erpornis zantholeuca	Eupetomena macroura
indigoticus	Empidonax traillii	Erythrocercus mccallii	Euphagus carolinus
Eleothreptus anomalus	Empidonax virescens	Erythrogonys	Euphagus
Eleothreptus candicans	Empidonax wrightii	hypoleucos	cianocephalus
Elminia albicauda	Empidonax varius	Erythrogonys cinctus	Euphonia affinis
Elminia albonotata	Enicognathus	Erythropitta arquata	Euphonia cayennensis
Elminia longicauda	ferrugineus	Erythropitta	Euphonia chalybea
Elminia nigromitrata	Enicognathus	erythrogaster	Euphonia chlorotica
Elseyornis melanops	leptorhynchus	Erythropitta kochi	Euphonia chrysopasta
Emarginata schlegelii	Enicurus leschenaulti	Erythropitta macklotii	Euphonia
Emarginata sinuata	Enicurus ruficapillus	Erythropitta venusta	cianocephala
Emarginata tractrac	Enicurus schistaceus	Erythrotiorchis	Euphonia
Emberiza aureola	Enicurus velatus	radiatus	elegantissima
Emberiza bruniceps	Ensifera ensifera	Erythrura hyperythra	Euphonia finschi
Emberiza buchanani	Entomodestes leucotis	Erythrura prasina	Euphonia hirundinacea
Emberiza cabanisi	Entomyzon albipennis	Erythrura trichroa	Euphonia lanirostris
Emberiza capensis	Entomyzon cyanotis	Erythrura viridifacies	Euphonia mesochrysa
Emberiza cioides	Eolophus roseicapilla	Esacus magnirostris	Euphonia minuta
Emberiza citrinella	Eophona migratoria	Esacus recurvirostris	Euphonia pectoralis
Emberiza elegans	Eophona personata	Estrilda astrild	Euphonia plumbea
Emberiza flaviventris	Eopsaltria australis	Estrilda atricapilla	Euphonia rufiventris
Emberiza fucata	Eopsaltria griseogularis	Estrilda charmosyna	Euphonia trinitatis
Emberiza godlewskii	Ephippiorhynchus	Estrilda erythronotos	Euphonia violacea
Emberiza impetuani	asiaticus	Estrilda kandti	Euphonia xanthogaster
Emberiza lathamii	Ephippiorhynchus	Estrilda melpoda	Euplectes afer
Emberiza	senegalensis	Estrilda nonnula	Euplectes albonotatus
leucocephalos	Epinecrophylla	Estrilda paludicola	Euplectes ardens
Emberiza pallasi	erythrura	Estrilda rhodopyga	Euplectes axillaris
Emberiza personata	Epinecrophylla	Estrilda troglodytes	Euplectes capensis
Emberiza poliopleura	gutturalis	Eubucco richardsoni	Euplectes diadematus
Emberiza pusilla	Epinecrophylla	Eubucco versicolor	Euplectes franciscanus
Emberiza rustica	haematonota	Euchrepomis sharpei	Euplectes gierowii
Emberiza rutila	Epinecrophylla	Euchrepomis	Euplectes hartlaubi
Emberiza schoeniclus	hoffmannsi	spodioptila	Euplectes hordeaceus
Emberiza	Epinecrophylla	Eucometis penicillata	Euplectes jacksoni
spodocephala	leucophthalma	Eudocimus albus	Euplectes laticauda
Emberiza sulphurata	Epinecrophylla ornata	Eudocimus ruber	Euplectes macroura
Emberiza tahapisi	Epthianura albifrons	Eudromia elegans	Euplectes orix
Emberiza tristrami	Epthianura aurifrons	Eudromias morinellus	Euplectes progne
Emberiza variabilis	Epthianura crocea	Eudynamis orientalis	Eupodotis caeruleascens
Emberizoides duidae	Epthianura tricolor	Eudynamis	Eupodotis senegalensis
Emberizoides heribicola	Eremomela badiceps	scolopaceus	Eupsittula astec
Emberizoides	Eremomela canescens	Eudytes chrysocome	Eupsittula aurea
ypiranganus	Eremomela gregalis	Eudytes chrysolophus	Eupsittula canicularis

<i>Eupsittula pertinax</i>	<i>Falco rusticolus</i>	<i>Francolinus</i>	<i>Gallinago stenura</i>
<i>Euptilotis neoxenus</i>	<i>Falco severus</i>	<i>pondicerianus</i>	<i>Gallinago stricklandii</i>
<i>Euptilotus eutilotus</i>	<i>Falco sparverius</i>	<i>Fraseria caerulescens</i>	<i>Gallinago undulata</i>
<i>Eurillas ansorgei</i>	<i>Falco subbuteo</i>	<i>Fraseria cinerascens</i>	<i>Gallinula angulata</i>
<i>Eurillas curvirostris</i>	<i>Falco subniger</i>	<i>Fraseria griseigularis</i>	<i>Gallinula chloropus</i>
<i>Eurillas gracilis</i>	<i>Falco tinnunculus</i>	<i>Fraseria ocreata</i>	<i>Gallinula galeata</i>
<i>Eurillas latirostris</i>	<i>Falco vespertinus</i>	<i>Fraseria olivascens</i>	<i>Gallinula melanops</i>
<i>Eurillas virens</i>	<i>Falco zoniventris</i>	<i>Fraseria plumbea</i>	<i>Gallinula tenebrosa</i>
<i>Eurocephalus</i>	<i>Falcula palliata</i>	<i>Fraseria tessmanni</i>	<i>Gallirex</i>
<i>anguitimens</i>	<i>Falcunculus frontatus</i>	<i>Fratercula arctica</i>	<i>porphyreolophus</i>
<i>Eurocephalus ruppelli</i>	<i>Falcunculus</i>	<i>Fratercula cirrhata</i>	<i>Galloperdix bicalcarata</i>
<i>Eurochelidon sirintarae</i>	<i>leucogaster</i>	<i>Fratercula corniculata</i>	<i>Galloperdix lunulata</i>
<i>Eurostopodus argus</i>	<i>Ficedula albicilla</i>	<i>Frederickena viridis</i>	<i>Galloperdix spadicea</i>
<i>Eurostopodus</i>	<i>Ficedula disposita</i>	<i>Fregata andrewsi</i>	<i>Gallus gallus</i>
<i>mystacalis</i>	<i>Ficedula dumetoria</i>	<i>Fregata ariel</i>	<i>Gallus lafayettii</i>
<i>Eurylaimus harterti</i>	<i>Ficedula elisae</i>	<i>Fregata magnificens</i>	<i>Gallus sonneratii</i>
<i>Eurylaimus</i>	<i>Ficedula erithacus</i>	<i>Fregata minor</i>	<i>Gampsonyx swainsonii</i>
<i>ochromalus</i>	<i>Ficedula hodgsoni</i>	<i>Fregetta grallaria</i>	<i>Gampsonyx</i>
<i>Euryptila</i>	<i>Ficedula hyperythra</i>	<i>Fregetta tropica</i>	<i>torquatus</i>
<i>subcinnamomea</i>	<i>Ficedula hypoleuca</i>	<i>Fringilla montifringilla</i>	<i>Garrodia nereis</i>
<i>Eurypyga helias</i>	<i>Ficedula luzoniensis</i>	<i>Fulica americana</i>	<i>Garrulax bicolor</i>
<i>Eurystomus glaucurus</i>	<i>Ficedula mugimaki</i>	<i>Fulica ardesiaca</i>	<i>Garrulax calvus</i>
<i>Eurystomus gularis</i>	<i>Ficedula narcissina</i>	<i>Fulica armillata</i>	<i>Garrulax chinensis</i>
<i>Eurystomus orientalis</i>	<i>Ficedula nigrorufa</i>	<i>Fulica atra</i>	<i>Garrulax davidi</i>
<i>Euscarthmus</i>	<i>Ficedula parva</i>	<i>Fulica cristata</i>	<i>Garrulax delesserti</i>
<i>meloryphus</i>	<i>Ficedula platenae</i>	<i>Fulica leucoptera</i>	<i>Garrulax leucolophus</i>
<i>Euscarthmus</i>	<i>Ficedula ruficauda</i>	<i>Fulica rufifrons</i>	<i>Garrulax lugubris</i>
<i>rufomarginatus</i>	<i>Ficedula sapphira</i>	<i>Fulmarus glacialis</i>	<i>Garrulax mitratus</i>
<i>Euschistospiza</i>	<i>Ficedula semitorquata</i>	<i>Fulmarus glacialis</i>	<i>Garrulax monileger</i>
<i>dybowskii</i>	<i>Ficedula strophia</i>	<i>Furnarius figulus</i>	<i>Garrulax palliatus</i>
<i>Falcipectnis canadensis</i>	<i>Ficedula subrubra</i>	<i>Furnarius leucopus</i>	<i>Garrulax pectoralis</i>
<i>Falcipectnis falcipectnis</i>	<i>Ficedula supercilialis</i>	<i>Furnarius longirostris</i>	<i>Garrulax sannio</i>
<i>Falcipectnis franklinii</i>	<i>Ficedula tricolor</i>	<i>Furnarius rufus</i>	<i>Garrulax strepitans</i>
<i>Falco alopex</i>	<i>Ficedula westermanni</i>	<i>Galbula albirostris</i>	<i>Garrulax treacheri</i>
<i>Falco amurensis</i>	<i>Ficedula zanthopygia</i>	<i>Galbula chalcocephala</i>	<i>Garrulus glandarius</i>
<i>Falco ardosiacus</i>	<i>Florisuga fusca</i>	<i>Galbula cyanicollis</i>	<i>Garrulus leucotis</i>
<i>Falco berigora</i>	<i>Florisuga mellivora</i>	<i>Galbula dea</i>	<i>Gavia adamsii</i>
<i>Falco biarmicus</i>	<i>Fluvicola albiventer</i>	<i>Galbula galbula</i>	<i>Gavia arctica</i>
<i>Falco cenchroides</i>	<i>Fluvicola nengeta</i>	<i>Galbula leucogastra</i>	<i>Gavia immer</i>
<i>Falco cherrug</i>	<i>Fluvicola pica</i>	<i>Galbula ruficauda</i>	<i>Gavia pacifica</i>
<i>Falco chicquera</i>	<i>Formicarius analis</i>	<i>Galbula tombacea</i>	<i>Gavia stellata</i>
<i>Falco columbarius</i>	<i>Formicarius colma</i>	<i>Galerida cristata</i>	<i>Gavialis fasciocularis</i>
<i>Falco concolor</i>	<i>Formicivora grisea</i>	<i>Galerida deva</i>	<i>Gavialis versicolor</i>
<i>Falco cuvierii</i>	<i>Formicivora intermedia</i>	<i>Galerida magnirostris</i>	<i>Gecinulus viridis</i>
<i>Falco deiroleucus</i>	<i>Formicivora</i>	<i>Galerida malabarica</i>	<i>Gelochelidon</i>
<i>Falco dickinsoni</i>	<i>melanogaster</i>	<i>Galerida modesta</i>	<i>macrotarsa</i>
<i>Falco eleonorae</i>	<i>Formicivora rufa</i>	<i>Gallucolumba luzonica</i>	<i>Gelochelidon nilotica</i>
<i>Falco fasciinucha</i>	<i>Formicivora serrana</i>	<i>Gallirex cinerea</i>	<i>Geococcyx</i>
<i>Falco femoralis</i>	<i>Forpus conspicillatus</i>	<i>Gallinago andina</i>	<i>californianus</i>
<i>Falco hypoleucos</i>	<i>Forpus modestus</i>	<i>Gallinago delicata</i>	<i>Geocolaptes olivaceus</i>
<i>Falco jugger</i>	<i>Forpus passerinus</i>	<i>Gallinago gallinago</i>	<i>Geoffroyus geoffroyi</i>
<i>Falco longipennis</i>	<i>Forpus spengeli</i>	<i>Gallinago hardwickii</i>	<i>Geokichla</i>
<i>Falco mexicanus</i>	<i>Forpus xanthopterygius</i>	<i>Gallinago jamesoni</i>	<i>camaronensis</i>
<i>Falco naumanni</i>	<i>Foudia</i>	<i>Gallinago media</i>	<i>Geokichla cinerea</i>
<i>Falco newtoni</i>	<i>madagascariensis</i>	<i>Gallinago megal</i>	<i>Geokichla citrina</i>
<i>Falco peregrinus</i>	<i>Francolinus francolinus</i>	<i>Gallinago nemoricola</i>	<i>Geokichla crossleyi</i>
<i>Falco ruficollis</i>	<i>Francolinus pictus</i>	<i>Gallinago nigripennis</i>	<i>Geokichla gurneyi</i>
<i>Falco rufigularis</i>	<i>Francolinus</i>	<i>Gallinago paraguayae</i>	<i>Geokichla interpres</i>
<i>Falco rupicoloides</i>	<i>pintadeanus</i>	<i>Gallinago solitaria</i>	<i>Geokichla oberlaenderi</i>

Geokichla piaggiae	Glaucidium	Granatina	Haemorrhous cassinii
Geokichla princei	bolivianum	ianthinogaster	Haemorrhous
Geokichla sibirica	Glaucidium	Grantiella picta	mexicanus
Geokichla spiloptera	brasilianum	Griseotyrannus	Haemorrhous purpureus
Geokichla wardii	Glaucidium brodiei	aurantioatrocristatus	Hafferia fortis
Geopelia cuneata	Glaucidium	Grus americana	Hafferia immaculata
Geopelia humeralis	californicum	Grus grus	Halcyon albiventris
Geopelia placida	Glaucidium capense	Grus japonensis	Halcyon badia
Geopelia striata	Glaucidium castaneum	Grus monacha	Halcyon chelicuti
Geophaps ferruginea	Glaucidium	Gubernatrix cristata	Halcyon coromanda
Geophaps plumifera	castanotum	Gubernetes yetapa	Halcyon gularis
Geophaps scripta	Glaucidium cuculoides	Guira guira	Halcyon leucocephala
Geophaps smithii	Glaucidium gnoma	Guttera edouardi	Halcyon malimbica
Geositta antarctica	Glaucidium hardyi	Guttera plumifera	Halcyon pileata
Geositta cunicularia	Glaucidium hoskinsii	Guttera pucherani	Halcyon senegalensis
Geositta poecioptera	Glaucidium jardinii	Guttera verreauxi	Haliaeetus vocifer
Geositta rufipennis	Glaucidium	Gymnobucco	Haliaeetus vociferoides
Geositta tenuirostris	minutissimum	bonapartei	Haliastur indus
Geospizopsis plebejus	Glaucidium nana	Gymnobucco calvus	Haliastur sphenurus
Geospizopsis unicolor	Glaucidium	Gymnobucco	Halobaena caerulea
Geothlypis	passerinum	cinereiceps	Hamirostra
aequinoctialis	Glaucidium perlatum	Gymnobucco peli	melanosternon
Geothlypis beldingi	Glaucidium radiatum	Gymnobucco sladeni	Hapalopsittaca
Geothlypis flavovellata	Glaucidium sanchezi	Gymnocichla nudiceps	melanotis
Geothlypis formosa	Glaucidium sjostedti	Gymnoderus foetidus	Haplospiza unicolor
Geothlypis nelsoni	Glaucidium	Gymnogyps	Harpactes ardens
Geothlypis	tephronotum	californianus	Harpactes diardii
philadelphia	Glaucis dohrnii	Gymnomystax	Harpactes duvaucelii
Geothlypis	Glaucis hirsutus	mexicanus	Harpactes
poliocephala	Gliciphila melanops	Gymnophis rufigula	erythrocephalus
Geothlypis tolmei	Glossopsitta concinna	Gymnorhina tibicen	Harpactes fasciatus
Geothlypis trichas	Glossopsitta	Gymnorhinus	Harpactes kasumba
Geotrygon montana	porphyrocephala	cynocephalus	Harpactes oreskios
Geotrygon violacea	Glossopsitta pusilla	Gymnoris pyrgita	Harpactes orhophaeus
Geranoaetus	Glycichaera fallax	Gymnoris superciliaris	Harpactes whiteheadi
albicaudatus	Glyphorhynchus	Gymnoris xanthocollis	Harpagus bidentatus
Geranoaetus	spirurus	Gypaetus barbatus	Harpagus diodon
melanoleucus	Gnorimopsar chopi	Gypohierax angolensis	Harpia harpyja
Geranoaetus	Gorsachius goisagi	Gyps africanus	Hartlaubius auratus
polyosoma	Gorsachius	Gyps bengalensis	Hedydipna collaris
Geranospiza	melanolophus	Gyps coprotheres	Heleia squamifrons
caerulescens	Gracula indica	Gyps fulvus	Heliactin bilophus
Geronticus calvus	Gracula ptilogenys	Gyps indicus	Heliangelus clarisse
Gerygone chloronota	Gracula religiosa	Gyps rueppelli	Helicolestes hamatus
Gerygone fusca	Gracupica contra	Gyps tenuirostris	Heliobletus
Gerygone levigaster	Gracupica nigricollis	Habia frenata	contaminatus
Gerygone magnirostris	Grafisia torquata	Habia fuscicauda	Heliodoxa aurescens
Gerygone mouki	Grallaria albigula	Habia rubica	Heliodoxa leadbeateri
Gerygone olivacea	Grallaria erythrotis	Haematoderus militaris	Heliodoxa schreibersii
Gerygone palpebrosa	Grallaria excelsa	Haematopus ater	Heliodoxa
Gerygone sulphurea	Grallaria guatemalensis	Haematopus	xanthogonys
Gerygone tenebrosa	Grallaria ruficapilla	fuliginosus	Heliomaster furcifer
Glareola cinerea	Grallaria saltuensis	Haematopus	Heliomaster
Glareola lactea	Grallaria squamigera	leucopodus	longirostris
Glareola maldivarum	Grallaria varia	Haematopus	Heliomaster
Glareola nordmanni	Grallaria flavirostris	longirostris	squamosus
Glareola nuchalis	Grallina cyanoleuca	Haematopus ostralegus	Heliopais personatus
Glareola ocularis	Granatellus pelzelni	Haematortyx	Heliornis fulica
Glareola pratincola	Granatina	sanguineiceps	Heliophryx auritus

<i>Helmitheros</i>	<i>Herpsilochmus</i>	<i>Hydrobates monorhis</i>	<i>Hypnelus ruficollis</i>
<i>vermivorum</i>	<i>sticturus</i>	<i>Hydrobates tethys</i>	<i>Hypocnemis cantator</i>
<i>Hemicircus canente</i>	<i>Hesperiphona abeillei</i>	<i>Hydrochous gigas</i>	<i>Hypocnemis flavescens</i>
<i>Hemicircus sordidus</i>	<i>Hesperiphona</i>	<i>Hydrocoloeus minutus</i>	<i>Hypocnemis</i>
<i>Hemimacronyx chloris</i>	<i>vespertina</i>	<i>Hydrophasianus</i>	<i>hypoxantha</i>
<i>Hemiprocne comata</i>	<i>Heterocercus</i>	<i>chirurgus</i>	<i>Hypocnemis</i>
<i>Hemiprocne coronata</i>	<i>flavivertex</i>	<i>Hydroprogne caspia</i>	<i>ochrogyna</i>
<i>Hemiprocne</i>	<i>Heterocercus linteatus</i>	<i>Hydropsalis</i>	<i>Hypocnemis subflava</i>
<i>longipennis</i>	<i>Heteromirafr ruddi</i>	<i>cayennensis</i>	<i>Hypocnemoides</i>
<i>Hemitesia pallidipes</i>	<i>Heteromunia pectoralis</i>	<i>Hydropsalis</i>	<i>maculicauda</i>
<i>Hemithraupis</i>	<i>Heteromyias</i>	<i>climacocerca</i>	<i>Hypocnemoides</i>
<i>flavicollis</i>	<i>cinereifrons</i>	<i>Hydropsalis</i>	<i>melanopogon</i>
<i>Hemithraupis guira</i>	<i>Heterophasia</i>	<i>maculicaudus</i>	<i>Hypoedaleus guttatus</i>
<i>Hemithraupis</i>	<i>melanoleuca</i>	<i>Hydropsalis torquata</i>	<i>Hypotaenidia</i>
<i>ruficapilla</i>	<i>Heterophasia picaoides</i>	<i>Hydromis baudii</i>	<i>philippensis</i>
<i>Hemitriccus diops</i>	<i>Heteroscenes pallidus</i>	<i>Hydromis caeruleus</i>	<i>Hypotaenidia torquata</i>
<i>Hemitriccus</i>	<i>Heterotetrax rueppelii</i>	<i>Hydromis cyaneus</i>	<i>Hypothymis azurea</i>
<i>flammulatus</i>	<i>Heterotetrax vigorsii</i>	<i>Hydromis irena</i>	<i>Hypothymis coelestis</i>
<i>Hemitriccus</i>	<i>Hieraaetus ayresii</i>	<i>Hydromis oatesi</i>	<i>Hypothymis helenae</i>
<i>granadensis</i>	<i>Himantornis</i>	<i>Hydromis phayrei</i>	<i>Hypsipetes amaurotis</i>
<i>Hemitriccus</i>	<i>haematopus</i>	<i>Hydromis schneideri</i>	<i>Hypsipetes ganeesa</i>
<i>griseipectus</i>	<i>Hippolais icterina</i>	<i>Hydromis schwaneri</i>	<i>Hypsipetes</i>
<i>Hemitriccus josephinae</i>	<i>Hippolais languida</i>	<i>Hylatomus galeatus</i>	<i>leucocephalus</i>
<i>Hemitriccus</i>	<i>Hippolais olivetorum</i>	<i>Hylatomus lineatus</i>	<i>Hypsipetes</i>
<i>margaritaceiventer</i>	<i>Hirundapus caudacutus</i>	<i>Hylatomus pileatus</i>	<i>madagascariensis</i>
<i>Hemitriccus minimus</i>	<i>Hirundapus celebensis</i>	<i>Hylexetastes perrotii</i>	<i>Hypsipetes philippinus</i>
<i>Hemitriccus minor</i>	<i>Hirundapus</i>	<i>Hylia prasina</i>	<i>Ibycter americanus</i>
<i>Hemitriccus</i>	<i>cochinchinensis</i>	<i>Hyliota australis</i>	<i>Icteria virens</i>
<i>nidipendulus</i>	<i>Hirundapus giganteus</i>	<i>Hyliota flavigaster</i>	<i>Icterus bullockii</i>
<i>Hemitriccus obsoletus</i>	<i>Hirundinea bellicosa</i>	<i>Hyliota violacea</i>	<i>Icterus cayanensis</i>
<i>Hemitriccus orbitatus</i>	<i>Hirundinea ferruginea</i>	<i>Hylocharis chrysura</i>	<i>Icterus chrysoccephalus</i>
<i>Hemitriccus rufigularis</i>	<i>Hirundo aethiopica</i>	<i>Hylocharis cyanus</i>	<i>Icterus croconotus</i>
<i>Hemitriccus spodiops</i>	<i>Hirundo albigularis</i>	<i>Hylocichla mustelina</i>	<i>Icterus cucullatus</i>
<i>Hemitriccus</i>	<i>Hirundo angolensis</i>	<i>Hylopezus berlepschi</i>	<i>Icterus galbula</i>
<i>striaticollis</i>	<i>Hirundo atrocaerulea</i>	<i>Hylopezus macularius</i>	<i>Icterus graduacauda</i>
<i>Hemitriccus zosterops</i>	<i>Hirundo dimidiata</i>	<i>Hylopezus nattereri</i>	<i>Icterus gularis</i>
<i>Hemixos cinereus</i>	<i>Hirundo javanica</i>	<i>Hylophilus</i>	<i>Icterus icterus</i>
<i>Hemixos connectens</i>	<i>Hirundo neoxena</i>	<i>amaurocephalus</i>	<i>Icterus jamacaii</i>
<i>Hemixos flava</i>	<i>Hirundo nigrita</i>	<i>Hylophilus</i>	<i>Icterus mesomelas</i>
<i>Henicorhina</i>	<i>Hirundo rustica</i>	<i>brunneiceps</i>	<i>Icterus nigrogularis</i>
<i>leucophrys</i>	<i>Hirundo smithii</i>	<i>Hylophilus flavipes</i>	<i>Icterus parisorum</i>
<i>Henicorhina leucosticta</i>	<i>Histrionicus</i>	<i>Hylophilus</i>	<i>Icterus pyrrhopterus</i>
<i>Herpetotheres</i>	<i>histrionicus</i>	<i>griseiventris</i>	<i>Icterus spurius</i>
<i>cachinnans</i>	<i>Histurgops ruficauda</i>	<i>Hylophilus pectoralis</i>	<i>Icterus wagleri</i>
<i>Herpsilochmus</i>	<i>Hoploxypterus cayanus</i>	<i>Hylophilus poicilotis</i>	<i>Ichthyophaga humilis</i>
<i>atricapillus</i>	<i>Horizocerus cassini</i>	<i>Hylophilus</i>	<i>Ictinia mississippiensis</i>
<i>Herpsilochmus</i>	<i>Horizocerus granti</i>	<i>semicinereus</i>	<i>Ictinia plumbea</i>
<i>dorsimaculatus</i>	<i>Horizocerus hartlaubi</i>	<i>Hylophilus thoracicus</i>	<i>Iduna caligata</i>
<i>Herpsilochmus</i>	<i>Horornis canturians</i>	<i>Hylophilax naevius</i>	<i>Iduna natalensis</i>
<i>longirostris</i>	<i>Horornis diphone</i>	<i>Hylophilax</i>	<i>Iduna pallida</i>
<i>Herpsilochmus</i>	<i>Horornis flavolivaceus</i>	<i>punctulatus</i>	<i>Iduna rama</i>
<i>roraimae</i>	<i>Horornis seebohmi</i>	<i>Hylopsar purpureiceps</i>	<i>Iduna similis</i>
<i>Herpsilochmus</i>	<i>Hydrobates furcatus</i>	<i>Hymenops</i>	<i>Ilicura militaris</i>
<i>rufimarginatus</i>	<i>Hydrobates homochroa</i>	<i>perspicillatus</i>	<i>Illadopsis albipectus</i>
<i>Herpsilochmus</i>	<i>Hydrobates leucorhous</i>	<i>Hypargos margaritatus</i>	<i>Illadopsis cleaveri</i>
<i>scapularis</i>	<i>Hydrobates</i>	<i>Hypargos</i>	<i>Illadopsis fulvescens</i>
<i>Herpsilochmus</i>	<i>macrodactylus</i>	<i>niveoguttatus</i>	<i>Illadopsis pyrrhoptera</i>
<i>stictocephalus</i>	<i>Hydrobates melania</i>	<i>Hypergerus atriceps</i>	<i>Illadopsis rufipennis</i>
	<i>Hydrobates microsoma</i>	<i>Hypnelus bicinctus</i>	

Indicator	Knipolegus hudsoni	Laniarius ferrugineus	Larvivora akahige
archipelagicus	Knipolegus lophotes	Laniarius funebris	Larvivora brunnea
Indicator exilis	Knipolegus nigerrimus	Laniarius	Larvivora cyane
Indicator indicatir	Knipolegus	leucorhynchus	Larvivora sibilans
Indicator maculatus	orenocensis	Laniarius luehderi	Laterallus albigularis
Indicator meliphilus	Knipolegus	Laniisoma elegans	Laterallus exilis
Indicator minor	poecilocercus	Lanio fulvus	Laterallus jamaicensis
Indicator variegatus	Knipolegus poecilurus	Lanio versicolor	Laterallus leucopyrrhus
Inezia caudata	Knipolegus striaticeps	Laniocera hypopyrra	Laterallus
Inezia inornata	Lacedo melanops	Lanioturdus torquatus	melanophaius
Inezia subflava	Lacedo pulchella	Lanius borealis	Laterallus xenopterus
Inezia tenuirostris	Lafresnaya lafresnayi	Lanius bucephalus	Lathamus discolor
Iodopleura fusca	Lagonosticta nigricollis	Lanius cabanisi	Lathrotriccus euleri
Iodopleura isabellae	Lagonosticta nitidula	Lanius collaris	Legatus leucophaeus
Iodopleura pipra	Lagonosticta rara	Lanius collurio	Leiopicus mahrattensis
Iole charlottae	Lagonosticta	Lanius collurioides	Leioptila annectens
Iole palawanensis	rhodopareia	Lanius cristatus	Leiothlypis celata
Iole propinqua	Lagonosticta rubricata	Lanius dorsalis	Leiothlypis crissalis
Irania gutturalis	Lagonosticta rufopicta	Lanius excubitor	Leiothlypis luciae
Irena cyanogastra	Lagonosticta senegala	Lanius excubitoroides	Leiothlypis peregrina
Irena puella	Lagopus lagopus	Lanius isabellinus	Leiothlypis ruficapilla
Irena tweeddalii	Lalage fimbriata	Lanius ludovicianus	Leiothlypis virginiae
Iridosornis jelskii	Lalage leucomela	Lanius mackinnoni	Leiothrix argentauris
Isleria guttata	Lalage melanoleuca	Lanius minor	Leiothrix laurinae
Isleria huxwelli	Lalage melanoptera	Lanius phoenicuroides	Leipoa ocellata
Isleriothraupis cristata	Lalage melaschistos	Lanius schach	Leistes loyca
Isleriothraupis luctuosa	Lalage nigra	Lanius senator	Leistes militaris
Ixobrychus	Lalage polioptera	Lanius souzac	Leistes superciliaris
cinnamomeus	Lalage tricolor	Lanius sphenocercus	Lepidocolaptes affinis
Ixobrychus dubius	Lampornis	Lanius tephronotus	Lepidocolaptes
Ixobrychus eurhythmus	amethystinus	Lanius tigrinus	albolineatus
Ixobrychus exilis	Lampornis clemenciae	Lanius validirostris	Lepidocolaptes
Ixobrychus flavicollis	Lamprosar tanagrinus	Lanius vittatus	angustirostris
Ixobrychus involucris	Lamprospiza	Larus atlanticus	Lepidocolaptes duidae
Ixobrychus minutus	melanoleuca	Larus atricilla	Lepidocolaptes
Ixonotus guttatus	Lamprotornis	Larus brunnicapillus	falcinellus
Ixos malaccensis	acuticaudus	Larus californicus	Lepidocolaptes
Ixos maculicollis	Lamprotornis australis	Larus canus	fatimalimae
Ixos sumatranus	Lamprotornis bicolor	Larus cirrocephalus	Lepidocolaptes
Jacamaralcyon	Lamprotornis	Larus crassirostris	fuscicapillus
tridactyla	chalybaeus	Larus delawarensis	Lepidocolaptes
Jacamerops aureus	Lamprotornis	Larus dominicanus	lacrymiger
Jacana jacana	chloropterus	Larus fuscus	Lepidocolaptes
Jacana spinosa	Lamprotornis fischeri	Larus glaucescens	souleyetii
Jubula lettii	Lamprotornis	Larus glaucoides	Lepidocolaptes
Junco hyemalis	hildebrandti	Larus heermanni	squamatus
Junco phaeonotus	Lamprotornis mevesii	Larus livens	Lepidogrammus
Kakamega poliothorax	Lamprotornis nitens	Larus maculipennis	cumingi
Kempiella griseiceps	Lamprotornis	Larus marinus	Lepidopygia nana
Kenopia striata	purpuroptera	Larus modestus	Lepidothrix coronata
Kittacincla albiventris	Lamprotornis	Larus novaehollandiae	Lepidothrix nattereri
Kittacincla luzoniensis	splendidus	Larus occidentalis	Lepidothrix serena
Kittacincla malabarica	Lamprotornis superbus	Larus philadelphia	Lepidothrix suavisissima
Kittacincla nigra	Lamprotornis unicolor	Larus pipixcan	Leptasthenura
Klais guimeti	Laniarius aethiopicus	Larus ridibundus	fuliginiceps
Knipolegus aterrimus	Laniarius	Larus schistisagus	Leptasthenura pallida
Knipolegus cabanisi	atrococcineus	Larus scoresbii	Leptasthenura setaria
Knipolegus	Laniarius bicolor	Larus smithsonianus	Leptasthenura striolata
cyanirostris	Laniarius erythrogaster	Larus thayeri	Leptocoma brasiliana

Leptocoma calcostetha	Limosa haemastica	Lophornis stictolophus	Macronectes halli
Leptocoma minima	Limosa lapponica	Lophornis verreauxii	Macronus ptilosus
Leptocoma sperata	Limosa limosa	Lophospingus	Macronyx ameliae
Leptocoma zeylonica	Linurgus olivaceus	griseocristatus	Macronyx aurantiigula
Leptodon cayanensis	Liocichla ripponi	Lophostrix cristata	Macronyx capensis
Leptopogon	Lipaugus lanioides	Lophotibis cristata	Macronyx croceus
albidiventer	Lipaugus uropygialis	Lophotis gindiana	Macronyx fuelleborni
Leptopogon	Lipaugus vociferans	Lophotis ruficrista	Macronyx sharpei
amaurocephalus	Lissotis hartlaubii	Lophotriccus galeatus	Macropsalis forcipata
Leptopogon	Lissotis melanogaster	Lophotriccus pileatus	Macropygia emiliana
superciliaris	Lobotos oriolinus	Lophotriccus vitosus	Macropygia
Leptopterus chabert	Lochmias nematura	Lophotriorchis kienerii	phasianella
Leptoptilos crumenifer	Locustella amnicola	Lophura bulweri	Macropygia ruficeps
Leptoptilos dubius	Locustella caudata	Lophura diardi	Macropygia rufipennis
Leptoptilos javanicus	Locustella certhiola	Lophura	Macropygia
Leptosomus discolor	Locustella davidi	erythrophthalma	tenuirostris
Leptotila megalura	Locustella fasciolata	Lophura ignita	Macropygia unchall
Leptotila plumbeiceps	Locustella fluviatilis	Lophura inornata	Macrosphenus
Leptotila rufaxilla	Locustella lanceolata	Lophura nycthemera	concolor
Leptotila verreauxi	Locustella mandelli	Lophura pyronota	Macrosphenus
Lessonia rufa	Locustella naevia	Lophura rufa	flavicans
Leucippus fallax	Locustella ochotensis	Loriculus galgulus	Malacocincla abbotti
Leucochloris albicollis	Locustella seebohmi	Loriculus philippensis	Malacocincla sepiaria
Leucogeranus	Locustella	Loriculus vernalis	Malaconotus blanchoti
leucogeranus	tacsanowskia	Loxia curvirostra	Malaconotus cruentus
Leuconotopicus	Lonchura atricapilla	Loxia leucoptera	Malacopteron affine
albolarvatus	Lonchura	Lurocalis rufiventris	Malacopteron
Leuconotopicus	castaneothorax	Lurocalis	albogulare
arizonae	Lonchura flaviprymna	semitorquatus	Malacopteron
Leuconotopicus	Lonchura fuscans	Luscinia luscinia	cinereum
borealis	Lonchura kelaarti	Luscinia	Malacopteron
Leuconotopicus	Lonchura leucogastra	megarhynchos	magnirostre
fumigatus	Lonchura maja	Lybius guifsobalito	Malacopteron magnum
Leuconotopicus	Lonchura malacca	Lybius leucocephalus	Malacopteron
villosus	Lonchura punctulata	Lybius torquatus	palawanense
Leucopternis kuhli	Lonchura striata	Lymnocyrtus	Malacoptila fusca
Leucopternis melanops	Lophaetus occipitalis	minimus	Malacoptila mystacalis
Leucosarcia	Lophoceros	Lyncornis macrotis	Malacoptila striata
melanoleuca	alboterminatus	Lyncornis temminckii	Malacorhynchus
Leucosticte arctoa	Lophoceros bradfieldi	Lyrurus tetrax	membranaceus
Leucosticte atrata	Lophoceros camurus	Machaerirhynchus	Malcorus pectoralis
Leucosticte australis	Lophoceros fasciatus	flaviventer	Malimbus cassini
Leucosticte tephrocotis	Lophoceros hemprichii	Machaeropterus	Malimbus coronatus
Lewinia mirifica	Lophoceros nasutus	pyrocephalus	Malimbus
Lewinia pectoralis	Lophoceros	Machaeropterus	erythrogaster
Lewinia striata	pallidirostris	striolatus	Malimbus malimbicus
Lichenostomus	Lophodytes cucullatus	Macheiramphus	Malimbus nitens
cratitius	Lophoictinia isura	alcinus	Malimbus rubricollis
Lichenostomus	Lopholaimus	Machetornis rixosa	Malurus amabilis
melanops	antarcticus	Machlolophus nuchalis	Malurus coronatus
Lichmera indistincta	Lophonetta	Machlolophus	Malurus cyaneus
Limnodromus griseus	specularioides	spilonotus	Malurus elegans
Limnodromus	Lophorina magnifica	Machlolophus	Malurus lamberti
scolopaceus	Lophorina paradisea	xanthogenys	Malurus leucopterus
Limnodromus	Lophornis chalybeus	Mackenziaena leachii	Malurus
semipalmatus	Lophornis delattrei	Mackenziaena severa	melanocephalus
Limnotherypis	Lophornis magnificus	Macroagelaius	Malurus pulcherrimus
swainsonii	Lophornis ornatus	imthurni	Malurus splendens
Limosa fedoa	Lophornis pavoninus	Macronectes giganteus	Manacus manacus

Mandingoa nitidula	Melaenornis	Melithreptus	Micrastur
Manorina flavigula	semipartitus	albogularis	semitorquatus
Manorina	Melanerpes aurifrons	Melithreptus	Micrathene whitneyi
melanocephala	Melanerpes cactorum	brevirostris	Microbates collaris
Manorina melanophrys	Melanerpes candidus	Melithreptus chloropsis	Microcarbo africanus
Manorina melanotis	Melanerpes carolinus	Melithreptus gularis	Microcarbo
Mareca americana	Melanerpes cruentatus	Melithreptus laetior	melanoleucos
Mareca falcata	Melanerpes	Melithreptus lunatus	Microcarbo niger
Mareca penelope	erythrocephalus	Melithreptus	Microcerculus bambla
Mareca sibilatrix	Melanerpes flavifrons	validirostris	Microcerculus
Mareca strepera	Melanerpes	Melloria quoyi	marginatus
Margaroperdix	formicivorus	Melocichla mentalis	Microcerculus
madagarensis	Melanerpes lewis	Melopsittacus	ustulatus
Margarornis squamiger	Melanerpes	undulatus	Microeca fascians
Maschalethraupis	rubricapillus	Melospiza georgiana	Microeca flavigaster
surinama	Melaniparus afer	Melospiza lincolni	Microeca tormenti
Mecocerculus	Melaniparus albiventris	Melospiza melodia	Microhierax
hellmayri	Melaniparus carpi	Melozona aberti	caerulescens
Mecocerculus	Melaniparus	Melozona crissalis	Microhierax
leucophrys	cinerascens	Melozona fusca	erythrogenys
Mecocerculus	Melaniparus	Menura alberti	Microhierax
stictopterus	fringillinus	Menura	fringillarius
Megabyas flammulatus	Melaniparus funereus	novaeollandiae	Micronisus gabar
Megaceryle alcyon	Melaniparus	Merganetta armata	Microparra capensis
Megaceryle lugubris	griseiventris	Mergellus albellus	Micropternus
Megaceryle maxima	Melaniparus guineensis	Mergus merganser	brachyurus
Megaceryle torquata	Melaniparus	Mergus octosetaceus	Microptilotis
Megaloprepia	leucomelas	Mergus serrator	albilineatus
magnifica	Melaniparus niger	Mergus squamatus	Microptilotis fordianus
Megalurus palustris	Melaniparus	Merops albicollis	Microptilotis gracilis
Megapodius cumingii	pallidiventris	Merops americanus	Micropygia
Megapodius	Melaniparus rufiventris	Merops apiaster	schomburgkii
nicobariensis	Melaniparus thruppi	Merops breweri	Microrhopias quixensis
Megapodius reinwardt	Melanitta perspicillata	Merops bullockoides	Microspingus cabanisi
Megarynchus pitangua	Melanitta stejnegeri	Merops malimbicus	Microspingus cinereus
Megascops albogularis	Melanochlora sultanea	Merops muelleri	Microspingus
Megascops asio	Melanocorypha	Merops nubicoides	erythrophrys
Megascops atricapilla	mongolica	Merops nubicus	Microspingus torquatus
Megascops choliba	Melanodera	Merops oreobates	Microspingus
Megascops guatemalae	melanodera	Merops orientalis	trifasciatus
Megascops ingens	Melanodera	Merops ornatus	Microstilbon
Megascops kennicottii	xanthogramma	Merops persicus	burmeisteri
Megascops marshalli	Melanodryas cucullata	Merops philippinus	Microtarsus
Megascops	Melanodryas vittata	Merops pusillus	melanoleucos
sanctaecatarinae	Melanopareia	Merops superciliosus	Microxenops milleri
Megascops trichopsis	maximiliani	Merops variegatus	Milvago chimachima
Megascops	Melanopareia torquata	Merops viridis	Milvus migrans
vermiculatus	Melanoperdix niger	Merulaxis ater	Mimus dorsalis
Megascops watsonii	Melanospiza bicolor	Mesembrinibis	Mimus gilvus
Megastictus	Melanotis caerulescens	cayennensis	Mimus patagonicus
margaritatus	Meleagris gallopavo	Metallura aeneocauda	Mimus polyglottos
Meiglyptes	Melichneutes robustus	Metallura tyrianthina	Mimus saturninus
grammithorax	Melierax canorus	Metopidius indicus	Mimus triurus
Meiglyptes jugularis	Melierax metabates	Metriopelia	Mionectes galbinus
Meiglyptes tukki	Melierax poliopterus	melanoptera	Mionectes macconnelli
Melaenornis edolioides	Melignomon zenkeri	Micrastur gilvicollis	Mionectes oleagineus
Melaenornis fischeri	Meliphaga lewinii	Micrastur mintoni	Mionectes roraimae
Melaenornis	Meliphaga notata	Micrastur mirandollei	Mionectes rufiventris
pammelaina	Melithreptus affinis	Micrastur ruficollis	Mionectes striaticollis

<i>Mirafr</i> <i>affinis</i>	<i>Motacilla</i> <i>clara</i>	<i>Myiarchus</i> <i>nuttingi</i>	<i>Myrmoderus</i> <i>ruficauda</i>
<i>Mirafr</i> <i>africana</i>	<i>Motacilla</i> <i>flava</i>	<i>Myiarchus</i> <i>swainsoni</i>	<i>Myrmoderus</i>
<i>Mirafr</i> <i>albicauda</i>	<i>Motacilla</i> <i>flaviventris</i>	<i>Myiarchus</i> <i>tuberculifer</i>	<i>squamosus</i>
<i>Mirafr</i> <i>angolensis</i>	<i>Motacilla</i> <i>grandis</i>	<i>Myiarchus</i> <i>tyrannulus</i>	<i>Myrmophylax</i>
<i>Mirafr</i> <i>apiata</i>	<i>Motacilla</i>	<i>Myiarchus</i>	<i>atrothorax</i>
<i>Mirafr</i> <i>assamica</i>	<i>maderaspatensis</i>	<i>venezuelensis</i>	<i>Myrmornis</i> <i>torquata</i>
<i>Mirafr</i> <i>cheniana</i>	<i>Motacilla</i>	<i>Myiobius</i> <i>barbatus</i>	<i>Myrmothera</i> <i>simplex</i>
<i>Mirafr</i> <i>erythrocephala</i>	<i>tschutschensis</i>	<i>Myioborus</i> <i>albifacies</i>	<i>Myrmotherula</i> <i>ambigua</i>
<i>Mirafr</i> <i>erythroptera</i>	<i>Mulleripicus</i> <i>funebri</i>	<i>Myioborus</i> <i>brunniceps</i>	<i>Myrmotherula</i> <i>axillaris</i>
<i>Mirafr</i> <i>fasciolata</i>	<i>Mulleripicus</i>	<i>Myioborus</i>	<i>Myrmotherula</i> <i>behni</i>
<i>Mirafr</i> <i>hypermetra</i>	<i>pulverulentus</i>	<i>castaneocapilla</i>	<i>Myrmotherula</i> <i>cherriei</i>
<i>Mirafr</i> <i>javanica</i>	<i>Muscicapa</i> <i>adusta</i>	<i>Myioborus</i>	<i>Myrmotherula</i> <i>grisea</i>
<i>Mirafr</i> <i>passerina</i>	<i>Muscicapa</i> <i>cassini</i>	<i>melanocephalus</i>	<i>Myrmotherula</i> <i>ignota</i>
<i>Mirafr</i> <i>pulpa</i>	<i>Muscicapa</i> <i>dauurica</i>	<i>Myiodynastes</i>	<i>Myrmotherula</i>
<i>Mirafr</i>	<i>Muscicapa</i> <i>epulata</i>	<i>chrysocephalus</i>	<i>longicauda</i>
<i>rufocinnamomea</i>	<i>Muscicapa</i> <i>ferruginea</i>	<i>Myiodynastes</i>	<i>Myrmotherula</i> <i>luctuosa</i>
<i>Mitrephanes</i>	<i>Muscicapa</i> <i>griseisticta</i>	<i>maculatus</i>	<i>Myrmotherula</i>
<i>phaeocercus</i>	<i>Muscicapa</i> <i>muttui</i>	<i>Myiodynastes</i>	<i>multostriata</i>
<i>Mitu</i> <i>tomentosum</i>	<i>Muscicapa</i> <i>randi</i>	<i>solitarius</i>	<i>Myrmotherula</i>
<i>Mitu</i> <i>tuberosum</i>	<i>Muscicapa</i> <i>sethsmithi</i>	<i>Myiomela</i> <i>diana</i>	<i>schisticolor</i>
<i>Mixornis</i> <i>bornensis</i>	<i>Muscicapa</i> <i>sibirica</i>	<i>Myiomela</i> <i>leucura</i>	<i>Myrmotherula</i> <i>sclateri</i>
<i>Mixornis</i> <i>gularis</i>	<i>Muscicapa</i> <i>striata</i>	<i>Myiopagis</i> <i>caniceps</i>	<i>Myrmotherula</i>
<i>Mniotilta</i> <i>varia</i>	<i>Muscipipra</i> <i>vetula</i>	<i>Myiopagis</i> <i>cinerea</i>	<i>surinamensis</i>
<i>Molothrus</i> <i>aeneus</i>	<i>Muscisaxicola</i> <i>albilora</i>	<i>Myiopagis</i> <i>gaimardii</i>	<i>Myrmotherula</i> <i>unicolor</i>
<i>Molothrus</i> <i>ater</i>	<i>Muscisaxicola</i>	<i>Myiopagis</i> <i>viridicata</i>	<i>Myzomela</i> <i>obscura</i>
<i>Molothrus</i> <i>bonariensis</i>	<i>capistratus</i>	<i>Myiophobus</i> <i>fasciatus</i>	<i>Myzomela</i>
<i>Molothrus</i> <i>oryzivorus</i>	<i>Muscisaxicola</i> <i>cinereus</i>	<i>Myiopsitta</i> <i>luchsi</i>	<i>sanguinolenta</i>
<i>Molothrus</i> <i>rufoaxillaris</i>	<i>Muscisaxicola</i>	<i>Myiopsitta</i> <i>monachus</i>	<i>Nannopsittaca</i>
<i>Momotus</i> <i>coeruliceps</i>	<i>flavinucha</i>	<i>Myiornis</i> <i>albiventris</i>	<i>panychlora</i>
<i>Momotus</i> <i>lessonii</i>	<i>Muscisaxicola</i>	<i>Myiotheretes</i>	<i>Napothera</i> <i>epilepidota</i>
<i>Momotus</i> <i>momota</i>	<i>fluviatilis</i>	<i>fumigatus</i>	<i>Nasica</i> <i>longirostris</i>
<i>Momotus</i> <i>subrufescens</i>	<i>Muscisaxicola</i> <i>griseus</i>	<i>Myiothlypis</i> <i>bivittata</i>	<i>Neafrapus</i> <i>boehmi</i>
<i>Monarcha</i> <i>frater</i>	<i>Muscisaxicola</i>	<i>Myiothlypis</i>	<i>Neafrapus</i> <i>cassini</i>
<i>Monarcha</i> <i>melanopsis</i>	<i>juninensis</i>	<i>cinereicollis</i>	<i>Necrosyrtes</i> <i>monachus</i>
<i>Monasa</i> <i>atra</i>	<i>Muscisaxicola</i>	<i>Myiothlypis</i> <i>coronata</i>	<i>Neochen</i> <i>jubata</i>
<i>Monasa</i> <i>morphoeus</i>	<i>maclovianus</i>	<i>Myiothlypis</i> <i>euophrys</i>	<i>Neochmia</i> <i>evangelinae</i>
<i>Monasa</i> <i>nigrifrons</i>	<i>Muscisaxicola</i>	<i>Myiothlypis</i> <i>flaveola</i>	<i>Neochmia</i> <i>phaeton</i>
<i>Monias</i> <i>benschi</i>	<i>maculirostris</i>	<i>Myiothlypis</i> <i>fulvicauda</i>	<i>Neocrex</i> <i>erythrops</i>
<i>Monticola</i> <i>angolensis</i>	<i>Muscisaxicola</i>	<i>Myiothlypis</i>	<i>Neoctantes</i> <i>niger</i>
<i>Monticola</i> <i>brevipes</i>	<i>occipitalis</i>	<i>leucoblephara</i>	<i>Neomixis</i> <i>pallidior</i>
<i>Monticola</i>	<i>Musophaga</i> <i>rossae</i>	<i>Myiothlypis</i>	<i>Neomorphus</i> <i>geoffroyi</i>
<i>cinclorhyncha</i>	<i>Myadestes</i> <i>occidentalis</i>	<i>leucophrys</i>	<i>Neomorphus</i> <i>rufipennis</i>
<i>Monticola</i> <i>explorator</i>	<i>Myadestes</i> <i>ralloides</i>	<i>Myiothlypis</i>	<i>Neopelma</i>
<i>Monticola</i> <i>gularis</i>	<i>Myadestes</i> <i>townsendi</i>	<i>mesoleucus</i>	<i>chrysocephalum</i>
<i>Monticola</i> <i>imerina</i>	<i>Mycerobas</i> <i>carnipes</i>	<i>Myiothlypis</i>	<i>Neopelma</i> <i>pallescens</i>
<i>Monticola</i> <i>rufiventris</i>	<i>Mycerobas</i>	<i>nigrocristata</i>	<i>Neophedina</i> <i>cincta</i>
<i>Monticola</i> <i>rufocinereus</i>	<i>melanozanthos</i>	<i>Myiothlypis</i> <i>rivularis</i>	<i>Neophema</i>
<i>Monticola</i> <i>rupestris</i>	<i>Mycteria</i> <i>americana</i>	<i>Myiothlypis</i> <i>roraimae</i>	<i>chrysogaster</i>
<i>Monticola</i> <i>saxatilis</i>	<i>Mycteria</i> <i>ibis</i>	<i>Myiothlypis</i> <i>signata</i>	<i>Neophema</i>
<i>Monticola</i> <i>sharpei</i>	<i>Mycteria</i> <i>leucocephala</i>	<i>Myrmeciza</i> <i>longipes</i>	<i>chrysostoma</i>
<i>Monticola</i> <i>solitarius</i>	<i>Myiagra</i> <i>alecto</i>	<i>Myrmecocichla</i> <i>arnotti</i>	<i>Neophema</i> <i>elegans</i>
<i>Morphnus</i> <i>guianensis</i>	<i>Myiagra</i> <i>cyanoleuca</i>	<i>Myrmecocichla</i>	<i>Neophema</i> <i>petrophila</i>
<i>Morus</i> <i>bassanus</i>	<i>Myiagra</i> <i>inquieta</i>	<i>monticola</i>	<i>Neophema</i> <i>pulchella</i>
<i>Morus</i> <i>serrator</i>	<i>Myiagra</i> <i>nana</i>	<i>Myrmelastes</i> <i>caurensis</i>	<i>Neophema</i> <i>splendida</i>
<i>Motacilla</i> <i>aguimp</i>	<i>Myiagra</i> <i>rubecula</i>	<i>Myrmelastes</i>	<i>Neophron</i> <i>percnopterus</i>
<i>Motacilla</i> <i>alba</i>	<i>Myiarchus</i> <i>cephalotes</i>	<i>leucostigma</i>	<i>Neopsephotus</i> <i>bourkii</i>
<i>Motacilla</i> <i>capensis</i>	<i>Myiarchus</i> <i>cinerascens</i>	<i>Myrmoderus</i>	<i>Neosuthora</i> <i>davidiana</i>
<i>Motacilla</i> <i>cinerea</i>	<i>Myiarchus</i> <i>crinitus</i>	<i>ferrugineus</i>	<i>Neotis</i> <i>denhami</i>
<i>Motacilla</i> <i>citreola</i>	<i>Myiarchus</i> <i>ferox</i>	<i>Myrmoderus</i> <i>loricatus</i>	<i>Neotis</i> <i>ludwigii</i>

Nesillas typica	Numida meleagris	Oreothlypis	Pachyptila desolata
Nesocharis ansorgei	Nyctanassa violacea	superciliosa	Pachyptila salvini
Nesoenas picturatus	Nyctibius aethereus	Oriolus brachyrynchus	Pachyptila turtur
Nesoptilotis flavicollis	Nyctibius bracteatus	Oriolus chlorocephalus	Pachyramphus major
Nesoptilotis leucotis	Nyctibius grandis	Oriolus consanguineus	Pachyramphus
Netta erythrophthalma	Nyctibius griseus	Oriolus isabellae	polychopterus
Nettapus auritus	Nyctibius jamaicensis	Oriolus kundoo	Pachyramphus rufus
Nettapus	Nyctibius leucopterus	Oriolus oriolus	Pachyramphus
coromandelianus	Nycticorax caledonicus	Oriolus traillii	surinamus
Nettapus pulchellus	Nycticorax nycticorax	Orochelidon flavipes	Pachyramphus viridis
Niltava oatesi	Nycticryphes	Orochelidon murina	Pachysylvia
Ninox connivens	semicollaris	Ortalis araucuan	aurantiifrons
Ninox japonica	Nyctidromus albigollis	Ortalis canicollis	Pachysylvia
Ninox leucopsis	Nyctiphrynus ocellatus	Ortalis guttata	hypoxantha
Ninox obscura	Nyctipolus nigrescens	Ortalis motmot	Pachysylvia
Ninox philippensis	Nyctiprogne leucopyga	Ortalis ruficauda	muscapina
Ninox randi	Nyctyornis amictus	Ortalis squamata	Pachysylvia
Ninox rufa	Nyctyornis athertoni	Ortalis vetula	semibrunnea
Ninox scutulata	Nymphicus hollandicus	Orthopsittaca	Pagophila eburnea
Ninox strenua	Nystactes tamatia	manilatus	Paludipasser locustella
Nisaetus alboniger	Nystalus chacuru	Orthotomus	Pandion haliaetus
Nisaetus cirrhatus	Nystalus maculatus	chloronotus	Panyptila cayennensis
Nisaetus nanus	Nystalus striolatus	Ortyxelos meiffrenii	Parabuteo leucorrhous
Nisaetus nipalensis	Oceanites oceanicus	Otis tarda	Parabuteo unicinctus
Nisaetus philippensis	Ochthoeca fumicolor	Otus alius	Pardaliparus amabilis
Nomonyx dominicus	Ochthoeca thoracica	Otus bakkamoena	Pardaliparus elegans
Nonnula rubecula	Ocreatus underwoodii	Otus balli	Pardalotus
Nonnula ruficapilla	Ocyrceros birostris	Otus brookii	quadrangulus
Northiella	Ocyrceros gingalensis	Otus fuliginosus	Pardirallus maculatus
haematogaster	Ocyrceros griseus	Otus icterorhynchus	Pardirallus nigricans
Notharchus	Ocyphaps lophotes	Otus lempiji	Pardirallus
hyperhynchus	Odontophorus	Otus lettia	sanguinolentus
Notharchus	balliviani	Otus longicornis	Paroaria gularis
macrorhynchus	Odontophorus capueira	Otus megalotis	Passer cinnamomeus
Notharchus ordii	Odontophorus	Otus rufescens	Passer domesticus
Notharchus swainsoni	gujanensis	Otus rutilus	Passer montanus
Notharchus tectus	Odontophorus	Otus sagittatus	Passerculus bairdii
Nothocercus	speciosus	Otus scops	Passerculus bairdii
bonapartei	Odontophorus stellatus	Otus semitorques	Passerculus henslowii
Nothocercus	Odontospiza	Otus senegalensis	Passerculus rostratus
nigrocapillus	griseicapilla	Otus spilocephalus	Passerculus
Nothocrax urumutum	Oena capensis	Otus sunia	sandwichensis
Nothoprocta ornata	Oenanthe albifrons	Oxyura australis	Passerella arborea
Nothoprocta pentlandii	Oenanthe oenanthe	Oxyura ferruginea	Passerella iliaca
Nothura boraquira	Oenanthe scotocerca	Oxyura jamaicensis	Passerella
Nothura darwini	Oneillornis salvini	Oxyura maccoa	megarhyncha
Nothura maculosa	Onychognathus morio	Oxyura vittata	Passerella schistacea
Nothura minor	Onychoprion aleuticus	Pachycephala cinerea	Passerella
Notopholia corusca	Onychoprion	Pachycephala	unalaschensis
Nucifraga	anaethetus	griseiceps	Passerina cyanea
caryocatactes	Onychoprion fuscatus	Pachycephala	Pastor roseus
Numenius americanus	Onychorhynchus	pectoralis	Patagioenas albilinea
Numenius arquata	coronatus	Pachycephala	Patagioenas albipennis
Numenius borealis	Opisthocomus hoazin	rufiventris	Patagioenas araucana
Numenius	Oreolais pulcher	Pachycephala	Patagioenas
madagascariensis	Oreortyx pictus	rufogularis	cayennensis
Numenius minutus	Oreoscoptes montanus	Pachycephala simplex	Patagioenas corensis
Numenius phaeopus	Oreoscoptes gutturalis	Pachycoecyx audeberti	Patagioenas fasciata
Numenius tahitiensis		Pachyptila belcheri	Patagioenas flavirostris

Patagioenas maculosa	Petrochelidon ariel	Phaetusa simplex	Phodilus assimilis
Patagioenas picazuro	Petrochelidon fluvicola	Phalacrocorax atriceps	Phoebastria albatrus
Patagioenas plumbea	Petrochelidon nigricans	Phalacrocorax auritus	Phoebastria
Patagioenas speciosa	Petrochelidon preussi	Phalacrocorax	immutabilis
Patagioenas subvinacea	Petrochelidon spilodera	brasilianus	Phoebastria nigripes
Patagona gigas	Petroica boodang	Phalacrocorax	Phoebetria fusca
Pauxi pauxi	Petronia petronia	capillatus	Phoebetria palpebrata
Pauxi unicornis	Petrophassa albipennis	Phalacrocorax carbo	Phoeniconaias minor
Pavo cristatus	Petrophassa rufipennis	Phalacrocorax	Phoenicopterus
Pavo muticus	Pezoporus occidentalis	fuscescens	chilensis
Pedionomus torquatus	Pezoporus wallicus	Phalacrocorax	Phoenicopterus roseus
Pelagodroma marina	Phacellodomus	fuscollois	Phoeniculus bollei
Pelargopsis capensis	ferrugineigula	Phalacrocorax	Phoeniculus
Pelecanoides magellani	Phacellodomus	gaimardi	damarensis
Pelecanoides urinatrix	inornatus	Phalacrocorax	Phoeniculus purpureus
Pelecanus	Phacellodomus	magellanicus	Phoenicurus bicolor
conspicillatus	rufifrons	Phalacrocorax	Phoenicurus frontalis
Pelecanus	Phaenicopterus	pelagicus	Phoenicurus
erythrorhynchos	curvirostris	Phalacrocorax	fuliginosus
Pelecanus occidentalis	Phaenicopterus diardi	penicillatus	Phoenicurus
Pelecanus onocrotalus	Phaenicopterus	Phalacrocorax	phoenicurus
Pelecanus philippensis	pyrrhocephalus	sulcirostris	Pholia sharpii
Pelecanus rufescens	Phaenicopterus	Phalacrocorax urile	Phonygammus
Peliperdix albobularis	sumatranus	Phalacrocorax varius	keraudrenii
Peliperdix coqui	Phaenicopterus tristis	Phalaenoptilus nuttallii	Phyllanthus bohnendorffi
Peliperdix lathamii	Phaenicopterus	Phalaropus fulicarius	Phyllastrephus
Pellorneum albiventris	viridirostris	Phalaropus lobatus	albigularis
Pellorneum	Phaeomyias murina	Phalcoboenus	Phyllergates cucullatus
nigrocapitatum	Phaethon aethereus	albogularis	Phyllolais pulchella
Peltohyas australis	Phaethon lepturus	Phalcoboenus australis	Phyllomyias
Penelope argyrotis	Phaethon rubricauda	Phalcoboenus	burneisteri
Penelope jacquacu	Phaethornis	chimango	Phyllomyias griseiceps
Penelope marail	anthophilus	Phaps chalcoptera	Phyllomyias
Penelope montagnii	Phaethornis	Phaps elegans	griseicapilla
Penelope obscura	atrimentalis	Phaps histrionica	Phyllomyias zeledoni
Penelope ochrogaster	Phaethornis augusti	Pharomachrus	Phylloscartes
Penelope purpurascens	Phaethornis bourcierii	antisianus	superciliaris
Penelope superciliosus	Phaethornis eurynome	Pharomachrus auriceps	Phylloscartes virescens
Penelopides manillae	Phaethornis	Pharomachrus	Phylloscopus affinis
Peneoenanthe	griseogularis	pavoninus	Phylloscopus borealis
pulverulenta	Phaethornis guy	Phasianus colchicus	Phylloscopus
Percnostola rufifrons	Phaethornis hispidus	Phelpsia inornata	borealoideus
Perdica argoondah	Phaethornis idaliae	Pheugopedius coraya	Phylloscopus burkii
Perdica asiatica	Phaethornis	Pheugopedius	Phylloscopus
Perdica	longirostris	genibarbis	castaneiceps
erythrorhyncha	Phaethornis	Pheugopedius	Phylloscopus claudiae
Perdix dauurica	longuemareus	maculipectus	Phylloscopus collybita
Perdix perdix	Phaethornis malaris	Pheugopedius	Phylloscopus
Pericrocotus	Phaethornis nattereri	mystacalis	examinandus
cinnamomeus	Phaethornis pretrei	Pheugopedius rutilus	Phylloscopus fuscatus
Pericrocotus	Phaethornis ruber	Philemon buceroides	Phylloscopus humei
erythropygius	Phaethornis rupurumii	Philemon citreogularis	Phylloscopus inornatus
Pericrocotus montanus	Phaethornis squalidus	Philentoma pyrrhoptera	Phylloscopus intensior
Pericrocotus solaris	Phaethornis striigularis	Philentoma velata	Phylloscopus montis
Periparus ater	Phaethornis stuarti	Philohydor lictor	Phylloscopus nitidus
Perisoreus infaustus	Phaethornis	Philydor pyrrhodes	Phylloscopus
Pernis apivorus	subochraceus	Phimosus infuscatus	occipitalis
Pernis ptilorhynchus	Phaethornis	Phlegopsis erythroptera	Phylloscopus
Pernis steerei	superciliosus	Phleocryptes melanops	omeiensis

Phylloscopus	Picus rabieri	Platysmurus aterrimus	Pogonotriccus
poliogenys	Picus viridanus	Platysmurus	poecilotis
Phylloscopus	Picus vittatus	leucopterus	Poicephalus
proregulus	Picus xanthopygaeus	Plectrophenax nivalis	cryptoxanthus
Phylloscopus	Pilherodius pileatus	Plectropterus	Poicephalus gulielmi
reguloides	Pinarochroa sordida	gambensis	Poicephalus meyeri
Phylloscopus ricketti	Pinguinus impennis	Plegadis chihi	Poicephalus robustus
Phylloscopus	Pionites leucogaster	Plegadis falcinellus	Poicephalus rueppellii
ruficapilla	Pionites	Plegadis ridgwayi	Poicephalus rufiventris
Phylloscopus schwarzi	melanocephalus	Ploceus hypoxanthus	Polemaetus bellicosus
Phylloscopus sibilatrix	Pionites xanthomerus	Ploceus manyar	Polihierax insignis
Phylloscopus soror	Pionopsitta pileata	Ploceus nigerrimus	Polihierax
Phylloscopus	Pionus chalcopterus	Ploceus nigricollis	semitorquatus
sumatrensis	Pionus fuscus	Ploceus ocularis	Poliocephalus
Phylloscopus	Pionus maximiliani	Ploceus rubiginosus	poliocephalus
tephrocephalus	Pionus menstruus	Ploceus velatus	Poliolophus urostictus
Phylloscopus tristis	Pionus senilis	Ploceus xanthopterus	Poliptila guianensis
Phylloscopus	Pionus sordidus	Pluvialis dominica	Poliptila plumbea
trochiloides	Pionus tumultuosus	Pluvialis fulva	Polyboroides radiatus
Phylloscopus	Pipile cujubi	Pluvialis squatarola	Polyboroides typus
xanthodryas	Pipile cumanensis	Pluvianellus socialis	Polyplectron
Piaya cayana	Pipile grayi	Pluvianus aegyptius	bicalcaratum
Piaya melanogaster	Pipile jacutinga	Podargus ocellatus	Polyplectron
Pica hudsonia	Pipilo	Podargus papuensis	chalcureum
Pica nutalli	erythrophthalmus	Podargus strigoides	Polyplectron
Pica pica	Pipilo maculatus	Podica senegalensis	inopinatum
Picoides arcticus	Pipraeidea bonariensis	Podiceps auritus	Polyplectron
Picoides canicapillus	Pipreola aureopectus	Podiceps cristatus	malacense
Picoides kizuki	Pipreola frontalis	Podiceps gallardoi	Polyplectron
Picoides maculatus	Pipreola riefferii	Podiceps grisegena	napoleonis
Picoides moluccensis	Piprites chloris	Podiceps juninensis	Polyplectron
Picoides nanus	Piranga flava	Podiceps major	schleiermacheri
Picoides tridactylus	Piranga hepatica	Podiceps nigricollis	Polysticta stelleri
Piculus aurulentus	Piranga ludoviciana	Podiceps occipitalis	Polystictus pectoralis
Piculus chrysocoloros	Pithecophaga jefferyi	Podilymbus podiceps	Polytelis swainsonii
Piculus flavigula	Pitta brachyura	Poecile atricapillus	Polytmus guainumbi
Piculus leucolaemus	Pitta moluccensis	Poecile carolinensis	Polytmus milleri
Picumnus	Pitta sordida	Poecile cinctus	Polytmus theresiae
albosquamatus	Platalea ajaja	Poecile gambeli	Pomatorhinus phayrei
Picumnus aurifrons	Platalea alba	Poecile hudsonicus	Poodytes carteri
Picumnus	Platalea flavipes	Poecile montanus	Poodytes gramineus
cinnamomeus	Platalea leucorodia	Poecile palustris	Poospiza nigrorufa
Picumnus cirratus	Platalea minor	Poecile rufescens	Poospizopsis
Picumnus exilis	Platalea regia	Poecile sclateri	hypocondria
Picumnus innominatus	Platycercus adscitus	Poecilotriccus	Porphyrio alleni
Picumnus lafresnayi	Platycercus	fumifrons	Porphyrio flavirostris
Picumnus nebulosus	caledonicus	Poecilotriccus	Porphyrio martinicus
Picumnus olivaceus	Platycercus elegans	plumbeiceps	Porphyrio porphyrio
Picumnus pumilus	Platycercus eximius	Pogoniulus atroflavus	Porzana albicollis
Picumnus rufiventris	Platycercus icterotis	Pogoniulus	Porzana carolina
Picumnus spilogaster	Platycercus venustus	subsulphureus	Porzana fluminea
Picumnus squamulatus	Platylophus	Pogonornis bidentatus	Porzana porzana
Picumnus temminckii	galericulatus	Pogonotriccus	Premnornis guttuliger
Picus canus	Platyrinchus	chapmani	Primolius auricollis
Picus chlorolophus	albogularis	Pogonotriccus eximius	Primolius maracana
Picus dedemi	Platyrinchus	Pogonotriccus	Prinia erythroptera
Picus erythropygus	flavicularis	ophthalmicus	Prinia flaviventris
Picus guerini	Platyrinchus mystaceus	Pogonotriccus orbitalis	Prinia rufifrons
Picus puniceus	Platyrinchus saturatus		Prinia supercilialis

Prioniturus luconensis	Psilopogon	Pterodroma	Puffinus auricularis
Prioniturus montanus	malabaricus	arminjoniana	Puffinus bailloni
Prioniturus platenae	Psilopogon monticola	Pterodroma cahow	Puffinus elegans
Prionops rufiventris	Psilopogon	Pterodroma cervicalis	Puffinus gavia
Probosciger aterrimus	mystacophanos	Pterodroma cookii	Puffinus huttoni
Procellaria	Psilopogon oorti	Pterodroma deserta	Puffinus lherminieri
aequinoctialis	Psilopogon pyrolophus	Pterodroma externa	Puffinus opisthomelas
Procellaria cinerea	Psilopogon rafflesii	Pterodroma gouldi	Puffinus puffinus
Procellaria westlandica	Psilopogon	Pterodroma hasitata	Pulsatrix
Procnias albus	rubricapillus	Pterodroma hypoleuca	koeniswaldiana
Procnias averano	Psilopogon virens	Pterodroma incerta	Pulsatrix perspicillata
Prodotiscus insignis	Psilopogon viridis	Pterodroma inexpectata	Purnella albifrons
Prodotiscus regulus	Psilopogon zeylanicus	Pterodroma lessonii	Purpureicephalus
Prodotiscus zambesiae	Psilopsiagon aurifrons	Pterodroma leucoptera	spurius
Progne chalybea	Psilopsiagon ayмара	Pterodroma macroptera	Pycnonotus aurigaster
Progne subis	Psilorhamphus guttatus	Pterodroma mollis	Pycnonotus barbatus
Progne tapera	Psiloscops flammeolus	Pterodroma neglecta	Pycnonotus
Promerops cafer	Psittacara	Pterodroma nigripennis	bimaculatus
Psalidoprocne	acuticaudatus	Pterodroma solandri	Pycnonotus blanfordi
pristoptera	Psittacara holochlorus	Pterodroma ultima	Pycnonotus brunneus
Psarocolius	Psittacara	Pteroglossus aracari	Pycnonotus cafer
angustifrons	leucophthalmus	Pteroglossus azara	Pycnonotus capensis
Psarocolius yuracares	Psittacara mitratus	Pteroglossus bailloni	Pycnonotus
Psephotellus	Psittacula alexandri	Pteroglossus	cinereifrons
chrysoterygius	Psittacula caniceps	beauharnaesii	Pycnonotus
Psephotellus dissimilis	Psittacula columboides	Pteroglossus castanotis	cyaniventris
Psephotellus	Psittacula	Pteroglossus inscriptus	Pycnonotus dispar
pulcherrimus	cyanoccephala	Pteroglossus	Pycnonotus
Psephotellus varius	Psittacula eupatria	pluricinctus	erythrophthalmos
Psephotus	Psittacula finschii	Pteroglossus sturmii	Pycnonotus finlaysoni
haematonotus	Psittacula krameri	Pteroglossus torquatus	Pycnonotus flavescens
Pseudastur albicollis	Psittacula longicauda	Pteroglossus viridis	Pycnonotus goiavier
Pseudastur polionotus	Psittacula roseata	Pteronetta hartlaubii	Pycnonotus gularis
Pseudibis papillosa	Psittinus cyanurus	Pteruthius aeralatus	Pycnonotus leucops
Pseudobulweria	Psophia leucoptera	Ptilinopus alligator	Pycnonotus
rostrata	Psophia viridis	Ptilinopus	melanicterus
Pseudochelidon	Psophocichla	melanospilus	Pycnonotus montis
eurystomina	litsitsirupa	Ptilinopus porphyreus	Pycnonotus plumosus
Pseudocolaptes	Pternistis adspersus	Ptilinopus regina	Pycnonotus squamatus
boissonneaui	Pternistis afer	Ptilinopus superbus	Pycnonotus
Pseudonigrita arnaudi	Pternistis hartlaubi	Ptiliogonys cinereus	xantholaemus
Pseudonigrita cabanisi	Pternistis hildebrandti	Ptilocichla falcata	Pycnonotus zeylanicus
Pseudopipra pipra	Pternistis	Ptilopachus nahani	Pygiptila stellaris
Pseudotriccus ruficeps	icterorhynchus	Ptilopachus petrosus	Pygochelidon
Psilopogon asiaticus	Pternistis jacksoni	Ptilopsis granti	cyanoleuca
Psilopogon	Pternistis leucoscepus	Ptilopsis leucotis	Pygochelidon
chrysopogon	Pternistis natalensis	Ptilotula flavescens	melanoleuca
Psilopogon cyanotis	Pternistis rufopictus	Ptilotula fusca	Pygoscelis papua
Psilopogon duvaucelii	Pternistis squamatus	Ptilotula keartlandi	Pyriglena leuconota
Psilopogon eximius	Pternistis swainsonii	Ptilotula ornata	Pyrrholaemus
Psilopogon faiostrictus	Pterocles bicinctus	Ptilotula penicillata	pyrrholaemus
Psilopogon flavifrons	Pterocles burchelli	Ptilotula plumula	pyrrholaemus
Psilopogon franklinii	Pterocles decoratus	Ptychoramphus	sagittatus
Psilopogon	Pterocles exustus	aleuticus	Pyrrhomyias
haemacephalus	Pterocles gutturalis	Ptyonoprogne concolor	cinnamomeus
Psilopogon henricii	Pterocles indicus	Ptyonoprogne fuligula	
Psilopogon incognitus	Pterocles lichtensteinii	Ptyonoprogne rufigula	
Psilopogon lineatus	Pterocles namaqua	Ptyonoprogne rupestris	
	Pterocles personatus	Puffinus assimilis	

<i>Pyrrhura caeruleiceps</i>	<i>Rhinopomastus</i>	<i>Sagittarius serpentarius</i>	<i>Scolopax rusticola</i>
<i>Pyrrhura cruentata</i>	<i>aterrimus</i>	<i>Sakesphorus</i>	<i>Scolopax saturata</i>
<i>Pyrrhura frontalis</i>	<i>Rhinopomastus</i>	<i>canadensis</i>	<i>Scopus umbretta</i>
<i>Pyrrhura leucotis</i>	<i>castaneiceps</i>	<i>Sakesphorus cristatus</i>	<i>Scotopelia bouvieri</i>
<i>Pyrrhura melanura</i>	<i>Rhinopomastus</i>	<i>Sakesphorus pulchellus</i>	<i>Scotopelia peli</i>
<i>Pyrrhura molinae</i>	<i>cyanomelas</i>	<i>Salpornis salvadori</i>	<i>Scytalopus iraiensis</i>
<i>Pyrrhura perlata</i>	<i>Rhinopomastus minor</i>	<i>Salpornis spilonota</i>	<i>Scytalopus pachecoi</i>
<i>Pyrrhura picta</i>	<i>Rhinoptilus</i>	<i>Saltator coerulescens</i>	<i>Scytalopus</i>
<i>Pyrrhura roseifrons</i>	<i>chalcopterus</i>	<i>Saltator grandis</i>	<i>schulenbergi</i>
<i>Pytilia phoenicoptera</i>	<i>Rhinoptilus cinctus</i>	<i>Saltator plumbeus</i>	<i>Scytalopus speluncae</i>
<i>Quoyornis georgianus</i>	<i>Rhinortha chlorophaea</i>	<i>Sarcogyps calvus</i>	<i>Scythrops</i>
<i>Radjah radjah</i>	<i>Rhipidura albicollis</i>	<i>Sarcoramphus papa</i>	<i>novaeollandiae</i>
<i>Rallina canningi</i>	<i>Rhipidura albiscapa</i>	<i>Sarkidiornis melanotos</i>	<i>Selasphorus calliope</i>
<i>Rallina eurizonoides</i>	<i>Rhipidura albogularis</i>	<i>Sarkidiornis sylvicola</i>	<i>Selasphorus</i>
<i>Rallina fasciata</i>	<i>Rhipidura cyaniceps</i>	<i>Saroglossa spilopterus</i>	<i>platycercus</i>
<i>Rallina tricolor</i>	<i>Rhipidura dryas</i>	<i>Sarothrura affinis</i>	<i>Selasphorus rufus</i>
<i>Rallus antarcticus</i>	<i>Rhipidura isura</i>	<i>Sarothrura ayresi</i>	<i>Selasphorus sasin</i>
<i>Rallus caeruleus</i>	<i>Rhipidura javanica</i>	<i>Sarothrura boehmi</i>	<i>Selenidera gouldii</i>
<i>Rallus crepitans</i>	<i>Rhipidura nigritorquis</i>	<i>Sarothrura elegans</i>	<i>Selenidera</i>
<i>Rallus elegans</i>	<i>Rhipidura rufifrons</i>	<i>Sarothrura pulchra</i>	<i>maculirostris</i>
<i>Rallus indicus</i>	<i>Rhizothera longirostris</i>	<i>Sarothrura rufa</i>	<i>Selenidera nattereri</i>
<i>Rallus limicola</i>	<i>Rhodostethia rosea</i>	<i>Sasia abnormis</i>	<i>Selenidera piperivora</i>
<i>Rallus obsoletus</i>	<i>Rhopias gularis</i>	<i>Sasia ochracea</i>	<i>Sephanoides</i>
<i>Rallus tenuirostris</i>	<i>Rhopospina fruticeti</i>	<i>Saxicola ferreus</i>	<i>sephaniodes</i>
<i>Ramphastos ambiguus</i>	<i>Rhynchocyclus</i>	<i>Saxicola rubetra</i>	<i>Sericornis beccarii</i>
<i>Ramphastos ariel</i>	<i>aequinoctialis</i>	<i>Sayornis nigricans</i>	<i>Serilophus lunatus</i>
<i>Ramphastos</i>	<i>Rhynchocyclus</i>	<i>Schiffornis major</i>	<i>Serinus flavivertex</i>
<i>citrolaemus</i>	<i>olivaceus</i>	<i>Schiffornis olivacea</i>	<i>Serpophaga</i>
<i>Ramphastos</i>	<i>Rhynchopsitta terrisi</i>	<i>Schiffornis</i>	<i>griseicapilla</i>
<i>culminatus</i>	<i>Rhynchotus</i>	<i>stenorhyncha</i>	<i>Serpophaga nigricans</i>
<i>Ramphastos cuvieri</i>	<i>maculicollis</i>	<i>Schiffornis turdina</i>	<i>Serpophaga subcristata</i>
<i>Ramphastos dicolorus</i>	<i>Rhynchotus rufescens</i>	<i>Schistes geoffroyi</i>	<i>Setopagis heterura</i>
<i>Ramphastos sulfuratus</i>	<i>Rhyticeros</i>	<i>Schistolais leucopogon</i>	<i>Setopagis parvula</i>
<i>Ramphastos toco</i>	<i>subruficollis</i>	<i>Schoenicola platyurus</i>	<i>Setopagis whitelyi</i>
<i>Ramphastos tucanus</i>	<i>Rhyticeros undulatus</i>	<i>Schoeniophylax</i>	<i>Setophaga americana</i>
<i>Ramphastos vitellinus</i>	<i>Rhytipterna immunda</i>	<i>phryganophilus</i>	<i>Setophaga auduboni</i>
<i>Ramphiculus jambu</i>	<i>Rhytipterna simplex</i>	<i>Schoeniparus</i>	<i>Setophaga caeruleus</i>
<i>Ramphiculus</i>	<i>Ridgwayia pinicola</i>	<i>castaneiceps</i>	<i>Setophaga castanea</i>
<i>leclancheri</i>	<i>Riparia chinensis</i>	<i>Schoeniparus</i>	<i>Setophaga cerulea</i>
<i>Ramphiculus marchei</i>	<i>Riparia cowani</i>	<i>rufogularis</i>	<i>Setophaga citrina</i>
<i>Ramphiculus merrilli</i>	<i>Riparia diluta</i>	<i>Schoutedenapus</i>	<i>Setophaga coronata</i>
<i>Ramphiculus</i>	<i>Riparia paludicola</i>	<i>myoptilus</i>	<i>Setophaga dominica</i>
<i>occipitalis</i>	<i>Riparia riparia</i>	<i>Sciaphylax</i>	<i>Setophaga fusca</i>
<i>Ramphotrigon</i>	<i>Rissa brevirostris</i>	<i>hemimelaena</i>	<i>Setophaga graciae</i>
<i>megacephalum</i>	<i>Rissa tridactyla</i>	<i>Scleroptila afra</i>	<i>Setophaga kirtlandii</i>
<i>Recurvirostra</i>	<i>Robsonius rabori</i>	<i>Scleroptila elgonensis</i>	<i>Setophaga magnolia</i>
<i>americana</i>	<i>Robsonius thompsoni</i>	<i>Scleroptila gutturalis</i>	<i>Setophaga nigrescens</i>
<i>Recurvirostra andina</i>	<i>Rollandia rolland</i>	<i>Scleroptila levaillantii</i>	<i>Setophaga occidentalis</i>
<i>Recurvirostra avosetta</i>	<i>Rollulus rouloul</i>	<i>Scleroptila shelleyi</i>	<i>Setophaga palmarum</i>
<i>Recurvirostra</i>	<i>Roraimia adusta</i>	<i>Scleroptila</i>	<i>Setophaga</i>
<i>novaeollandiae</i>	<i>Rostratula australis</i>	<i>streptophora</i>	<i>pensylvanica</i>
<i>Rhabdotorrhinus</i>	<i>Rostratula</i>	<i>Sclerurus albigularis</i>	<i>Setophaga petechia</i>
<i>corrugatus</i>	<i>benghalensis</i>	<i>Sclerurus caudacutus</i>	<i>Setophaga pinus</i>
<i>Rhaphidura</i>	<i>Rostrhamus sociabilis</i>	<i>Sclerurus mexicanus</i>	<i>Setophaga pitiayumi</i>
<i>leucopygialis</i>	<i>Rufirallus viridis</i>	<i>Sclerurus rufigularis</i>	<i>Setophaga striata</i>
<i>Rhaphidura sabini</i>	<i>Rupornis magnirostris</i>	<i>Sclerurus scansor</i>	<i>Setophaga tigrina</i>
<i>Rhea americana</i>	<i>Rynchops albicollis</i>	<i>Scolopax</i>	<i>Setophaga townsendi</i>
<i>Rhea pennata</i>	<i>Rynchops flavirostris</i>	<i>bukidnonensis</i>	<i>Setophaga virens</i>
<i>Rhinoplax vigil</i>	<i>Rynchops niger</i>	<i>Scolopax minor</i>	<i>Sheppardia polioptera</i>

<i>Sibirionetta formosa</i>	<i>Spilornis klossi</i>	<i>Sterna aurantia</i>	<i>Sturnia erythropygia</i>
<i>Sicalis olivascens</i>	<i>Spinus barbatus</i>	<i>Sterna dougallii</i>	<i>Sturnia malabarica</i>
<i>Sicalis uropigialis</i>	<i>Spinus lawrencei</i>	<i>Sterna forsteri</i>	<i>Sturnus vulgaris</i>
<i>Silvicoltrix diadema</i>	<i>Spinus magellanicus</i>	<i>Sterna hirundinacea</i>	<i>Sublegatus obscurior</i>
<i>Silvicoltrix pulchella</i>	<i>Spinus notatus</i>	<i>Sterna hirundo</i>	<i>Sugomel nigrum</i>
<i>Sipia palliata</i>	<i>Spinus olivaceus</i>	<i>Sterna paradisaea</i>	<i>Suiriri affinis</i>
<i>Sirystes albocinereus</i>	<i>Spinus pinus</i>	<i>Sterna repressa</i>	<i>Suiriri suiriri</i>
<i>Sirystes sibilator</i>	<i>Spinus psaltria</i>	<i>Sterna striata</i>	<i>Sula dactylatra</i>
<i>Sirystes subcanescens</i>	<i>Spinus spinescens</i>	<i>Sterna sumatrana</i>	<i>Sula leucogaster</i>
<i>Sitta arctica</i>	<i>Spinus spinus</i>	<i>Sterna trudeaui</i>	<i>Sula neboxii</i>
<i>Sitta carolinensis</i>	<i>Spinus tristis</i>	<i>Sterna vittata</i>	<i>Sula sula</i>
<i>Sitta castanea</i>	<i>Spinus xanthogastrus</i>	<i>Sternula albifrons</i>	<i>Surnia ulula</i>
<i>Sitta europaea</i>	<i>Spiza americana</i>	<i>Sternula antillarum</i>	<i>Surniculus dicruroides</i>
<i>Sitta formosa</i>	<i>Spizaetus isidori</i>	<i>Sternula nereis</i>	<i>Surniculus lugubris</i>
<i>Sitta neglecta</i>	<i>Spizaetus</i>	<i>Sternula saundersi</i>	<i>Surniculus velutinus</i>
<i>Sitta pusilla</i>	<i>melanoleucus</i>	<i>Sternula supercilialis</i>	<i>Sylvia abyssinica</i>
<i>Sittasomus</i>	<i>Spizaetus ornatus</i>	<i>Sterrhoptilus</i>	<i>Sylvia atricapilla</i>
<i>griseicapillus</i>	<i>Spizaetus tyrannus</i>	<i>dennistouni</i>	<i>Sylvia crassirostris</i>
<i>Sittasomus griseus</i>	<i>Spizella atrogularis</i>	<i>Sterrhoptilus</i>	<i>Sylvia curruca</i>
<i>Sittiparus semilarvatus</i>	<i>Spizella breweri</i>	<i>nigrocapitatus</i>	<i>Sylvia nigricapillus</i>
<i>Sittiparus varius</i>	<i>Spizella wortheni</i>	<i>Stictonetta naevosa</i>	<i>Sylvia subcoerulea</i>
<i>Siva cyanouroptera</i>	<i>Spizocorys fremantlii</i>	<i>Stigmatura budytoides</i>	<i>Sylvietta brachyura</i>
<i>Smicromis brevirostris</i>	<i>Spizocorys fringillaris</i>	<i>Stigmatura napensis</i>	<i>Sylvietta leucophrys</i>
<i>Smithornis capensis</i>	<i>Spizocorys starki</i>	<i>Stiltia isabella</i>	<i>Sylviorhynchus</i>
<i>Smithornis rufolateralis</i>	<i>Spodiopsar cineraceus</i>	<i>Stiphornis</i>	<i>desmuri</i>
<i>Smithornis sharpei</i>	<i>Spodiornis rusticus</i>	<i>erythrothorax</i>	<i>Syma torotoro</i>
<i>Smutsornis africanus</i>	<i>Sporathraupis</i>	<i>Stiphornis</i>	<i>Symposiachrus</i>
<i>Somateria fischeri</i>	<i>cyanoccephala</i>	<i>pyrrholaemus</i>	<i>trivirgatus</i>
<i>Somateria mollissima</i>	<i>Sporophila angolensis</i>	<i>Stiphornis</i>	<i>Synallaxis albilora</i>
<i>Somateria spectabilis</i>	<i>Sporophila beltoni</i>	<i>xanthogaster</i>	<i>Synallaxis cherriei</i>
<i>Spatula clypeata</i>	<i>Sporophila bouvreuil</i>	<i>Stizorhina fraseri</i>	<i>Synallaxis hypospodia</i>
<i>Spatula cyanoptera</i>	<i>Sporophila crassirostris</i>	<i>Stomiopera flava</i>	<i>Synallaxis macconnelli</i>
<i>Spatula discors</i>	<i>Sporophila</i>	<i>Stomiopera unicolor</i>	<i>Synallaxis scutata</i>
<i>Spatula hottentota</i>	<i>fringilloides</i>	<i>Streptopelia capicola</i>	<i>Syndactyla dimidiata</i>
<i>Spatula platalea</i>	<i>Sporophila funerea</i>	<i>Streptopelia decaocto</i>	<i>Syndactyla roraimae</i>
<i>Spatula querquedula</i>	<i>Sporophila maximiliani</i>	<i>Streptopelia decipiens</i>	<i>Syndactyla striata</i>
<i>Spatula rhynchotis</i>	<i>Sporophila morelleti</i>	<i>Streptopelia dussumieri</i>	<i>Synoicus adansonii</i>
<i>Spatula smithii</i>	<i>Sporophila nigricollis</i>	<i>Streptopelia lugens</i>	<i>Synoicus chinensis</i>
<i>Spatula versicolor</i>	<i>Sporophila palustris</i>	<i>Streptopelia orientalis</i>	<i>Synoicus ypsilophorus</i>
<i>Specularis specularis</i>	<i>Sporophila pileata</i>	<i>Streptopelia</i>	<i>Synthliboramphus</i>
<i>Speculipastor bicolor</i>	<i>Sporophila plumbea</i>	<i>roseogrisea</i>	<i>craveri</i>
<i>Spermestes bicolor</i>	<i>Sporophila schistacea</i>	<i>Streptopelia</i>	<i>Synthliboramphus</i>
<i>Spermestes cucullata</i>	<i>Stachyris striolata</i>	<i>semitorquata</i>	<i>hypoleucus</i>
<i>Spermestes</i>	<i>Stactolaema anchietae</i>	<i>Streptopelia</i>	<i>Synthliboramphus</i>
<i>fringilloides</i>	<i>Stactolaema leucotis</i>	<i>tranquebarica</i>	<i>scrippsi</i>
<i>Spheniscus</i>	<i>Steatornis caripensis</i>	<i>Streptoprocne phelpsi</i>	<i>Synthliboramphus</i>
<i>magellanicus</i>	<i>Steganopus tricolor</i>	<i>Streptoprocne rutila</i>	<i>wumizusume</i>
<i>Sphenopsis melanotis</i>	<i>Stelgidillas</i>	<i>Streptoprocne zonaris</i>	<i>Sypheotides indicus</i>
<i>Sphyrapicus nuchalis</i>	<i>gracilirostris</i>	<i>Strix hylophila</i>	<i>Syrigma sibilatrix</i>
<i>Sphyrapicus ruber</i>	<i>Stelgidopteryx</i>	<i>Strix leptogrammica</i>	<i>Syrhaptus paradoxus</i>
<i>Sphyrapicus thyroideus</i>	<i>serripennis</i>	<i>Strix nebulosa</i>	<i>Systellura longirostris</i>
<i>Sphyrapicus varius</i>	<i>Stephanoaetus</i>	<i>Strix occidentalis</i>	<i>Systellura roraimae</i>
<i>Spilopelia chinensis</i>	<i>coronatus</i>	<i>Strix ocellata</i>	<i>Taccocua leschenaultii</i>
<i>Spilopelia senegalensis</i>	<i>Stephanoxis loddigesii</i>	<i>Strix rufipes</i>	<i>Tachornis furcata</i>
<i>Spilopelia suratensis</i>	<i>Stercorarius</i>	<i>Strix seloputo</i>	<i>Tachornis squamata</i>
<i>Spilornis cheela</i>	<i>longicaudus</i>	<i>Strix uralensis</i>	<i>Tachuris rubrigastra</i>
<i>Spilornis elgini</i>	<i>Stercorarius parasiticus</i>	<i>Strix varia</i>	<i>Tachybaptus</i>
<i>Spilornis holospilus</i>	<i>Stercorarius pomarinus</i>	<i>Strix woodfordii</i>	<i>dominicus</i>
<i>Spilornis kinabaluensis</i>	<i>Sterna acuticauda</i>	<i>Sturnella magna</i>	

Tachybaptus novaehollandiae	Tephrodornis sylvicola	Theristicus caudatus	Touit dilectissimus
Tachybaptus pelzelinii	Tephrodornis virgatus	Theristicus melanopis	Touit huetii
Tachycineta meyeri	Terenotriccus erythrurus	Thinocorus orbignyianus	Trachylaemus purpuratus
Tachyeres leucocephalus	Terenura maculata	Thinocorus rumicivorus	Trachyphonus darnaudii
Tachyeres patachonicus	Terpsiphone affinis	Thinornis cucullatus	Trachyphonus emini
Tachyeres pteneres	Terpsiphone batesi	Thlypopsis pyrrhocomma	Trachyphonus erythrocephalus
Tachymarptis aequatorialis	Terpsiphone cyanescens	Threnetes leucurus	Trachyphonus usambiro
Tachymarptis melba	Terpsiphone incei	Threnetes ruckeri	Trachyphonus vaillantii
Tadorna cana	Terpsiphone paradisi	Threskiornis aethiopicus	Tregellasia leucops
Tadorna ferruginea	Terpsiphone rufiventer	Threskiornis bernieri	Treron affinis
Tadorna tadornoides	Terpsiphone unirufa	Threskiornis melanocephalus	Treron apicauda
Taeniopygia castanotis	Tetrao urogalloides	Threskiornis moluccus	Treron australis
Taeniortriccus andrei	Tetrao urogallus	Threskiornis spinicollis	Treron axillaris
Tangara argentea	Tetraogallus himalayensis	Thripophaga fusciceps	Treron bicinctus
Tangara atrocoerulea	Thalassarche bulleri	Thripophaga gutturata	Treron calvus
Tangara aurulenta	Thalassarche carteri	Thryophilus rufalbus	Treron capellei
Tangara cayana	Thalassarche cauta	Thryothorus ludovicianus	Treron chloropterus
Tangara cyanomelas	Thalassarche chrysostoma	Tiaris olivaceus	Treron curvirostra
Tangara episcopus	Thalassarche eremita	Tigriornis leucolopha	Treron delalandii
Tangara flava	Thalassarche impavida	Tigrisoma fasciatum	Treron fulvicollis
Tangara fulvicervix	Thalassarche melanophris	Tigrisoma lineatum	Treron olax
Tangara glaucocolpa	Thalassarche salvini	Tigrisoma mexicanum	Treron oxyurus
Tangara mexicana	Thalassarche steadi	Tinamotis ingoufi	Treron phayrei
Tangara ornata	Thalasseus bengalensis	Tinamus guttatus	Treron phoenicopterus
Tangara palmarum	Thalasseus bergii	Tinamus major	Treron pompadora
Tangara peruviana	Thalasseus bernsteini	Tinamus solitarius	Treron seimundi
Tangara sayaca	Thalasseus elegans	Tinamus tao	Treron sieboldii
Tangara velia	Thalasseus maximus	Tityra braziliensis	Treron spheonurus
Tangara whitelyi	Thalasseus sandvicensis	Tityra cayana	Treron vernans
Tanygnathus lucionensis	Thalassoica antarctica	Tityra semifasciata	Tribonyx mortierii
Tanygnathus sumatranus	Thamnistes aequatorialis	Tockus damarensis	Tribonyx ventralis
Tanyptera sylvia	Thamnophilus aethiops	Tockus deckeni	Trichastoma cinereiceps
Taoniscus nanus	Thamnophilus atrinucha	Tockus erythrorhynchus	Trichastoma malaccense
Tapera naevia	Thamnophilus insignis	Tockus flavirostris	Trichastoma rostratum
Tarphononotus harterti	Thamnophilus melanotus	Tockus jacksoni	Trichoglossus chlorolepidotus
Tarsiger cyanurus	Thamnophilus melanocephalus	Tockus leucomelas	Trichoglossus moluccanus
Tarsiger rufilatus	Thamnophilus melanocephalus	Tockus monteiri	Trichoglossus rubritorquis
Tauraco corythaix	Thamnophilus nigrocinereus	Todiramphus chloris	Tricholaema diademata
Tauraco hartlaubi	Thamnophilus ruficapillus	Todiramphus macleayii	Tricholaema frontata
Tauraco leucolophus	Thamnophilus stictocephalus	Todiramphus pyrrhopygius	Tricholaema hirsuta
Tauraco macrorhynchus	Thamnophilus sticturus	Todiramphus sanctus	Tricholaema lacrymosa
Tauraco persa	Thamnophilus subfasciatus	Tolmomyias assimilis	Tricholaema leucomelas
Tauraco schalowi	Theristicus branickii	Tolmomyias flaviventris	Tricholaema melanoccephala
Tauraco schuettii	Theristicus caerulescens	Tolmomyias viridiceps	Tricholaema malachitacea
Telacanthura melanopygia		Topaza pella	Trigonoceps occipitalis
Telacanthura ussheri		Topaza pyra	Tringa brevipes
Telophorus viridis		Torgos tracheliotus	
Tephrodornis affinis		Touit batavicus	
Tephrodornis pondicerianus			

<i>Tringa erythropus</i>	<i>Turdus hauxwelli</i>	<i>Uropsalis segmentata</i>	<i>Xiphorhynchus</i>
<i>Tringa flavipes</i>	<i>Turdus ignobilis</i>	<i>Urotiorchis macrourus</i>	<i>beauperthuysii</i>
<i>Tringa glareola</i>	<i>Turdus libonyana</i>	<i>Vanellus albiceps</i>	<i>Xiphorhynchus</i>
<i>Tringa guttifer</i>	<i>Turdus merula</i>	<i>Vanellus armatus</i>	<i>chunchotambo</i>
<i>Tringa incana</i>	<i>Turdus migratorius</i>	<i>Vanellus chilensis</i>	<i>Xiphorhynchus elegans</i>
<i>Tringa melanoleuca</i>	<i>Turdus nigriceps</i>	<i>Vanellus cinereus</i>	<i>Xiphorhynchus</i>
<i>Tringa nebularia</i>	<i>Turdus olivaceus</i>	<i>Vanellus coronatus</i>	<i>flavigaster</i>
<i>Tringa ochropus</i>	<i>Turdus poliocephalus</i>	<i>Vanellus crassirostris</i>	<i>Xiphorhynchus fuscus</i>
<i>Tringa semipalmata</i>	<i>Turdus rufopalliatus</i>	<i>Vanellus duvaucelii</i>	<i>Xiphorhynchus</i>
<i>Tringa solitaria</i>	<i>Turdus simillimus</i>	<i>Vanellus gregarius</i>	<i>guttatoides</i>
<i>Tringa stagnatilis</i>	<i>Turdus smithi</i>	<i>Vanellus indicus</i>	<i>Xiphorhynchus</i>
<i>Tringa totanus</i>	<i>Turdus subalaris</i>	<i>Vanellus lugubris</i>	<i>guttatus</i>
<i>Trochalopteron</i>	<i>Turdus unicolor</i>	<i>Vanellus malabaricus</i>	<i>Xiphorhynchus</i>
<i>cachinnans</i>	<i>Turnix castanotus</i>	<i>Vanellus melanopterus</i>	<i>susurrans</i>
<i>Trochalopteron</i>	<i>Turnix maculosus</i>	<i>Vanellus miles</i>	<i>Xolmis dominicanus</i>
<i>fairbanki</i>	<i>Turnix melanogaster</i>	<i>Vanellus</i>	<i>Zanclostomus</i>
<i>Trochalopteron</i>	<i>Turnix nanus</i>	<i>novaeollandiae</i>	<i>javanicus</i>
<i>melanostigma</i>	<i>Turnix nigricollis</i>	<i>Vanellus senegallus</i>	<i>Zanda baudinii</i>
<i>Trochalopteron milnei</i>	<i>Turnix ocellatus</i>	<i>Vanellus spinosus</i>	<i>Zanda funerea</i>
<i>Trochalopteron</i>	<i>Turnix olivii</i>	<i>Vanellus superciliosus</i>	<i>Zanda latirostris</i>
<i>peninsulae</i>	<i>Turnix pyrrhorthorax</i>	<i>Vanellus tectus</i>	<i>Zapornia akool</i>
<i>Trochocercus bivittatus</i>	<i>Turnix suscitator</i>	<i>Vanellus tricolor</i>	<i>Zapornia flavirostra</i>
<i>Trochocercus</i>	<i>Turnix sylvaticus</i>	<i>Vanellus vanellus</i>	<i>Zapornia fusca</i>
<i>cyanomelas</i>	<i>Turnix tanki</i>	<i>Vauriella gularis</i>	<i>Zapornia oliveri</i>
<i>Troglodytes aedon</i>	<i>Turnix varius</i>	<i>Vauriella insignis</i>	<i>Zapornia parva</i>
<i>Troglodytes hiemalis</i>	<i>Turnix velox</i>	<i>Veles binotatus</i>	<i>Zapornia paykullii</i>
<i>Troglodytes pacificus</i>	<i>Turnix worcesteri</i>	<i>Veniliornis affinis</i>	<i>Zapornia tabuensis</i>
<i>Troglodytes</i>	<i>Turtur afer</i>	<i>Veniliornis cassini</i>	<i>Zebrilus undulatus</i>
<i>trogodytes</i>	<i>Turtur brehmeri</i>	<i>Veniliornis frontalis</i>	<i>Zenaida asiatica</i>
<i>Trogon ambiguus</i>	<i>Turtur chalcospilos</i>	<i>Veniliornis kirkii</i>	<i>Zenaida auriculata</i>
<i>Trogon aurantius</i>	<i>Turtur tympanistria</i>	<i>Veniliornis lignarius</i>	<i>Zenaida macroura</i>
<i>Trogon collaris</i>	<i>Tychaedon barbata</i>	<i>Veniliornis</i>	<i>Zentrygon albifacies</i>
<i>Trogon curucui</i>	<i>Tychaedon coryphoeus</i>	<i>maculifrons</i>	<i>Zentrygon frenata</i>
<i>Trogon melanurus</i>	<i>Tychaedon leucosticta</i>	<i>Veniliornis mixtus</i>	<i>Zentrygon linearis</i>
<i>Trogon mexicanus</i>	<i>Tychaedon</i>	<i>Veniliornis passerinus</i>	<i>Zimmerius chrysops</i>
<i>Trogon personatus</i>	<i>quadrivirgata</i>	<i>Veniliornis spilogaster</i>	<i>Zimmerius gracilipes</i>
<i>Trogon rufus</i>	<i>Tychaedon signata</i>	<i>Verreauxia africana</i>	<i>Zimmerius improbus</i>
<i>Trogon surrucura</i>	<i>Tympanuchus cupido</i>	<i>Vidua paradisaea</i>	<i>Zoonavena grandidieri</i>
<i>Trogon violaceus</i>	<i>Tympanuchus</i>	<i>Vidua regia</i>	<i>Zoonavena sylvatica</i>
<i>Trogon viridis</i>	<i>pallidicinctus</i>	<i>Vireo olivaceus</i>	<i>Zoothera aurea</i>
<i>Tunchiornis luteifrons</i>	<i>Tympanuchus</i>	<i>Vireo sclateri</i>	<i>Zoothera dauma</i>
<i>Tunchiornis</i>	<i>phasianellus</i>	<i>Vireolanius leucotis</i>	<i>Zosterops eurycricotus</i>
<i>ochraceiceps</i>	<i>Tyto alba</i>	<i>Vultur gryphus</i>	<i>Zosterops flavilateralis</i>
<i>Turdinus brevicaudatus</i>	<i>Tyto capensis</i>	<i>Willisornis</i>	<i>Zosterops japonicus</i>
<i>Turdinus crassus</i>	<i>Tyto longimembris</i>	<i>poecilinotus</i>	<i>Zosterops kikuyuensis</i>
<i>Turdinus crispifrons</i>	<i>Tyto multipunctata</i>	<i>Xanthomixis apperti</i>	<i>Zosterops</i>
<i>Turdinus</i>	<i>Tyto novaehollandiae</i>	<i>Xanthotis macleanus</i>	<i>maderaspatanus</i>
<i>macrodactylus</i>	<i>Tyto tenebricosa</i>	<i>Xema sabini</i>	<i>Zosterops mbuluensis</i>
<i>Turdinus marmoratus</i>	<i>Upucerthia validirostris</i>	<i>Xenopipo atronitens</i>	<i>Zosterops meyeri</i>
<i>Turdoides reinwardtii</i>	<i>Upupa epops</i>	<i>Xenopipo uniformis</i>	<i>Zosterops pallidus</i>
<i>Turdoides sharpei</i>	<i>Upupa marginata</i>	<i>Xenops genibarbis</i>	<i>Zosterops palpebrosus</i>
<i>Turdoides striata</i>	<i>Uratelornis chimaera</i>	<i>Xenops minutus</i>	<i>Zosterops virens</i>
<i>Turdus abyssinicus</i>	<i>Uria aalge</i>	<i>Xenops rutilus</i>	<i>Zosterornis</i>
<i>Turdus albicollis</i>	<i>Uria lomvia</i>	<i>Xenopsaris albinucha</i>	<i>hypogrammicus</i>
<i>Turdus arthuri</i>	<i>Urocissa erythrorhyncha</i>	<i>Xenus cinereus</i>	<i>Zosterornis striatus</i>
<i>Turdus assimilis</i>	<i>Urocolius indicus</i>	<i>Xipholena</i>	<i>Zosterornis whitei</i>
<i>Turdus atrogularis</i>	<i>Urocolius macrourus</i>	<i>atropurpurea</i>	
<i>Turdus debilis</i>	<i>Uropelia campestris</i>	<i>Xipholena punicea</i>	
<i>Turdus eunomus</i>	<i>Uropsalis lyra</i>		

References and Notes

1. N. B. Davies, J. R. Krebs, S. A. West, *An Introduction to Behavioural Ecology* (Wiley, 2012).
2. M. S. Di Bitetti, C. D. De Angelo, Y. E. Di Blanco, A. Paviolo, Niche partitioning and species coexistence in a Neotropical felid assemblage. *Acta Oecol.* **36**, 403–412 (2010). [doi:10.1016/j.actao.2010.04.001](https://doi.org/10.1016/j.actao.2010.04.001)
3. P. H. Harvey, M. D. Pagel, *The Comparative Method in Evolutionary Biology* (Oxford Univ. Press, 1991), vol. 239.
4. J. H. Crook, *The Evolution of Social Organisation and Visual Communication in the Weaver Birds (Ploceinae)* (Behaviour, Brill, 1964).
5. D. R. Rubenstein, P. Abbot, *Comparative Social Evolution* (Cambridge Univ. Press, 2017).
6. S. Meiri, T. Dayan, On the validity of Bergmann's rule. *J. Biogeogr.* **30**, 331–351 (2003). [doi:10.1046/j.1365-2699.2003.00837.x](https://doi.org/10.1046/j.1365-2699.2003.00837.x)
7. M. R. E. Symonds, G. J. Tattersall, Geographical variation in bill size across bird species provides evidence for Allen's rule. *Am. Nat.* **176**, 188–197 (2010). [doi:10.1086/653666](https://doi.org/10.1086/653666) [Medline](#)
8. K. Healy, T. Guillerme, S. Finlay, A. Kane, S. B. A. Kelly, D. McClean, D. J. Kelly, I. Donohue, A. L. Jackson, N. Cooper, Ecology and mode-of-life explain lifespan variation in birds and mammals. *Proc. R. Soc. B* **281**, 20140298 (2014). [doi:10.1098/rspb.2014.0298](https://doi.org/10.1098/rspb.2014.0298) [Medline](#)
9. S. Mathew, C. Perreault, Behavioural variation in 172 small-scale societies indicates that social learning is the main mode of human adaptation. *Proc. R. Soc. B* **282**, 20150061 (2015). [doi:10.1098/rspb.2015.0061](https://doi.org/10.1098/rspb.2015.0061) [Medline](#)
10. J. Kendal, J. J. Tehrani, J. Odling-Smee, Human niche construction in interdisciplinary focus. *Phil. Trans. R. Soc. B* **366**, 785–792 (2011). [doi:10.1098/rstb.2010.0306](https://doi.org/10.1098/rstb.2010.0306) [Medline](#)
11. N. L. Boivin, M. A. Zeder, D. Q. Fuller, A. Crowther, G. Larson, J. M. Erlandson, T. Denham, M. D. Petraglia, Ecological consequences of human niche construction: Examining long-term anthropogenic shaping of global species distributions. *Proc. Natl. Acad. Sci. U.S.A.* **113**, 6388–6396 (2016). [doi:10.1073/pnas.1525200113](https://doi.org/10.1073/pnas.1525200113) [Medline](#)
12. M. Tallavaara, J. T. Eronen, M. Luoto, Productivity, biodiversity, and pathogens influence the global hunter-gatherer population density. *Proc. Natl. Acad. Sci. U.S.A.* **115**, 1232–1237 (2018). [doi:10.1073/pnas.1715638115](https://doi.org/10.1073/pnas.1715638115) [Medline](#)
13. C. D. Forde, *Habitat, Economy and Society* (Methuen and Company Ltd., 1934).
14. B. Winterhalder, E. A. Smith, Analyzing adaptive strategies: Human behavioral ecology at twenty-five. *Evol. Anthropol.* **9**, 51–72 (2000). [doi:10.1002/\(SICI\)1520-6505\(2000\)9:2<51:AID-EVAN1>3.0.CO;2-7](https://doi.org/10.1002/(SICI)1520-6505(2000)9:2<51:AID-EVAN1>3.0.CO;2-7)
15. V. V. Venkataraman, T. S. Kraft, N. J. Dominy, K. M. Endicott, Hunter-gatherer residential mobility and the marginal value of rainforest patches. *Proc. Natl. Acad. Sci. U.S.A.* **114**, 3097–3102 (2017). [doi:10.1073/pnas.1617542114](https://doi.org/10.1073/pnas.1617542114) [Medline](#)

16. K. Hawkes, K. Hill, J. F. O'Connell, Why hunters gather: Optimal foraging and the Ache of eastern Paraguay. *Am. Ethnol.* **9**, 379–398 (1982). [doi:10.1525/ae.1982.9.2.02a00100](https://doi.org/10.1525/ae.1982.9.2.02a00100)
17. M. B. Mulder, Behavioural ecology in traditional societies. *Trends Ecol. Evol.* **3**, 260–264 (1988). [doi:10.1016/0169-5347\(88\)90059-6](https://doi.org/10.1016/0169-5347(88)90059-6) [Medline](#)
18. G. R. Brown, T. E. Dickins, R. Sear, K. N. Laland, Evolutionary accounts of human behavioural diversity. *Phil. Trans. R. Soc. B* **366**, 313–324 (2011). [doi:10.1098/rstb.2010.0267](https://doi.org/10.1098/rstb.2010.0267) [Medline](#)
19. L. Binford, *Constructing Frames of Reference: An Analytical Method for Archaeological Theory Building Using Ethnographic and Environmental Data Sets* (Univ. California Press, 2001).
20. J. Helm, The ecological approach in anthropology. *Am. J. Sociol.* **67**, 630–639 (1962). [doi:10.1086/223227](https://doi.org/10.1086/223227)
21. T. H. Clutton-Brock, Review lecture: Mammalian mating systems. *Proc. R. Soc. Lond. B* **236**, 339–372 (1989). [doi:10.1098/rspb.1989.0027](https://doi.org/10.1098/rspb.1989.0027)
22. R. L. Kelly, *The Lifeways of Hunter-Gatherers: The Foraging Spectrum* (Cambridge Univ. Press, 2013).
23. R. B. Lee, I. DeVore, *Man the Hunter* (Routledge, 2017).
24. T. Barsbai, D. Lukas, A. Ponderfer, Title: Local convergence of behavior across species [Data set], version 1, Zenodo (2020); <http://doi.org/10.5281/zenodo.4159697>.
25. K. R. Kirby, R. D. Gray, S. J. Greenhill, F. M. Jordan, S. Gomes-Ng, H. J. Bibiko, D. E. Blasi, C. A. Botero, C. Bower, C. R. Ember, D. Leehr, B. S. Low, J. McCarter, W. Divale, M. C. Gavin, D-PLACE: A global database of cultural, linguistic and environmental diversity. *PLOS ONE* **11**, e0158391 (2016). [doi:10.1371/journal.pone.0158391](https://doi.org/10.1371/journal.pone.0158391) [Medline](#)
26. J. G. Jorgensen, *Western Indians: Comparative Environments, Languages, and Cultures of 172 Western American Indian Tribes* (W.H. Freeman and Company, 1980).
27. K. Hill, Constructing frames of reference: An analytical method for archeological theory building using ethnographic and environmental data Sets. Lewis R. Binford. *J. Anthropol. Res.* **58**, 416–419 (2002). [doi:10.1086/jar.58.3.3631188](https://doi.org/10.1086/jar.58.3.3631188)
28. International Union for Conservation of Nature, Digital distribution maps on the IUCN Red List of Threatened Species, version 2 (2015); www.iucnredlist.org/resources/spatial-data-download.
29. BirdLife International and Handbook of the Birds of the World, Bird species distribution maps of the world, version 6.0 (2016); <http://datazone.birdlife.org/species/requestdis>.
30. H. Wilman, J. Belmaker, J. Simpson, C. de la Rosa, M. M. Rivadeneira, W. Jetz, EltonTraits 1.0: Species-level foraging attributes of the world's birds and mammals. *Ecology* **95**, 2027 (2014). [doi:10.1890/13-1917.1](https://doi.org/10.1890/13-1917.1)
31. W. D. Kissling, L. Dalby, C. Fløjgaard, J. Lenoir, B. Sandel, C. Sandom, K. Trøjelsgaard, J. C. Svenning, Establishing macroecological trait datasets: Digitalization, extrapolation,

- and validation of diet preferences in terrestrial mammals worldwide. *Ecol. Evol.* **4**, 2913–2930 (2014). [doi:10.1002/ece3.1136](https://doi.org/10.1002/ece3.1136) [Medline](#)
32. S. B. Vander Wall, *Food Hoarding in Animals* (Univ. Chicago Press, 1990).
33. C. Carbone, G. Cowlishaw, N. J. B. Isaac, J. M. Rowcliffe, How far do animals go? Determinants of day range in mammals. *Am. Nat.* **165**, 290–297 (2005). [doi:10.1086/426790](https://doi.org/10.1086/426790) [Medline](#)
34. K. E. Jones, J. Bielby, M. Cardillo, S. A. Fritz, J. O'Dell, C. D. L. Orme, K. Safi, W. Sechrest, E. H. Boakes, C. Carbone, C. Connolly, M. J. Cutts, J. K. Foster, R. Grenyer, M. Habib, C. A. Plaster, S. A. Price, E. A. Rigby, J. Rist, A. Teacher, O. R. P. Bininda-Emonds, J. L. Gittleman, G. M. Mace, A. Purvis, PanTHERIA: A species-level database of life history, ecology, and geography of extant and recently extinct mammals. *Ecology* **90**, 2648 (2009). [doi:10.1890/08-1494.1](https://doi.org/10.1890/08-1494.1)
35. T. Garland Jr., Scaling the ecological cost of transport to body mass in terrestrial mammals. *Am. Nat.* **121**, 571–587 (1983). [doi:10.1086/284084](https://doi.org/10.1086/284084)
36. D. Sol, N. Garcia, A. Iwaniuk, K. Davis, A. Meade, W. A. Boyle, T. Székely, Evolutionary divergence in brain size between migratory and resident birds. *PLOS ONE* **5**, e9617 (2010). [doi:10.1371/journal.pone.0009617](https://doi.org/10.1371/journal.pone.0009617) [Medline](#)
37. J. M. Jeschke, H. Kokko, The roles of body size and phylogeny in fast and slow life histories. *Evol. Ecol.* **23**, 867–878 (2009). [doi:10.1007/s10682-008-9276-y](https://doi.org/10.1007/s10682-008-9276-y)
38. C. A. Botero, R. Dor, C. M. McCain, R. J. Safran, Environmental harshness is positively correlated with intraspecific divergence in mammals and birds. *Mol. Ecol.* **23**, 259–268 (2014). [doi:10.1111/mec.12572](https://doi.org/10.1111/mec.12572) [Medline](#)
39. E. Arriero, A. P. Møller, Host ecology and life-history traits associated with blood parasite species richness in birds. *J. Evol. Biol.* **21**, 1504–1513 (2008). [doi:10.1111/j.1420-9101.2008.01613.x](https://doi.org/10.1111/j.1420-9101.2008.01613.x) [Medline](#)
40. K. L. Kramer, R. Schacht, A. Bell, Adult sex ratios and partner scarcity among hunter-gatherers: Implications for dispersal patterns and the evolution of human sociality. *Phil. Trans. R. Soc. B* **372**, 20160316 (2017). [doi:10.1098/rstb.2016.0316](https://doi.org/10.1098/rstb.2016.0316) [Medline](#)
41. J. N. Fenner, Cross-cultural estimation of the human generation interval for use in genetics-based population divergence studies. *Am. J. Phys. Anthropol.* **128**, 415–423 (2005). [doi:10.1002/ajpa.20188](https://doi.org/10.1002/ajpa.20188) [Medline](#)
42. M. Szołtysek, S. Klüsener, R. Poniati, S. Gruber, The patriarchy index: A new measure of gender and generational inequalities in the past. *Cross-Cultural Res.* **51**, 228–262 (2017). [doi:10.1177/1069397117697666](https://doi.org/10.1177/1069397117697666)
43. D. Lukas, T. Clutton-Brock, Comparative studies need to rely both on sound natural history data and on excellent statistical analysis. *R. Soc. Open Sci.* **4**, 171211 (2017). [doi:10.1098/rsos.171211](https://doi.org/10.1098/rsos.171211) [Medline](#)
44. D. Lukas, T. Clutton-Brock, Costs of mating competition limit male lifetime breeding success in polygynous mammals. *Proc. R. Soc. B* **281**, 20140418 (2014). [doi:10.1098/rspb.2014.0418](https://doi.org/10.1098/rspb.2014.0418) [Medline](#)

45. J. Dale, C. J. Dey, K. Delhey, B. Kempenaers, M. Valcu, The effects of life history and sexual selection on male and female plumage colouration. *Nature* **527**, 367–370 (2015). [doi:10.1038/nature15509](https://doi.org/10.1038/nature15509) [Medline](#)
46. F. J. Pérez-Barbería, I. J. Gordon, M. Pagel, The origins of sexual dimorphism in body size in ungulates. *Evolution* **56**, 1276–1285 (2002). [doi:10.1111/j.0014-3820.2002.tb01438.x](https://doi.org/10.1111/j.0014-3820.2002.tb01438.x) [Medline](#)
47. O. Krüger, J. B. W. Wolf, R. M. Jonker, J. I. Hoffman, F. Trillmich, Disentangling the contribution of sexual selection and ecology to the evolution of size dimorphism in pinnipeds. *Evolution* **68**, 1485–1496 (2014). [doi:10.1111/evo.12370](https://doi.org/10.1111/evo.12370) [Medline](#)
48. R. Bleiweiss, Covariation of sexual dichromatism and plumage colours in lekking and non-lekking birds: A comparative analysis. *Evol. Ecol.* **11**, 217–235 (1997). [doi:10.1023/A:1018456017643](https://doi.org/10.1023/A:1018456017643)
49. A. P. Møller, T. R. Birkhead, The evolution of plumage brightness in birds is related to extrapair paternity. *Evolution* **48**, 1089–1100 (1994). [doi:10.1111/j.1558-5646.1994.tb05296.x](https://doi.org/10.1111/j.1558-5646.1994.tb05296.x) [Medline](#)
50. R. H. Wagner, Hidden leks: Sexual selection and the clustering of avian territories. *Ornithol. Monogr.* **1997**, 123–145 (1998). [doi:10.2307/40166721](https://doi.org/10.2307/40166721)
51. A. Cockburn, A. H. Dalziell, C. J. Blackmore, M. C. Double, H. Kokko, H. L. Osmond, N. R. Beck, M. L. Head, K. Wells, Superb fairy-wren males aggregate into hidden leks to solicit extragroup fertilizations before dawn. *Behav. Ecol.* **20**, 501–510 (2009). [doi:10.1093/beheco/arp024](https://doi.org/10.1093/beheco/arp024)
52. A. Trochet, E. A. Courtois, V. M. Stevens, M. Baguette, A. Chaine, D. S. Schmeller, J. Clobert, J. J. Wiens, Evolution of sex-biased dispersal. *Q. Rev. Biol.* **91**, 297–320 (2016). [doi:10.1086/688097](https://doi.org/10.1086/688097) [Medline](#)
53. K. E. Mabry, E. L. Shelley, K. E. Davis, D. T. Blumstein, D. H. Van Vuren, Social mating system and sex-biased dispersal in mammals and birds: A phylogenetic analysis. *PLOS ONE* **8**, e57980 (2013). [doi:10.1371/journal.pone.0057980](https://doi.org/10.1371/journal.pone.0057980) [Medline](#)
54. D. Lukas, T. H. Clutton-Brock, Group structure, kinship, inbreeding risk and habitual female dispersal in plural-breeding mammals. *J. Evol. Biol.* **24**, 2624–2630 (2011). [doi:10.1111/j.1420-9101.2011.02385.x](https://doi.org/10.1111/j.1420-9101.2011.02385.x) [Medline](#)
55. G. D. Sutherland, A. S. Harestad, K. Price, K. P. Lertzman, Scaling of natal dispersal distances in terrestrial birds and mammals. *Conserv. Ecol.* **4**, 16 (2000); www.consecol.org/vol4/iss1/art16/.
56. J. M. Jeschke, H. Kokko, Mortality and other determinants of bird divorce rate. *Behav. Ecol. Sociobiol.* **63**, 1–9 (2008). [doi:10.1007/s00265-008-0646-9](https://doi.org/10.1007/s00265-008-0646-9)
57. D. Lukas, T. H. Clutton-Brock, The evolution of social monogamy in mammals. *Science* **341**, 526–530 (2013). [doi:10.1126/science.1238677](https://doi.org/10.1126/science.1238677) [Medline](#)
58. A. Cockburn, Prevalence of different modes of parental care in birds. *Proc. R. Soc. B* **273**, 1375–1383 (2006). [doi:10.1098/rspb.2005.3458](https://doi.org/10.1098/rspb.2005.3458) [Medline](#)

59. J. Winking, M. Gurven, H. Kaplan, J. Stieglitz, The goals of direct paternal care among a South Amerindian population. *Am. J. Phys. Anthropol.* **139**, 295–304 (2009). [doi:10.1002/ajpa.20981](https://doi.org/10.1002/ajpa.20981) [Medline](#)
60. L. T. Gettler, A. H. Boyette, S. Rosenbaum, Broadening perspectives on the evolution of human paternal care and fathers' effects on children. *Annu. Rev. Anthropol.* **49**, 141–160 (2020). [doi:10.1146/annurev-anthro-102218-011216](https://doi.org/10.1146/annurev-anthro-102218-011216)
61. F. W. Marlowe, A critical period for provisioning by Hadza men: Implications for pair bonding. *Evol. Hum. Behav.* **24**, 217–229 (2003). [doi:10.1016/S1090-5138\(03\)00014-X](https://doi.org/10.1016/S1090-5138(03)00014-X)
62. D. Lukas, T. Clutton-Brock, Cooperative breeding and monogamy in mammalian societies. *Proc. R. Soc. B* **279**, 2151–2156 (2012). [doi:10.1098/rspb.2011.2468](https://doi.org/10.1098/rspb.2011.2468) [Medline](#)
63. M. Griesser, S. M. Drobniak, S. Nakagawa, C. A. Botero, Family living sets the stage for cooperative breeding and ecological resilience in birds. *PLOS Biol.* **15**, e2000483 (2017). [doi:10.1371/journal.pbio.2000483](https://doi.org/10.1371/journal.pbio.2000483) [Medline](#)
64. J. E. Smith, S. Gavrilets, M. B. Mulder, P. L. Hooper, C. El Mouden, D. Nettle, C. Hauert, K. Hill, S. Perry, A. E. Pusey, M. van Vugt, E. A. Smith, Leadership in mammalian societies: Emergence, distribution, power, and payoff. *Trends Ecol. Evol.* **31**, 54–66 (2016). [doi:10.1016/j.tree.2015.09.013](https://doi.org/10.1016/j.tree.2015.09.013) [Medline](#)
65. J. M. Kamilar, N. Cooper, Phylogenetic signal in primate behaviour, ecology and life history. *Phil. Trans. R. Soc. B* **368**, 20120341 (2013). [doi:10.1098/rstb.2012.0341](https://doi.org/10.1098/rstb.2012.0341) [Medline](#)
66. K. B. Strier, P. C. Lee, A. R. Ives, Behavioral flexibility and the evolution of primate social states. *PLOS ONE* **9**, e114099 (2014). [doi:10.1371/journal.pone.0114099](https://doi.org/10.1371/journal.pone.0114099) [Medline](#)
67. K. N. Balasubramaniam, K. Dittmar, C. M. Berman, M. Butovskaya, M. A. Cooper, B. Majolo, H. Ogawa, G. Schino, B. Thierry, F. B. M. de Waal, Hierarchical steepness and phylogenetic models: Phylogenetic signals in Macaca. *Anim. Behav.* **83**, 1207–1218 (2012). [doi:10.1016/j.anbehav.2012.02.012](https://doi.org/10.1016/j.anbehav.2012.02.012)
68. C. Groves, Species concept in primates. *Am. J. Primatol.* **74**, 687–691 (2012). [doi:10.1002/ajp.22035](https://doi.org/10.1002/ajp.22035) [Medline](#)
69. V. Henderson, T. Squires, A. Storeygard, D. Weil, The global distribution of economic activity: Nature, history, and the role of trade. *Q. J. Econ.* **133**, 357–406 (2018). [doi:10.1093/qje/qjx030](https://doi.org/10.1093/qje/qjx030) [Medline](#)
70. T. Barsbai, V. Licuanan, A. Steinmayr, E. Tiongson, D. Yang, Information and the Acquisition of Social Network Connections. National Bureau of Economic Research (NBER) working paper no. 27346 (2020); www.nber.org/papers/w27346.
71. J. A. List, A. M. Shaikh, Y. Xu, Multiple hypothesis testing in experimental economics. *Exp. Econ.* **22**, 773–793 (2019). [doi:10.1007/s10683-018-09597-5](https://doi.org/10.1007/s10683-018-09597-5)